Manufacturer PDF Provided by www.southeasternequipment.net

KÄRCHER





DELIVERS A CLEANING PUNCH.

Fuel-powered stationary water heating module.

PROFESSIONAL | STATIONARY HOT WATER GENERATOR SERIES

Manufacturer PDF Provided by www.southeasternequipment.net

Stationary Hot Water Generator Series



Model 9452

Model 9462

Heating modules for attaching to a cold water pressure washer.

The 9400 Series heating modules give customers the flexibility to “convert” a cold water pressure washer into a hot water unit. By attaching the heating module to a cold water pressure washer the pressurized water is now heated to produce all the benefits of hot water cleaning. The four models use fuel oil, diesel or natural gas to heat the water using Kärcher's high-efficiency, vertical heating coil.







1 Powerful and durable

- High-efficiency burner with transformer for years of reliable and affordable operation; produces up to 920,000 BTU.
- Rugged, heavy-duty steel cabinet painted with an epoxy powder-coat finish for all-weather protection.
- Multiple fuel-burner types available: Diesel, Kerosene, Home Heating Oil, Natural Gas, LP Gas (optional).

2 Smart features

- Effective heating of up to 10 GPM provides supplemental hot water for cold water pressure washers.
- Helpful trilingual labels with operating instructions in English, Spanish and French for owner and operator protection.
- Many uses: fleet, oilfield, and food processing applications.
- Designed to attach to cold water pressure washers with cleaning power of 6 to 10 GPM and up to 3200 PSI.
- All models operate on 115V/ 1PH and are ETL safety certified.

Manufacturer PDF Provided by www.southeasternequipment.net

Technical data and equipment.

TECHNICAL DATA

Model	Part No.	GPM	PSI	Volt / PH	CC	BTU / Hour	AMP	Fuel	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
9450	1.103-905.0	10	3200	115/1	389	700,000	8	Oil-Fired	525	32.5 x 25 x 50.5
9452	1.103-906.0	10	3200	115/1	479	540,000	1	Natural - Gas- Fired	500	32.5 x 25 x 50.5
9460	1.103-907.0	10	3200	115/1	688	920,000	8	Oil-Fired	920	40.5 x 32 x 65
9462	1.103-908.0	10	3200	115/1	688	920,000	1	Natural - Gas- Fired	935	40.5 x 32 x 65

OPTIONS (FIELD INSTALLED)

	ORDER NO.	DESCRIPTION
☐	8.903-076.0	Natural-Gas to LP Conversion for Model 9452 (Factory Installed)
☐	8.903-075.0	Natural-Gas to LP Conversion for Model 9462 (Factory Installed)
☐	9.801-040.0	10" Natural Gas-Fired Draft Diverter for Model 9452
☐	8.717-730.0	12" Natural Gas-Fired Draft Diverter for Model 9462
☐	8.749-806.0	10" Power Dampener
☐	8.753-171.0	12" Power Dampener
☐	8.749-807.0	Power Dampener Wiring Harness

■ Included ☐ Optional

Manufacturer PDF Provided by www.southeasternequipment.net

Please contact us for more information:

Kärcher U.S.A.
6398 N. Kärcher Way
Aurora, CO 80019
U.S.A.

Tel. 888-805-9852
Fax 800-248-8409

www.karcher.com/us/professional

KarcherUSA

@kaercher_us_professional

karchercommercial

karcher-us

KarcherUSA

Rev. 06/23 · B349 · Rights to technical modifications reserved.