Table Of Contents



UNIVERSAL SEALS	GENERAL USE PARTS
DENSE RUBBER SEALS	GROMMETS
SPONGE RUBBER SEALS10	BUMPERS
PEEL-N-STICK SEALS	PLUGS 24
RUBBER EDGING18	RUBBER SHEETING
PUSH-ON SEALS	FENDER WELTING
RUN CHANNELS	RUBBER BUSHINGS 26
BELTLINE 21	RUBBER PADS 26
	ACCESSORIES
STEELE RUBRER PRODUCTS	ADHESIVES, CLEANERS & SEALERS 27
Since 1958	TOOLS 29

Customer Service

Steele provides quality service both before and after your purchase. To place orders, check order status, request a catalog, or ask questions, simply call toll free 800-230-5871 or visit www.steelerubber.com. For returns and additional assistance, please contact our Product Specialists at 800-230-5871.

Our Guarantee

Quality is extremely important to us. We value our relationship with our customers and want your experience with Steele to be the best possible. We offer a 100% Satisfaction Guarantee on all parts manufactured by and purchased from Steele Rubber Products.



Steele Rubber Products 6180 E NC 150 HWY Denver NC 28037 www.steelerubber.com



DENSE SEALS SPONGE RUBBER SEALS ON PAGE 10


How To Order

All of our universal seals, on pages 2-13, are sold "by the foot". Simply let us know how many feet you require, and we will cut to your custom length.




Possible Uses:

Many of the seals on these pages are perfect for holding glass in a metal track, providing safety and great finishing looks.











toll free 800-230-5871 • www.steelerubber.com

40-0519-99

▶| |**◄** 3/32"


60-0082-99

SINCE 1958

30-0498-99



LOCKING



1

LOCKING STRIPS

LOCKING STRIPS can be used with many of the dense rubber seals on page 4.




60-0607-99 Sold per/foot



30-0439-99 Sold per/foot




70-2195-5216ft. Strip




70-1918-52 15ft. Strip



70-1919-52 15ft. Strip



70-2196-52 16ft. Strip



70-3425-52 11ft. Strip

INSERT




INSERT TRIM

INSERT TRIM can be used in many aluminum tracks found on Rvs, enclosed trailers & boats.

DENSE RUBBER INSERT TRIM




70-3782-99



FITS IN ½" TRACK METAL
2 EXAMPLES OF TRIM MOLDING TRACK SHOWN HERE


DENSE RUBBER INSERT TRIM




70-3813-99

FITS IN MANY BOAT WINDSHIELD FRAMES TO HIDE MOUNTING HARDWARE



















All of our universal rubber seals, on pages 2-13, are sold "by the foot". Simply let us know how many feet you require, and we will cut to your custom length.





SPONGE RUBBER SEALS


How To Order

All of our universal seals, on pages 2-13, are sold "by the foot". Simply let us know how many feet you require, and we will cut to your custom length.




Possible Uses:


Many of the seals on these pages are perfect for sealing doors and windows.












toll free 800-230-5871 • www.steelerubber.com








70-0463-85



70-0777-99




70-0957-99



70-0518-85

1/4" ▼ | ▼ 7/16" ► |

70-0701-99













Our Universal Parts are for Anything!

We built our reputation over decades of producing the highest quality rubber parts and weatherstrip seals for classic and antique vehicles. Now, we bring our experience and commitment to quality to our line of universal rubber seals. From cars and trucks to boats and recreational vehicles, you can be confident in the great looks, high performance and long life of our universal rubber seals.





Don't See The Part You Need?

We have thousands of rubber profiles and extrusions in our inventory that may not be listed in this catalog. Give us a call and one of our Product Specialists can assist you in finding the right part for your next project.

call or email: cars@steelerubber.com

PEEL-N-STICK SEALS Exclusive

Exclusively Made With


Output

HOLDS TIGHTER • LASTS LONGER

Our Peel-N-Stick weatherstripping can be used any place a rubber seal is needed. With easy to use Peel-N-Stick adhesive backing, simply cut to size and fit to the areas you need to seal. Available in multiple lengths and a variety of extrusions, our Peel-N-Stick parts are made of the same quality sponge & dense rubber found in our standard rubber parts and weatherstripping.



No messy glue, Just peel and stick!



SPONGE RUBBER

83-0102-73 • 5ft. 83-0103-73 • 10ft. 83-0124-73 • 15ft. 83-1016-73 • 30ft.



SPONGE RUBBER


83-0109-73 • 5ft. 83-0110-73 • 10ft. 83-0111-73 • 15ft. 83-1020-73 • 30ft.



SPONGE RUBBER


83-0125-73 • 5ft. 83-0126-73 • 10ft. 83-0122-73 • 15ft.

83-1021-73 • 30ft.



SPONGE RUBBER

83-0104-73 • 5ft. 83-0105-73 • 10ft. 83-0106-73 • 15ft. 83-1017-73 • 30ft.



SPONGE RUBBER

83-0107-73 • 5ft. 83-0108-73 • 10ft. 83-0130-73 • 15ft. 83-1019-73 • 30ft.



SPONGE RUBBER

83-0128-73 • 5ft. 83-0129-73 • 10ft. 83-0119-73 • 15ft

83-0119-73 • 15ft. 83-1022-73 • 30ft.




SPONGE RUBBER

83-0127-73 • 5ft. 83-0113-73 • 10ft. 83-0114-73 • 15ft. 83-1018-73 • 30ft.



SPONGE RUBBER

83-1023-85 • 5ft. 83-1024-85 • 10ft. 83-1025-85 • 15ft. 83-1026-85 • 30ft.



SPONGE RUBBER

83-0131-73 • 5ft. 11/16" 83-0132-73 • 10ft.

83-0100-73 • 15ft. 83-0118-73 • 30ft.



PEEL-N-STICK SEALS






83-0135-73 10ft. **SPONGE RUBBER**




83-0136-73 10ft. **SPONGE RUBBER**



83-0139-73 10ft. **SPONGE RUBBER**



83-0137-73 10ft. **SPONGE RUBBER**




83-0140-73 10ft. **SPONGE RUBBER**



83-0133-73 10ft. **SPONGE RUBBER**









Possible Uses:

These parts are some of our most universal Peel-N-Stick extrusions. Great for many applications!

ALL EXTRUSIONS ARE SPONGE RUBBER



70-3673-99 • per/ft. 83-1040-73 • 5ft 83-1041-73 • 10ft. 83-1042-73 • 30ft.



7/8"

■ 1" **■**


83-0134-73

10ft.

SPONGE RUBBER

10ft.


SPONGE RUBBER






70-1105-99-WT • per/ft. 83-1033-73 • 10ft. 83-1034-73 • 30ft.

■11/16" **▶**




70-3672-99 • per/ft. 83-1037-73 • 5ft. 83-1038-73 • 10ft. 83-1039-73 • 30ft.







70-3677-99 • per/ft. 83-1049-73 • 5ft. 83-1050-73 • 10ft. 83-1051-73 • 30ft.




70-1106-99-WT • per/ft. 83-1035-73 • 10ft. 83-1036-73 • 30ft.



70-0129-99-WT • per/ft. 83-1031-73 • 10ft. 83-1032-73 • 30ft.



30-0243-73-WT • per/ft. 83-1029-73 • 10ft. 83-1030-73 • 30ft.



30-0144-87-WT • per/ft. 83-1027-73 • 10ft. 83-1028-73 • 30ft.




PEEL-N-STICK SEALS





Possible Uses:

Perfect for window scraper seal applications on many types of vehicles.

FUZZY FLOCKED SURFACE PROTECTS WINDOW GLASS








SPONGE RUBBER 70-2813-60 • 5ft. 70-2814-60 • 10ft. 70-2815-60 • 15ft.

DENSE RUBBER 70-2816-60 • 5ft. 70-2817-60 • 10ft. 70-2818-60 • 15ft. DENSE RUBBER 70-2820-60 • 5ft. 70-2821-60 • 10ft. 70-2822-60 • 15ft.

|← 3/4" →|<u>▼</u> DENSE RUBBER 1/4" 70-2674-42 • 9ft. 70-2675-42 • 14ft.




SPONGE RUBBER 70-2684-42 • 9ft. 70-2685-42 •14ft.

Possible Uses:

Can be used for a clean looking hood-to-cowl seal that is easy to install.

RUBBER EDGING


U-SHAPE SEALS



PUSH-ON Type edging seals are listed on page 20



SPONGE RUBBER 83-0115-73 • 10ft. 83-0116-73 • 15ft. Also available by the foot. See page 13.



DENSE RUBBER
70-3167-33 • 10ft.
70-3168-33 • 15ft.
Also available by the foot. See page 9.




SPONGE RUBBER 83-0120-73 • 10ft. 83-0121-73 • 15ft. Also available by the foot.

See page 13.




DENSE RUBBER 70-3247-44 • 10ft. 70-3248-44 • 15ft. Also available by the foot. See page 9.

GLASS SEALS



DENSE RUBBER 70-2860-52 • 15ft.




DENSE RUBBER 70-2851-52 • 12ft. 70-2850-52 • 20ft. Also available by the foot. See page 6.

ALSO AVAILABLE - "T" Rubber



Possible Uses:

Use T-shaped seals as trim for sealing a variety of glass types.
They also fit in metal tracks on many RV side doors as a sweeper seal.




These extrusions are also listed on page 6 and are sold per foot




PUSH-ON SEALS

SIDE CHANNEL BULB




70-3582-99 • per/ft.



70-3583-99 • per/ft.




70-3584-99 • per/ft.




70-3586-99 25ft. Strip




70-3594-99 25ft. Strip





70-3592-99 • per/ft.




70-3456-99 25ft. Strip











BOTTOM CHANNEL BULB



70-3585-99 25ft. Strip




70-3587-99 25ft. Strip



70-3588-99 25ft. Strip



70-2831-99 • per/ft.



70-3590-99 • per/ft.




The tube shaped bulbs are made of high quality rubber. The flexible metal cores can bend to grip edges tightly, providing a simple and safe way to seal.


MORE PUSH-ON SEALS ON PAGE 20.




PUSH-ON SEALS


NON BULB









70-2746-99 • per/ft.



70-3581-99 • per/ft.




70-3593-99 - 25ft. Strip




PUSH-ON SEALS

These PUSH-ON Seals can be used for covering rough or dangerous edges. These work great on Metal, Plastic or Fiberglass. Rubber edging seals are listed on page 18


EDGING










70-3598-99 • per/ft.




70-3601-99 • per/ft.







70-3599-99 • per/ft.



70-3596-99 • per/ft.



The flexible metal cores can bend to grip edges tightly, providing a simple and safe way to seal.


RUN CHANNELS

WITH METAL SPINE


These Run Channels have a fuzzy lining which creates a smooth surface for glass to slide. They also have a metal spine which makes them tough and durable. The run channels listed here are a perfect choice when restoring antique cars.



FLEXIBLE METAL SPINE 70-1238-58 - 5' strip 70-1239-58 - 6' strip




FLEXIBLE METAL SPINE 20-1146-58 - 5' strip




FLEXIBLE METAL SPINE

60-0375-58 - 5' strip 60-0129-58 - 90" strip




FLEXIBLE METAL SPINE

20-1619-58 - 5' strip 40-0309-57 - two 3' strips 40-0309-98 - 8' strip



FLEXIBLE METAL SPINE 70-1107-57 - 5' strip 70-1108-57 - 6' strip



RIGID METAL SPINE 70-0752-58 - 6' strip 70-3819-58 - two 2' strips



7/8"

1-1/16"


RUN CHANNELS **ALL FLEXIBLE NO METAL SPINE**

Flexible Run Channels with a flocked lining create a smooth surface for gliding window panels. Works great with glass, acrylic. fiberglass or plastic. These fibers provide low friction, flexibility and long life.


BELTLINE WEATHERSTRIP

13/16"

Beltline weatherstrips provide a smooth surface for glass to slide against as it rolls down into the door. They prevent glass from rattling and keep dust and moisture out of the door panel.







Chrome Edge



--▶|7/16"|**-**

RIGID METAL SPINE

70-0651-58 - 6' strip

Chrome Edge

FLEXIBLE METAL SPINE 30-0244-57 two 3' strips

←1/2"**→**

PEEL-N-STICK


DENSE RUBBER

70-2816-60-57 - 5' strip

70-2817-60-57 - 10' strip

70-2818-60-57 - 15' strip

23/32"



30-0301-57 two 3' strips 70-3815-57 two 2' strips



7/16"

FLEXIBLE METAL SPINE

40-0540-57

6' strip

40-0539-57

two 2' strips

70-3817-57

two 2' strips



FLEXIBLE METAL SPINE

70-3805-61

FLEXIBLE METAL SPINE


70-3804-61

two 4' strips

7/8"


1-3/16

FLEXIBLE METAL SPINE 70-3807-61 two 4' strips



DENSE RUBBER 70-2820-60-57 - 5' strip 70-2821-60-57 - 10' strip 70-2822-60-57 - 15' strip


PEEL-N-STICK



FLEXIBLE METAL SPINE 70-1121-61 two 3' strips 70-1120-61 - 6' strip

This is a sample design **Actual grommets**





Our round grommets can be used for a variety of sheet metal applications. Grommets are listed below by the size of the sheet metal hole. **Call for assistance. 800-230-5871**

may be different.

Seiter Hole O jour of the second of the se

sheet Metal Sounder

Ser Hole

Slotulith distribution of the state of th

1/16"

Steet Meto

Selfet Hole


Q.	/ 5.			5
32-1059-20	1/4"	5/32"	3/8"	1/16"
32-1060-20	1/4"	5/32"	7/16"	3/32"
32-1062-20	9/32"	3/16"	3/8"	3/32"
32-1063-20	5/16"	5/32"	7/16"	1/4"
32-1061-20	5/16"	3/16"	1/2"	1/16"
32-0352-20	3/8"	1/4"	9/16"	1/16"
32-0414-32	3/8"	5/32"	9/16"	5/32"
32-1064-20	3/8"	1/4"	1/2"	1/16"
32-1058-20	3/8"	1/8"	1/2"	3/32"
32-0514-20	3/8"	1/4"	5/8"	1/16"
32-0317-52	7/16"	1/4"	3/4"	1/16"
32-0366-53	7/16"	1/8"	5/8"	1/16"
32-1065-20	7/16"	1/4"	5/8"	1/16"
32-0537-24	7/16"	1/4"	3/4"	1/16"
32-1067-20	7/16"	5/16"	9/16"	1/16"
32-0365-20	1/2"	3/16"	3/4"	1/16"
32-0161-21	1/2"	3/8"	11/16"	1/16"
32-0132-67	1/2"	3/8"	13/16"	3/32"
32-1073-20	9/16"	7/16"	3/4"	1/16"
32-1070-20	9/16"	5/16"	13/16"	1/4"
32-0051-24	9/16"	3/8"	5/8"	5/32"
32-0491-21	9/16"	3/8"	15/16"	5/32"
32-1069-20	9/16"	5/16"	3/4"	1/8"
32-0158-17	9/16"	5/16"	13/16"	1/16"
32-1071-20	5/8"	3/8"	7/8"	1/16"
32-1072-20	5/8"	3/8"	7/8"	1/4"
32-0970-17	5/8"	7/32"	13/16"	3/32"
32-0112-20	11/16"	1/4"	1-3/16"	1/16"
32-0047-14	11/16"	3/8"	1"	1/16"

32-0103-13	11/10	1/0	13/10	1/10
32-0050-24	11/16"	15/32"	3/4"	1/4"
32-0003-21	11/16"	5/16"	1"	1/16"
32-0328-54	11/16"	3/8"	1-3/16"	1/16"
32-1068-20	3/4"	5/16"	1"	1/16"
32-0342-24	3/4"	3/8"	1"	3/16"
32-1075-20	3/4"	1/2"	1"	1/8"
32-0438-20	3/4"	1/2"	1"	3/32"
32-1074-20	3/4"	1/2"	31/32"	3/32"
32-0263-17	3/4"	5/16"	1"	1/16"
32-0066-20	3/4"	1/4"	15/16"	1/16"
32-0162-21	3/4"	1/4"	15/16"	1/16"
32-0064-21	13/16"	1/4"	1"	1/16"
32-1076-20	13/16"	1/2"	1-1/16"	1/4"
32-0002-21	7/8"	13/32"	1-1/16"	1/16"
32-0224-21	7/8"	5/8"	1-1/8"	1/16"
32-1077-20	7/8"	5/8"	1-1/8"	1/8′
32-0057-24	7/8"	5/16"	1-1/4"	1/8"
32-0155-37	7/8"	1/2"	1-5/16"	1/16"
32-0364-37	29/32"	5/8"	1-1/4"	3/32"
32-1078-20	15/16"	3/4"	1-1/8"	1/16"
32-0039-14	15/16"	1/4"	1-1/4"	1/16"
32-0133-21	31/32"	3/4"	1-3/16"	3/16"
32-1066-20	31/32"	1/4"	1-7/32"	1/16"
32-0464-15	1"	3/8"	1-3/8"	1/16"
32-0714-41	1"	3/8"	1-5/16"	1/16"
32-0492-14	1"	11/16"	1-1/4"	1/16"
32-0320-21	1"	7/16"	1-7/16"	1/16"

32-0439-20	1"	7/16"	1-5/16"	1/16"
32-0390-21	1"	3/4"	1-1/4"	1/16"
32-0098-21	1"	1/4"	1-5/16"	1/16"
32-0401-45	1"	3/8"	1-1/4"	1/16"
32-0437-20	1-1/16"	7/16"	1-3/8"	1/16"
32-0253-37	1-1/16"	5/8"	2-1/16"	3/32"
32-0369-20	1-1/16"	3/4"	1-3/8"	1/16"
32-0134-20	1-1/16"	13/16"	1-5/16"	5/32"
32-1201-20	1-3/32"	9/16"	1-9/16"	3/32"
32-0167-52	1-3/32"	7/8"	1-7/16"	1/16"
32-0005-14	1-1/8"	5/8"	1-3/8"	1/16"
32-0001-37	1-1/8"	3/4"	1-9/16"	1/16"
32-0365-37	1-5/32"	5/8"	1-9/16"	3/32"
32-0062-14	1-5/32"	3/4"	1-7/16"	1/16"
32-0355-37	1-1/4"	5/8"	2"	1/16"
32-1079-20	1-1/4"	3/4"	1-5/8"	1/4"
32-0421-37	1-3/16"	3/4"	1-9/16"	1/4"
32-0422-20	1-1/4"	1/2"	1-7/16"	1/4"
32-0220-21	1-1/4"	1/4"	1-1/2"	1/16"
32-0118-37	1-1/4"	3/4"	1-5/8"	1/16"
32-0063-14	1-5/16"	1/2"	1-5/8"	1/16"
32-0455-14	1-5/16"	7/8"	1-5/8"	1/16"
32-0023-14	1-5/16"	1-1/16"	1-7/8"	1/16"
32-0196-21	1-5/16"	5/16"	1-11/16"	1/16"
32-0160-20	1-3/8"	1/2"	1-11/16"	1/8"
32-0062-20	1-3/8"	5/16"	1-7/8"	1/8"
32-0333-20	1-3/8"	7/16"	1-3/4"	3/32"
32-0225-20	1-1/2"	11/16"	2-1/4"	3/32"



STEM BUMPERS



Our stem bumpers can be used to protect a variety of sheet metal applications. Grommets are listed below by the size of the sheet metal hole. Call for assistance. 800-230-5871

inbe		MEL.	iané		×CO
est Hunder	SHEE	MILL	Head Diane	Head Heigh	/

33-0730-42	1/8"	3/8"	3/32"
33-0127-41	1/8"	5/16"	1/8"
33-0128-88	1/8"	5/16"	1/4"
33-0556-15	1/8"	1/2"	1/16"
33-0348-54	3/16"	1/2"	5/8"
33-0368-30	3/16"	1/2"	7/16"
33-0507-62	3/16"	7/16"	1/8"
33-0990-87	3/16"	15/16"	1/2"
33-0117-42	3/16"	5/8"	5/16"
33-0349-87	3/16"	1/2"	3/32"
33-0042-42	3/16"	7/16"	1/2"
33-0123-42	1/4"	3/4"	1/2"
33-0512-44	1/4"	3/8"	5/32"
33-0136-42	1/4"	1/2"	5/16"
33-0211-31	1/4"	5/8"	1/4"
33-0293-87	1/4"	7/8"	15/16"
33-0459-42	1/4"	3/4"	3/16"
33-0496-71	1/4"	1/2"	3/8"
33-1285-42	1/4"	9/16"	3/16"
33-0395-42	1/4"	9/16"	3/32"

Z,			attle
, Alli		61° / 65	
Soft Milli	SHEET.	Mark Hespi	Heady Head
33-0350-87	1/4"	15/16′	3/8'
33-0427-42	1/4"	5/8"	3/16"
33-0482-42	1/4"	5/8"	7/16"
33-0046-42	1/4"	3/4"	5/16"
33-1574-71	1/4"	5/8"	1/4"
33-0003-42	1/4"	11/16"	1/8"
33-0019-20	1/4"	7/16"	3/16"
33-0449-42	1/4"	1/2"	1/4"
60-0734-71	1/4"	9/16"	1/4"
33-1576-71	5/16"	9/16"	1/2"
33-1575-71	5/16"	5/8"	3/4"
33-0531-42	5/16"	13/16"	1/4"
33-0031-42	5/16"	1/2"	1/8"
33-0109-71	5/16"	3/4"	1/4"
33-0116-42	5/16"	3/4"	1/2"
33-0542-42	5/16"	3/4"	5/16"
33-0113-42	5/16"	3/4"	3/16"
33-0293-71	5/16"	3/4"	11/16"
		1	1

1"

11/16"

11/32"

3/8"



33-0016-45


33-0169-42

3/8"

3/8"

BODY PLUGS





Our body plugs can be used for a variety of sheet metal applications. Body Plugs are listed by the size of the sheet metal hole.

Call for assistance. 800-230-5871

This is a sample design

Body plugs come in a variety of sizes. These are examples of our body plugs







Part# 32-0456-20

Part# 35-0369-20

Part# 35-1214-20



Qat His	SHE!	ARV /	W W W W W W W W W W W W W W W W W W W
	in /	Miles / .	affil (
, All		0 / 0	
	CHIV.		My Sign
25 0450 45	2,011	F /0!	Dubbar
35-0458-45	3,0	5,0	Rubber
32-0456-20	1/2"	3/4"	Rubber
35-0369-20	1/2"	3/4"	Rubber
35-0070-87	1/2"	3/4"	Rubber
35-1052-20	1/2"	7/8"	Plastic
35-0171-20	9/16"	13/16"	Rubber
35-0197-31	3/4"	1-1/8"	Rubber
35-0262-20	3/4"	1"	Rubber
35-0515-20	3/4"	1"	Rubber
35-1053-20	3/4"	1-1/8"	Plastic
35-1054-20	3/4"	1-1/8"	Plastic
35-0402-87	7/8"	1-1/8"	Rubber
35-0099-20	15/16"	1-3/16"	Rubber
35-1214-20	1"	1-5/16"	Rubber
35-0457-45	1"	1-3/8"	Rubber
35-1055-20	1"	1-3/8"	Plastic
35-0327-45	1-1/8"	1-1/2"	Rubber
35-1056-20	1-1/4"	1-5/8"	Plastic
35-0517-45	1-3/8"	1-5/8"	Rubber
35-3508-45	2"	2-7/16"	Rubber





UNIVERSAL PARTS

These pages contain parts that can be used for a variety of uses.

Battery Terminal Cover



Cover, battery clamp. Control unsightly sulfate buildup. Can be used on most any vehicle battery.

70-0095-21

Rubber Sheeting




Rubber masticated sheet. 3/32" thick rubber sheet containing random milled cotton cord reinforcement. Perfect for front end automobile splash aprons. Many other uses as well. This product is four (4) foot high, and will only be sold in four (4) foot multiples (4' x 1', 4' x 2', 4' x 3', etc...). Please order by the square foot.

70-0645-45

Fender Welting for Automobiles



Fender welting. Superior quality, proper construction of reinforced black vinyl over vinyl core. 1-3/8" inch wide. One fourth (1/4" 0r 3/16" bead, 25' or 50' roll. Typically used to attach fenders to automobile body.



CHROME

70-1097-44 - 1/4" bead, 25' roll. **70-1098-44** - 1/4" bead, 50' roll. **70-1099-44** - 3/16" bead, 25' roll. **70-1100-44** - 3/16" bead, 50' roll.

70-1101-44 - CHROME, 3/16" bead, 25' roll. **70-1102-44** - CHROME, 3/16" bead, 50' roll.

Dimmer Switch Grommet



Dimmer switch grommet for automobiles. Has a wide flange for 1" hole for carpet application. 2-3/4"inches overall.

40-0083-88

Push Button Lock Knobs



Knob or push button for inside door lock, fits over 1/8" steel rod to door lock. Hard brown rubber, may be lacquered other colors as required. OEM for many GM cars but can be used for other vehicles. 70-0660-70

d for other **70-0354-70**



Knob or push button

for inside door lock.

to door lock. Neutral

many GM cars but

vehicles.

fits over 1/8" steel rod

brown rubber. OEM for

can be used for other




Round Rubber Bushings



Listed by hole size

	DIAMETER	WIDTH HEIGHT	HOLE SIZE		DIAMETER	WIDTH HEIGHT	HOLE SIZE
60-0232-11	2"	13/16"	3/8"	11-0019-35	1-7/16"	1-1/8"	5/8"
60-0235-33	1"	11/16"	3/8"	70-2233-48	1-7/8"	9/16"	5/8"
50-0133-48	1-5/16"	3/8"	7/16"	10-0134-32	7/8"	1/4"	5/8"
50-0132-48	1-3/4"	5/16"	7/16"	50-0229-11	2-3/16"	1/2"	5/8"
60-0231-11	1-7/16"	7/8"	7/16"	60-0463-11	2-1/2"	1-1/4"	3/4"
60-0216-33	1-1/4"	3/4"	7/16"	11-0020-35	1-9/16"	1-1/8"	3/4"
70-1125-33	1-1/8"	1/4"	1/2"	50-0329-48	1-15/16"	3/4"	3/4"
70-1968-36	1-1/4"	5/8"	1/2"	50-0097-48	1-15/16"	1/2"	3/4"
11-0016-33	1-5/16"	11/16"	1/2"	50-0507-48	1-15/16"	13/16"	7/8"
70-0265-48	1-1/2"	1-1/4"	1/2"	60-0189-48	1-13/16"	9/16"	7/8"
70-0264-48	1-7/16"	1/4"	9/16"	70-2232-48	1-7/8"	9/16"	15/16"
70-1967-33	1-7/16"	7/8"	5/8"				

Square/Rectangle Rubber Pads



2-1/16"

2-3/16"

2-1/8"



50-0328-48 70-2234-48

70-0634-48

2-1/16"

2-3/16"

3-3/16"

Possible Uses:

7/16"

1/2"

7/16"

5/8"

3/4"

13/16"

Our rubber bushings and rubber pads can be used anywhere a cushion barrier is needed. Our Square/Rectangle pads are perfect for use as body mounting pads when restoring automobiles.





SINCE 1958

Our Universal Parts are for Anything!

We built our reputation over decades of producing the highest quality rubber parts and weatherstrip seals for the classic and antique vehicles. Now, we bring our experience and commitment to quality to our line of universal rubber seals. From cars and trucks to boats and recreational vehicles, you can be confident in the great looks, high performance and long life of our universal rubber seals.







Don't See The Part You Need?

We have thousands of rubber profiles and extrusions in our inventory that may not be listed in this catalog. Give us a call and one of our Product Specialists can assist you in finding the right part for your next project.

call or email: cars@steelerubber.com



Adhesives, Cleaners & Sealers



Loctite Super Bonder 495

General purpose instant adhesive designed to bond rubber, metal, and plastic parts. Excellent for modified gaskets or rubber footage made of dense or sponge rubber.

96-0495-96 (3 gm. Tube)



3M Super Weatherstrip Adhesive (Yellow)

Designed specifically to bond rubber gaskets and weatherstripping to metal surfaces. This flexible. high-strength adhesive helps ensure a tight waterproof seal on car doors, trunks, roof rails and more. It cures fast and works right out of the tube, holding rubber weatherstripping in place and resisting heat, vibration, oils and detergents. Yellow in color.

96-8001-96 (5 oz. Tube)



3M Super Weatherstrip Adhesive (Black)

Designed specifically to bond rubber gaskets and weatherstripping to metal surfaces. This flexible, high-strength adhesive helps ensure a tight waterproof seal on car doors, trunks, roof rails and more. It cures fast and works right out of the tube, holding rubber weatherstripping in place and resisting heat, vibration, oils and detergents. Black in color.

96-8008-96 (5 oz. Tube)



3M Weatherstrip Adhesive (Black)

For bonding trim fabrics (except vinyl), trunk linings, floor mats, rugs, silencer pads and KB boards. Also used as a good general purpose rubber cement. Had quick tack, will not bleed through fabric.

96-8011-96 (5 oz. Tube)



3M Plastic and Emblem Adhesive

An excellent clear adhesive for plastic repair and emblem application. Use this strong, quick-drying adhesive for plastic or metal emblems, interior rigid plastic, tail light lenses, vinyl side moldings or upholstery.

96-8061-96 (5 oz. Tube)

3M General Aerosol Trim Adhesive

Makes the job of removing adhesive residue an easier task. Works by softening sticky substances that are often stubborn to remove. Quickly cleans off wax, grease, oil, old adhesive, road tar, silicone and other sticky residues. Will not dissolve or harm automotive paint that has been properly aged. Also suitable for use on vinyl or glass surfaces.

CANNOT BE SHIPPED VIA AIR 96-8080-96 (16.25 oz. Aerosol)



3M General Purpose Adhesive Cleaner - Spray

Ouickly cleans off wax, grease, oil, old adhesive, road tar, silicone, etc. Will not dissolve or mar automotive paint that has been properly aged. Also suitable for use on vinyl or glass surfaces.

CANNOT BE SHIPPED VIA AIR 96-8987-96 (15 oz. Aerosol)

3M Urethane Adhesive

Auto Glass Urethane Windshield Adhesive is a medium viscosity, one-part, moisture-curing urethane adhesive. It is formulated to be fast-curing and non-sagging for rapid results and a clean and simple application process. The features of this windshield adhesive produce high-strength material designed to bond and seal vehicle windshields, backlights and sidelights.

96-8693-96 (10.5 oz. Cartridge)



3M Rubberized Undercoating


Professional Grade Rubberized Undercoating produces a textured finish which resists chipping, abrasion, exterior rusting and weathering. This coating provides one-coat build-up with no dripping, running or sagging. The undercoating is excellent for automotive undercarriages and for other uses including protection for wheel wells, fenders, quarter panels and more.



CANNOT BE SHIPPED VIA AIR 96-3584-96 (16 oz. Aerosol)

3M Auto Bedding and Glazing Compound

Flexible sealer designed specifically for creating a watertight seal between windshield rubber gaskets and auto bodies. This synthetic rubber-based sealer remains permanently soft, making it suitable as a bedding and a supplementary adhesive sealer for auto glass. It also resists sagging for use in vertical and overhead auto seals.





3M General Purpose Liquid Adhesive Cleaner

A specially blended solvent that provides easy clean up of most types of adhesives and quickly removes waxes, road tars, grease, oil and similar materials. Will not harm thoroughly dried automotive paint, vinyl or fabrics when properly used.

CANNOT BE SHIPPED VIA AIR 96-8984-96 (Quart Can)



Tools





Clip & Retainer Removal Tool For removing clips and retainers quickly and easily. Simply seat the tool on the shaft of the fastener and squeeze the handles together.

Made of high carbon steel and heat treated for strength. Zinc plated with vinyl molded handle grips.

94-0100-94



All Purpose Tool - Short Tip A varied-purpose tool. Assists in the installation of roof, windows, windshield rubber and back glass. Used to remove body clips, moldings, springs, cotter pins and radiator hoses. Measures 9.5 inches long by 5.5 inch blade.

94-0101-94



All Purpose Tool - Longer Tip An all-purpose tool with an extra long hook. Use to remove moldings, body clips, windshield seals, cotter pins, and radiator hoses. Made of tough spring steel, heat treated, tempered, and plated. 8 inches long, 4.875 inch blade with 2 inch hook.

94-0102-94



Wooden Handled Tucking Tool For tucking, headlining, and upholstery around windows, above doors and other hard to reach places. A sturdy, rough tool with a slightly curved blade that has finished edges around corners. Comfortable wood handle.

7.5 inches long by 2.625 inch blade.

94-0104-94



Heavy Duty Glass Retainer Clip Tool

Reduces the risk of chips and scratches to glass windows caused by makeshift tools. This tool is specifically designed to fit trim clips over the studs and virtually eliminates glass breakage. It also dispenses with the need to remove rubber-like sealant surrounding the studs. A practical tool for placing trim retainer clips over headed studs welded around the body window shields and rear window openings. **94-0106-94**

Locking Strip Tools



This tool helps install the 3/8" locking strip used on the windshield and rear window of some cars.

94-0108-94



This tool helps install the 3/8" locking strip used on the windshield and rear window of GM and Chrysler cars. **94-0111-94**



This tool helps install the 3/8" locking strip used on the windshield and rear window of GM Trucks.

94-0112-94



This tool helps install the 5/8" locking strip used on the windshield and rear window of Chrysler cars.

94-0113-94



Ferrule Installing Tool

Installing tool, door and trunk handle ferrule. For cars and trucks using door and trunk handle ferrules such as our #70-0111-69. **70-0662-69**



GM Type Trim Pad Removing Tool

Specifically designed to pull out plastic trim pad fasteners used on GM cars. It reaches under the trim panel, supports and grips the plastic fasteners, and lifts it without damage to the fastener or to the trim pad backboard. This tool is made of heat treated, high carbon steel and will work equally on metal fasteners. 8.5 inches long.

94-0107-94



Trim Pad & Glued In Windshield Molding Removal Tool

For auto trim work. Double ended tool combines both left and right hand. Removes reveal molding on rubberless windshield jobs. 9.5 inches long.

94-0108-94



Scraper/Tuck Tool

This handy tool makes replacing windshield gaskets a little easier. A good multi purpose tool too. 8"X11/16" **94-0110-00**



Steele Branded Safety Glasses

Reinforced plastic, clear lenses, and wraparound frame.

94-0109-94



Our Universal Seals

We built our reputation over decades of producing the highest quality rubber parts and weatherstrip seals for the classic and antique vehicles. Now, we bring our experience and commitment to quality to our line of universal rubber seals. From cars and trucks to boats and recreational vehicles, you can be confident in the great looks, high performance and long life of our universal rubber seals.

MARINE



-Boat Hatch Seals
-Livewell Seals

TRACTOR TRAILERS



- Door Seals - Glass Run Channel

LAWN TRACTORS



-Push-On seals for engine cover

MOTORCYCLES



-Hard Saddlebag seals



are for Anything!

RV and MOTORCOACHES



- Slide Out Seals
- Door Seals
- Compartment Seals

HORSE TRAILERS



- Door Seals
- Compartment Seals

SMALL AIRCRAFT



- Door Seals

TOY HAULERS



- Rear Hatch Seals
- Door Seals

FARM EQUIPMENT



-Enclosed Tractor Door Seals

Don't See The Part You Need?

We have thousands of rubber profiles and extrusions in our inventory that may not be listed in this catalog. Give us a call and one of our Product Specialists can assist you in finding the right part for your next project.

call or email: cars@steelerubber.com



Customer Service

Parts Availability

New parts are constantly added to our inventory. The availability of new and current parts contained in this catalog is subject to change without notice. Please visit our Online Catalog for updates at www.steelerubber.com

Returns

If you are not completely satisfied with the parts you have purchased from Steele, you may contact us regarding a return and refund. We, however, cannot accept returns of parts that have been installed or altered in any way. We cannot accept returns of less than 12 continuous feet or the original purchase of extruded length if less than 12 feet. Items purchased at bulk rates must be returned in entirety and may be subject to a 25% re-stocking fee. Samples of profiles are available for inspection before purchase by contacting Customer Service department.

Exchanges

All exchanges of parts will be at our discretion. In some cases, we may exchange a returned part for a similar part that replaces a changed part in our catalog.

Refunds

We will issue a refund of the purchase price (less discounts and/or restocking fee).
All requests for refund must be accompanied by a copy of the original invoice and the purchased parts.
Shipping & Handling Charges may not be refundable.



Request a Return

Please contact our Customer Service Department at 800-230-5871 to request an exchange or refund. Our representative will provide you with instructions for returning parts to us. We cannot accept return packages sent C.O.D. or any method for which there is a charge to us. You may return items at swap meets that Steele attends, however you must have a copy of your original receipt and the entire part. Refunds will be sent from our office.

Return Reseller Parts

Items manufactured and sold by Steele, but purchased through an independent or authorized reseller of Steele parts, must be returned to that same reseller for refund or exchange. Such purchases are subject to the return policies of the reseller.

Cancellation

Orders that have been processed cannot be cancelled. If you must cancel an order, please call us at 800-230-5871. If an order has been processed, we may charge you for Shipping & Handling. If you refuse delivery of a package, you may be subject to a non-refundable 25% restocking fee.

Privacy Policy

All customer and sales information provided to us will be maintained by Steele Rubber Products only. We do not sell or share our customer mailing lists. On occasion, Steele will correspond directly with our customers. To change your address, phone number, email address, or other account information, please contact us at 800-230-5871.

Use Of Parts

These parts are not recommended for specific usage. We are not responsible for damages caused by incorrect installation, abuse, mishandling, accidents or normal wear. Nor will Steele be responsible for labor charges, inconveniences, or any other expenses associated with parts bought through resellers or Steele.

Copyright

Contents 2018[©] Steele Rubber Products, Inc. Printed in the USA. This catalog may not be reproduced without written permission. All drawings, photographs, and graphic images contained in this catalog are the property of Steele Rubber Products and cannot be reproduced without written permission. The contents of this catalog should not be altered in anyway for commercial or other use.

Delivery Of Parts

We cannot guarantee a continuous roll of any extrusion in this catalog when ordered in bulk. Therefore, we reserve the right to deliver your parts in multiple lengths to meet your total purchase requirements.

We will do our best to ensure that each strip is as long as possible to minimize scrapage for you.

Method Of Payment

Payment for all orders must be U.S. Funds. Fax orders must be placed with a credit card. Bank guaranteed letters of credit are not accepted. We accept the following . . . VISA, Discover, MasterCard & American

Same Day Shipping

For fastest delivery, Steele makes every effort to ship orders received by 2:00pm (EST), Monday-Friday on the same day, when parts are in stock. Large orders may require additional manufacturing time.

Domestic Shipping

For U.S. addresses, we will use our preferred carriers. For details about carriers, please call.
Rates are subject to change without notice.

International Shipping

For Canadian and Overseas orders, customers will be responsible for all shipping, brokerage fees, duties, or other fees. For countries to which parcel post packages cannot be insured by the U.S. Post Office, package safety will be the responsibility of the customer and all losses will be borne by the customer. Rates are subject to change without notice.