

**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

Product Name: A12  
 Manufacturer: Specialty Tapes  
 Address: 4221 Courtney Road  
 Franksville, WI. 53126

Issue Date: 01/24/2013

Product Use:

**SECTION 2: INGREDIENTS**

<u>Ingredient</u>	<u>C.A.S. Number</u>	<u>% by Weight</u>
Silicone Adhesive	Trade Secret	35 - 45%
Carrier	Trade Secret	55 - 65%

**SECTION 3: HAZARDS IDENTIFICATION****3.1 Emergency Overview**

Odor, Color, Grade: Green High-Temperature Masking Tape  
 General Physical Form: Solid  
 Immediate Health, Physical and Environmental hazards: None known

**3.2 Potential Health Effects**

Eye Contact: Foreign body - irritation  
 Skin Contact: No significant health effect is expected.  
 Inhalation: No significant health effect is expected.  
 Ingestion: No significant health effect is expected.

**3.3 Potential Environmental Effects**

This substance does not leach metals or other RCRA (Resource Conversation Recovery Act) listed TCLP(Toxic Characteristic Leaching Procedure) hazardous substances at concentrations that would make the product a hazardous waste.

**SECTION 4: FIRST AID MEASURES****4.1 First Aid Procedures**

Eye Contact: Flush eye with water. Seek medical assistance for removal of foreign bodies from the eye.  
 Skin Contact: No need for first aid is anticipated.  
 Inhalation: No need for first aid is anticipated.  
 If Swallowed: No need for first aid is anticipated.

**SECTION 5: FIRE FIGHTING MEASURES****5.1 Flammable Properties**

Autoignition Temperature: NA  
 Flash Point: NA  
 Flammable Limits-LEL: NA  
 Flammable Limits-UEL: NA

**5.2 Extinguishing Media**

Use extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide.)

**5.3 Protection of Fire Fighters**

Special Fire Fighting Procedures: Fire fighters should wear full bunker gear, including a positive pressure self-contained breathing apparatus.  
 Unusual Fire and Explosion Hazards: No unusual fire or explosion hazard are anticipated.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

Accidental Release Measures: NA

## SECTION 7: HANDLING AND STORAGE

### 7.1 Handling

This product does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

### 7.2 Storage

Store in a cool dry area.

## SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

### 8.1 Engineering Controls

NA

### 8.2 Personal Protective Equipment (PPE)

#### 8.2.1 Eye/Face Protection

Avoid eye contact, use of eye protection is good practice.

#### 8.2.2 Skin Protection

Avoid prolonged skin contact. Gloves are not required.

#### 8.2.3 Respiratory Protection

None required, however adequate ventilation is good practice.

#### 8.2.4 Prevention of Swallowing

Not an expected route of exposure.

### 8.3 Exposure Guidelines

None Established

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Odor, Color, Grade:	Green High-Temperature Masking Tape
General Physical Form:	Solid
Autoignition Temperature:	NA
Flash Point:	NA
Flammable Limits LEL:	NA
Flammable Limits UEL:	NA
Boiling Point:	NA
Vapor Density:	NA
Vapor Pressure:	NA
Specific Gravity:	NA
pH	NA
Melting Point:	NA
Solubility in Water:	Insoluble
Evaporation Rate:	NA
Volatile Organic Compounds:	0%
Percent Volatile:	NA
VOC Less H20 & Exempt Solvent	NA
Viscosity:	NA

## SECTION 10: STABILITY AND REACTIVE

Stability:	Stable
Materials and Conditions to Avoid:	None identified
Hazardous Polymerization:	Hazardous polymerization will not occur.

### Hazardous Decomposition or By-Product

<u>Substance</u>	<u>Condition</u>
Hydrocarbons	During Combustion
Carbon Monoxide	During Combustion
Carbon Dioxide	During Combustion

## SECTION 11: TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

## SECTION 12: ECOLOGICAL INFORMATION

**Ecotoxicological Information**  
**Chemical Fate Information**

Not Determined  
Not Determined

### **SECTION 13: DISPOSAL CONSIDERATIONS**

classification at time of disposal. Conditions of use may render the spent product as hazardous waste. Under normal conditions of use, this product is classified as a non-hazardous material.

### **SECTION 14: TRANSPORT INFORMATION**

**ID Number(s):**

Not regulated per U.S. Dot, IATA or IMO

### **SECTION 15: REGULATORY INFORMATION**

**US Federal Regulations**

311/312 Hazard Categories:

Fire Hazard-No  
Pressure Hazard- No  
Reactivity-No  
Immediate Hazard-No  
Delayed Hazard-No

**State Regulations**

Contact Specialty Tapes for more information

**Chemical Inventories**

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements

**International Regulations**

Contact Specialty Tapes for more information

**This MSDS has been prepared to meet the U.S. Osha Hazard Communication Standard, 29 CFR 1910.1200.**

**NFPA Hazard Classification**

**Health: 0   Flammability: 1   Reactivity: 0   Special Hazards: None**

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. Specialty Tapes MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Specialty Tapes' product is fit for a particular purpose and suitable for user's method of use. Given the variety of factors that can affect the use and application of a Specialty Tapes product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Specialty Tapes product to determine whether it is suitable for the user's application.

