



Preferred Parts

Number:

XM-002

Date Issued: DF-APR26

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

DIN7 PIN, PARALLEL
UNHARDENED DOWEL PIN
SEE STANDARD PARTS BOOK SECTION
JM-007

DIN63 SCREW, FLAT HEAD
SLOTTED COUNTERSUNK FLAT HD SCREW
REPLACED BY DIN EN ISO 2009

DIN84 SCREW, CHEESE HEAD
SLOTTED CHEESE HEAD SCREW
REPLACED BY DIN EN ISO 1207

DIN85 SCREW, PAN HEAD
SLOTTED PAN HEAD SCREWS
REPLACED BY DIN EN ISO 1580
SEE STANDARD PARTS BOOK SECTION
CM-001



<u>DIN93</u>	WASHER, TAB TAB WASHER WITH LONG TAB	<u>ID</u>	<u>OD</u>	<u>THK</u>	<u>TAB-L</u>	<u>TAB-W</u>	<u>MATL</u>	<u>FIN</u>
		<u>-a-</u>	<u>-b-</u>	<u>-c-</u>	<u>-d-</u>	<u>-e-</u>		
934049R1	WASHER, 6.4-ST TAB PLN	6.4	19	0.50	18	07	ST	PLN
933119R1	WASHER, 8.4-ST TAB PLN	8.4	22	0.75	20	08	ST	PLN
933580R1	WASHER, 10.5-ST TAB PLN	10.5	26	0.75	22	10	ST	PLN
933263R1	WASHER, 13-ST TAB PLN	13.0	30	1.00	28	12	ST	PLN
48042820	WASHER, 15-ST TAB ZND	15.0	33	1.00	28	12	ST	ZND
714258R1	WASHER, 17-ST TAB PLN	17.0	36	1.00	32	15	ST	PLN

DIN94
PIN, SPLIT SPLIT (COTTER) PINS, EXTENDED PRONG
REPLACED BY DIN EN ISO 1234
SEE STANDARD PARTS BOOK SECTION
JM-010

DIN124 RIVET, ROUND HEAD
SOLID RIVETS, ROUND HEAD
SEE STANDARD PARTS BOOK SECTION
GM-001

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002Dated:
OCT 99Page:
1 of 74




Preferred Parts

Number: XM-002


Date Issued: AD-MAY07

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN125	WASHER, FLAT FLAT WASHERS, W/ & W/O CHAMFER	ID	OD	THK	TYPE	HARD	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3233254R1	WASHER, A4.3-ST A2J FLAT	4.3	09	0.8	A	140	ST	ZND
905820R1	WASHER, 5.3-MS BRASS FLAT PLN	5.3	10	1	A/B		BRS	PLN
934044R1	WASHER, A5.3-ST A2F ZN/BLUE	5.3	10	1	A	140	ST	A2F
905886R1	WASHER, 6.4-MS BRASS FLAT PLN	6.4	12	1.6	A/B		BRS	PLN
3078056R1	WASHER, A6.4-ST FLAT	6.4	12	1.6	A	140	ST	PLN
934268R1	WASHER, 8.4-ST B2J FLAT	8.4	16	1.6	A/B	140	ST	CAD
906062R1	WASHER, 8.4-ST A2C FLAT	8.4	16	1.6	A/B	140	ST	ZND
906086R1	WASHER, 8.4-ST HDN BZN	8.4	16	1.6	A/B	200	ST	BZN
933133R1	WASHER, 10.5-ST FLAT PLN	10.5	20	2	A/B	140	ST	PLN
934281R1	WASHER, 10.5-ST A2J FLAT	10.5	20	2	A/B	140	ST	ZND
933963R1	WASHER, 13-ST A2I FLAT ZND	13	24	2.5	A/B	140	ST	ZND
905789R1	WASHER, 17-ST A2R FLAT BZN	17	30	3	A/B	140	ST	BZN
933349R1	WASHER, 17-ST FLAT PLN	17	30	3	A/B	140	ST	PLN
934283R1	WASHER, 17-ST A2J FLAT	17	30	3	A/B	140	ST	ZND
934106R1	WASHER, 21-ST FLAT	21	37	3	A/B	140	ST	PLN
933807R1	WASHER, 23-ST FLAT PLN	23	39	3	A/B	140	ST	PLN
905948R1	WASHER, A23-ST A2J FLAT ZND	23	39	3	A/B	140	ST	ZND
933351R1	WASHER, 25-ST FLAT PLN	25	44	4	A/B	140	ST	PLN
905720R1	WASHER, 25-ST A2J FLAT ZND	25	44	4	A/B	140	ST	ZND
1636406	WASHER, 43 ST FLAT ZND	43	78	7	B	140	ST	ZND



DIN126	WASHER, FLAT FLAT WASHERS FOR HEX HEAD BOLTS	ID	OD	THK	TYPE		MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3050051R1	WASHER, 5.5 FLAT	5.5	10	1	A		ST	PLN

DIN127
WASHER, LOCK
HELICAL SPRING LOCK WASHERS
WITHDRAWN
REPLACED BY DIN128

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 2 of 74



Preferred Parts


Number: XM-002

Date Issued: BB-OCT09

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

DIN128 WASHER, LOCK
CURVED SPRING LOCK WASHERS
SEE STANDARD PARTS BOOK SECTION
FM-012



DIN137 WASHER, WAVE
&
FIAT 10184 WAVE WASHERS, CURVED OR
CRINKLED

		ID	OD	THK	HT	TYPE	MATL	FIN
		--a--	--b--	--c--	--d--	--e--	----	---
933982R1	WASHER, B4-B4A WAVE SPRING CAD	4.3	09	0.5	02	B	HDN	CAD
12581379	WASHER, B5-ZND WAVE SPRING	4.55	11	0.8	1.8	B	HDN	ZND
934308R1	WASHER, B5-A2J WAVE SPRING ZN	5.3	11	0.5	2.2	B	HDN	ZN
12601174	WASHER, B5 -DAC WAVE SPRING	5.3	11	0.5	2.2	B	HDN	DAC
905176R1	WASHER, B6-A2J WAVE SPRING ZN	6.4	11	0.5	2.2	B	HDN	ZN
3233397R1	WASHER, B6-PHC WAVE SPRING	6.4	12	0.5	2.6	B	HDN	PHC
12601270	WASHER, B6 WAVE SPRING PLN	6.4	12	0.5	2.6	B	HDN	PLN
12602474	WASHER, B8-DAC WAVE SPRING	8.3	17	0.8	3.2	B	HDN	DAC
3079166R1	WASHER, B8-B4A WAVE SPRING CAD	8.4	15	0.8	3.0	B	HDN	CAD
934034R1	WASHER, B8-PHC WAVE SPRING	8.4	15	0.8	3.0	B	HDN	PHC
12601370	WASHER, B8 WAVE SPRING PLN	8.4	15	0.8	3.0	B	HDN	PLN
12601379	WASHER, B8-ZND WAVE SPRING	8.4	15	0.8	3.0	B	HDN	ZND
12601376	WASHER, B8-BLOWAVE SPRING	8.4	15	0.8	3.0	B	HDN	BLO
12601374	WASHER, B8-DAC WAVE SPRING	8.4	15	0.8	3.0	B	HDN	DAC
934036R1	WASHER, B10-PHC WAVE SPRING	10.5	21	1	4.2	B	HDN	PHC
906053R1	WASHER, B10-A2G WAVE SPRING ZND	10.5	21	1	4.2	B	HDN	ZN
12601474	WASHER, B10 DAC WAVE SPRING	10.5	21	1.0	4.2	B	HDN	DAC
12601470	WASHER, B10 PLN WAVE SPRING	0.5	21	1.0	4.2	B	HDN	PLN
12601479	WASHER, B10-ZND WAVE SPRING	0.5	21	1.0	4.2	B	HDN	ZND
12601574	WASHER, B12-DAC WAVE SPRING	13	24	0.7	5	B	HDN	DAC
12601579	WASHER, B12-ZND WAVE SPRING	13	24	0.7	5	B	CST	ZND
12601674	WASHER, B14-DAC WAVE SPRING	15	28	1.6	5.9	B	HDN	DAC
12601770	WASHER, B16-PLN WAVE SPRING	17	30	1.6	6.3	B	HDN	PLN
12601779	WASHER, B16-ZND WAVE SPRING	17	30	1.6	6.3	B	CST	ZND
934326R1	WASHER, B16-PHC WAVE SPRING	17	30	1.6	6.3	B	HDN	PHC
905722R1	WASHER, B20-A2J WAVE SPRING ZN	21	36	1.6	7.4	B	HDN	ZN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 3 of 74




Preferred Parts

Number: XM-002


Date Issued: CY-APR21

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



<u>DIN316</u>	SCREW, WING WING/THUMB SCREW	<u>DIA</u> -a-	<u>LEN</u> -b-	<u>HD-D</u> -c-	<u>W-D</u> -d-	<u>W-H</u> -e-	<u>MATL</u>	<u>FIN</u>
87625617	SCREW, M5 X 30 ST-C-A2C WING	5	30	8	24	11	ST	ZND
906043R1	SCREW, M6 X 10-ST-C-A2C WING	6	10	10	30	15	ST	ZND
905855R1/90510455	SCREW, M8 X 12-GT-C-A2G WING	8	12	13	36	18	GT	ZND
906044R1	SCREW, M8 X 16-ST-C-A2C WING	8	16	13	36	18	ST	ZND
3139081R1	SCREW, M8 X 20-ST-C WING	8	20	13	36	18	ST	PLN



<u>DIN319</u>	KNOB, BALL BALL KNOBS FOR CONTROLS FS = BLACK PLASTIC FS31 PER DIN7708 PART 1	<u>OD</u> -a-	<u>HT</u> -b-	<u>THD-D</u> -c-	<u>THD-L</u> -d-	<u>TYPE</u> -e-	<u>MATL</u>	<u>FIN</u>
3142351R1	KNOB, C32 X M10 - FS BALL	32	29	10	14.5	C	FS	—
3142306R1	KNOB, C40 X M12 - FS BALL	40	37	12	17	C	FS	—
8407113	KNOB, L32 X 10 - FS BALL	32	29	10	20	L	FS	BLK
8407106	KNOB, L32 X 12 - FS	32	29	12	20	L	FS	—



<u>DIN427</u>	SCREW, HEADLESS SLOTTED HEADLESS SCREWS	<u>DIA</u> -a-	<u>LEN</u> -b-	<u>THD-L</u> -c-	<u>W-D</u> -d-	<u>W-H</u> -e-	<u>MATL</u>	<u>FIN</u>
3402563R1	SCREW, M10 X 25 8.8-A2J SLOTTED HEADLESS	10	25	12	—	—	8.8	ZN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
4 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN0432

DIN432	WASHER, TAB EXTERNAL EXTERNAL TAB WASHERS	ID	OD	THK	TAB-L	TAB-R	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
933585R1	WASHER, 10.5 - ST EXTERNAL TAB	10.5	26	1	4	10	ST	PLN
933789R1	WASHER, 13 - ST EXTERNAL TAB	13	30	1.2	4.5	12	ST	PLN



DIN0433

DIN433	WASHER, CHEESE HEAD SCREW WASHERS FOR CHEESE HEAD SCREWS	ID	OD	THK	--d--	--e--	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
933852R1	WASHER, 5.3 - ST FLAT	5.3	9.5	1			ST	ZN
3078026R1	WASHER, 6.4 - ST FLAT	6.4	11	1.6			ST	PLN
934055R1	WASHER, 6.4 - ST-A2F FLAT	6.4	11	1.6			ST	ZND
3402560R1	WASHER, 8.4 - ST-A2R FLAT	8.4	15	1.6			ST	BZN
934058R1	WASHER, 8.4 - ST-A2F FLAT	8.4	15	1.6			ST	ZND
934065R1	WASHER, 10.5 - ST FLAT	10.5	18	1.6			ST	PLN
3230792R1	WASHER, 10.5 - ST-A2J FLAT	10.5	18	1.6			ST	PLN
3402553R1	WASHER, 13 - ST FLAT	13	20	2			ST	PLN
905174R1	WASHER, 13 - ST-A2J FLAT	13	20	2			ST	ZN
3233328R1	WASHER, 17 - ST-A2R FLAT	17	27	2			ST	BZN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 5 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN0434

DIN434 WASHER, SQUARE TAPER
SQUARE TAPER WASHERS FOR
CHANNELS
8% SLOPE

	<u>ID</u>	<u>LEN</u>	<u>WIDTH</u>	<u>THK</u>		<u>MATL</u>	<u>FIN</u>
-----	--a--	--b--	--c--	--d--	--e--	----	---
933562R1	18	32	36	4.45		ST	PLN



DIN435

DIN435 WASHER, SQUARE TAPER
SQUARE TAPER WASHERS FOR I
SECTIONS

	<u>ID</u>	<u>LEN</u>	<u>WIDTH</u>	<u>THK</u>		<u>MATL</u>	<u>FIN</u>
-----	--a--	--b--	--c--	--d--	--e--	----	---
933576R1	14	26	30	4.1		ST	PLN

DIN439 NUT, THIN HEX
HEX THIN NUT, SEE CASE SECTIONS
EM-040, 041, & 042
REPLACED BY DIN EN 24035 (ISO 4035)
COARSE THREAD
REPLACED BY DIN EN 28675 (ISO 8675)
FINE PTCH THRD

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 6 of 74





Preferred Parts

Number:	XM-002
Date Issued:	CC-MAY17

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN440 WASHER, LARGE
ROUND/SQUARE HOLE WASHERS FOR WOOD
CONSTRUCTION
TYPE R = ROUND HOLE
TYPE V = SQUARE HOLE

		<u>ID</u>	<u>OD</u>	<u>THK</u>		<u>TYPE</u>	<u>MATL</u>	<u>FIN</u>
		--a--	--b--	--c--	--d--	--e--	----	---
934588R1	WASHER, R 5.5 - ST- FLAT ROUND HOLE	5.5	18	2		R	ST	PLN
48148140	WASHER, V 6.6 - ST-FLAT SQUARE HOLE	6.6	22	2		V	ST	PLN
934301R1	WASHER, R 6.6 - ST-FLAT ROUND HOLE	6.6	22	2		R	ST	PLN
934050R1	WASHER, V 11-ST FLAT W/SQ HOLE	11	34	3		V	ST	PLN
934280R1	WASHER, V 11-ST-A2J FLAT W/SQ HOLE	11	34	3		V	ST	ZN
934514R1	WASHER, R 11 - ST-A2J FLAT ROUND HOLE	11	34	3		R	ST	ZN

DIN443 PLUG, CUP
CUP PLUG, SEALING PUSH IN CAPS
SEE STANDARD PARTS BOOK SECTION
JM-065



DIN463 WASHER, TAB
TAB WASHER W/LONG AND SHORT
TABS AT 90 D

		<u>ID</u>	<u>OD</u>	<u>THK</u>	<u>TAB-L</u>	<u>TAB-S</u>	<u>MATL</u>	<u>FIN</u>
		--a--	--b--	--c--	--d--	--e--	----	---
934019R1	WASHER, 8.4 - ST TAB	8.4	17	0.75	20	11	ST	PLN
933597R1	WASHER, 10.5 - ST TAB	10.5	21	0.75	22	13	ST	PLN
934146R1	WASHER, 21 - ST TAB	21	37	1	36	21	ST	PLN
933622R1	WASHER, 28 - ST TAB	28	50	1.6	48	29	ST	PLN
934841R1	WASHER, 31 - ST PHC TAB	31	56	1.6	52	32	ST	PHC

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
7 of 74




Preferred Parts

Number: XM-002

Date Issued: CH-OCT17

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



<u>DIN470</u>	PLUG, EXPANSION EXPANSION PLUGS (SEALING WASHERS)	<u>DIA</u>	<u>HT</u>	<u>RAD</u>	<u>THK</u>		<u>MATL</u>	<u>FIN</u>
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
934222R1	PLUG, 30 - ST-PHC EXPANSION	30	4.77	42	2		ST	PHC
933802R1	PLUG, 45 - ST-PHC EXPANSION	45	6.15	63	2		ST	PHC
933085R1	PLUG, 52 - ST-PHC EXPANSION	52	6.66	75	2		ST	PHC
51412030	PLUG, 63 - ST-PLN EXPANSION	63	7.7	90	2		ST	PLN

DIN471 RING, RETAINING
RETAINING RINGS (CIRCLIPS) FOR
SHAFTS - NORMAL
SEE STANDARD PARTS BOOK SECTION
NM-030

DIN472 RING, RETAINING
RETAINING RINGS (CIRCLIPS) FOR
BORES - NORMAL
SEE STANDARD PARTS BOOK SECTION
NM-030

DIN551 SCREW, SET
SLOTTED SET SCREW
REPLACED BY DIN EN 24766 (ISO 4766)

DIN555 NUT, HEX
HEXAGON NUTS - PRODUCT GRADE C
REPLACED BY DIN EN 24034 (ISO 4304)

DIN557 NUT, SQUARE
SQUARE NUTS - PRODUCT GRADE C

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
8 of 74



Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

DIN558 BOLT, THREAD TO HEAD
THREAD TO HEAD BOLT
REPLACED BY DIN EN 24018 (ISO 4018)

DIN562 NUT, THIN SQUARE
SQUARE THIN NUTS

DIN601 BOLT, HEX HEAD
HEX HEAD BOLTS - PRODUCT GR C
REPLACED BY DIN EN 24016 (ISO 4016)

DIN603 BOLT, SQUARE NECK
MUSHROOM HEAD SQUARE NECK
BOLTS
SEE STANDARD PARTS BOOK SECTION
BM-034



DIN0625

<u>DIN625</u>	BEARING, BALL DEEP GROVE BALL BEARINGS	<u>ID</u>	<u>OD</u>	<u>WIDTH</u>			<u>MATL</u>	<u>FIN</u>
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
3079139R91	BEARING, 6001 2RSC3 BALL	12	28	08				
3079383R91	BEARING, 6201 2RSC3 BALL	12	32	10				
3136594R91	BEARING, 6302 2RSC3-FAG BALL	15	42	13				
769648R91	BEARING, 6005 - 2RS-SKF BALL	20	47	12				
3055431R91	BEARING, 6204 2ZNC4 - SKF BALL	20	47	14				
3218393R91	BEARING, 6204 2ZC4 - NTN BALL	20	47	14				
906067R1	BEARING, 6207-2RS-C3 BALL	35	72	17				
763321R91	BEARING, 6209 - Z-SKF BALL	45	85	19				
3146216R91	BEARING, 6210 N BALL	50	90	20				
3051266R91	BEARING, 6212 - DWB BALL	60	110	22				
85661H	BEARING, 6214-SKF BALL	70	125	24				
3140669R91	BEARING, 6016 C3 BALL	80	125	22				

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 9 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN0628

<u>DIN628</u>	BEARING, BALL ANGULAR CONTACT BALL BEARING	<u>ID</u>	<u>OD</u>	<u>WIDTH</u>	<u>ROWS</u>	<u>MATL</u>	<u>FIN</u>
-----	-----	--a--	--b--	--c--	--d--	--e--	---
713757R91	BEARING, 3307 - SKF BALL	35	80	34.9	2		



DIN0653

<u>DIN653</u>	SCREW, THUMB KNURLED THIN THUMB SCREWS	<u>SIZE</u>	<u>LEN</u>	<u>OD</u>	<u>HT</u>	<u>MATL</u>	<u>FIN</u>
-----	-----	--a--	--b--	--c--	--d--	--e--	---
905865R1	SCREW, M6 X 30 - ST-A2R THUMB KNURLED	06	30	24	5		

DIN660 RIVET, ROUND HEAD
ROUND HEAD RIVETS
SEE STANDARD PARTS BOOK SECTION
GM-001

DIN661 RIVET, COUNTERSUNK HEAD
COUNTERSUNK HEAD RIVETS
SEE STANDARD PARTS BOOK SECTION
GM-001

DIN674 RIVET, FLAT ROUND
FLAT ROUND HEAD RIVETS
SEE STANDARD PARTS BOOK SECTION
GM-001

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 10 of 74




Preferred Parts

Number: XM-002

Date Issued: AS-JUL08

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN711

<u>DIN711</u>	BEARING, BALL THRUST BALL THRUST BEARING						<u>MATL</u>	<u>FIN</u>
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905843R91	BEARING, 51108 BALL THRUST							

<u>DIN720</u>	BEARING, ROLLER							
<u>ISO 355</u>	TAPERED ROLLER BEARINGS	<u>ID</u>	<u>OD</u>	<u>W-C</u>	<u>W-D</u>	<u>W-E</u>	<u>MATL</u>	<u>FIN</u>
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905845R91	BEARING, 32305 TAPERED ROLLER	25	62	24	20	25.25		
3232725R91	BEARING, 32206 TAPERED ROLLER	30	62	20	17	21.25		
3232728R91	BEARING, 33206 TAPERED ROLLER	30	72	27	23	28.75		
906064R1	BEARING, 30207 TAPERED ROLLER	35	72	17	15	18.25		
905844R91	BEARING, 32207 TAPERED ROLLER	35	72	23	19	24.25		
3232726R91	BEARING, 31307 TAPERED ROLLER	35	80	21	15	22.75		
906079R1	BEARING, 30307 TAPERED ROLLER	35	80	21	18	22.75		
906065R1	BEARING, 32008X TAPERED ROLLER	40	68	19	14.5	19		
906066R1	BEARING, 30308 TAPERED ROLLER	40	90	23	20	25.25		
3140666R91	BEARING, 30210 TAPERED ROLLER	50	90	20	17	21.75		
717081R91	BEARING, 32210-SKF TAPERED ROLLER	50	90	23	19	24.75		
905827R91	BEARING, 31310 TAPERED ROLLER	50	110	27	19	29.25		
3217760R91	BEARING, 30215 TAPERED ROLLER	75	130	25	22	27.25		
3140667R91	BEARING, 30216 TAPERED ROLLER	80	140	26	22	28.25		
3134990R91	BEARING, 30217-SKF TAPERED ROLLER	85	150	28	24	30.5		
3232724R91	BEARING, 30218 TAPERED ROLLER	90	160	30	26	32.5		



DIN0766

<u>DIN766</u>	CHAIN, RND STEEL LINK CALIBRATED AND TESTED GR 3 ROUND STEEL LINK CHAIN	<u>DIA</u>	<u>PITCH</u>	<u>WIDTH</u>	<u>WIDTH</u>		<u>MATL</u>	<u>FIN</u>
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
32229523R1	CHAIN, 0.520M - 3-6X18.5 PHC	6	18.5	7.2	20.4			PHC

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 11 of 74




Preferred Parts

Number: XM-002


Date Issued: DE-APR25

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN906	PLUG, PIPE HEX SOCKET HEX SOCKET PIPE PLUGS	DIA	PITCH	HT	SC-W	SC-D	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
84199655/933679R1	PLUG, M10 X 1 -ST 5.8-PHC HEX SCKT PIP	10	1	8	5	4	---	PHC
47574434/905571R1	PLUG, M12 X 1.5 - 5.8-PHC HEX SCKT PIP	12	1.5	10	6	5	---	PHC
905416R1	PLUG, M12 X 1.5 - 5.8 HEX SOCKET PIPE	12	1.5	10	6	5	---	PLN
934014R1	PLUG, M18 X 1.5-ST 5.8-PHC HEX SCKT PIP	18	1.5	10	8	5	---	PHC



DIN908	PLUG, SOCKET THREAD HEX SOCKET SCREW PLUGS WITH PARALLEL SCREW THREADS	DIA	PITCH	OD	HT	HEX	MAT L	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
92690325	PLUG, M8X1- ST-PLN HEX SOC SCREW	8	1	12	11	4	ST	PLN
933689R1	PLUG, M10X1- ST-PHC HEX SOC SCREW	10	1	14	11	5	ST	PHC
933717R1	PLUG, M12X1.5-ST-PHC HEX SOC SCREW	12	1.5	17	15	6	ST	PHC
48059974	PLUG, M14X1.5 ST-ZND HEX SOC SCREW	14	1.5	19	15	6	ST	ZND
3232263R1	PLUG, M16X1.5-ST-PLN HEX SOC SCREW	16	1.5	21	15	8	ST	PLN
934164R1	PLUG, M18X1.5-ST-PHC HEX SOC SCREW	18	1.5	23	16	8	ST	PHC
934651R1	PLUG, M18X1.5-ST-PLN HEX SOC SCREW	18	1.5	23	16	8	ST	PLN
48059975	PLUG, M18X1.5-ST-ZND HEX SOC SCREW	18	1.5	23	16	8	ST	ZND
51471269	PLUG, M20X1.5-ST-ZND HEX SOC SCREW	20	1.5	25	18	10	ST	ZND
934025R1	PLUG, M22X1.5-ST-PHC HEX SOC SCREW	22	1.5	27	18	10	ST	PHC
48059976	PLUG, M22X1.5-ST-ZND HEX SOC SCREW	22	1.5	27	18	10	ST	ZND
87773758/933799R1	PLUG, M24X1.5-ST-PLN HEX SOC SCREW	24	1.5	29	18	12	ST	PLN
87675519	PLUG, M24X1.5-ST-ZND HEX SOCK SCREW	24	1.5	29	18	12	ST	ZND
934048R1	PLUG, M26X1.5-ST-PHC HEX SOC SCREW	26	1.5	31	20	12	ST	PHC
51471797	PLUG, M27X2-ST-ZND HEX SOC SCREW PLUG,	27	2	32	20	12	ST	ZND
934221R1	M30X1.5-ST-PHC HEX SOC SCREW PLUG,	30	1.5	36	20	17	ST	PHC
3232732R1	M33X2-ST-PLN HEX SOC SCREW PLUG,	33	2	30	21	17	6.8	PLN
51476851	M33X2-ST-ZND HEX SOC SCREW PLUG,	33	2	39	21	17	ST	ZND
933716R1	M42X1.5-ST-PHC HEX SOC SCREW PLUG,	42	1.5	49	21	22	ST	PHC
51476853	M42X1.5-ST-ZND HEX SOC SCREW PLUG,	42	1.5	49	21	22	ST	ZND
48059977	M60X2-ST-ZND HEX SOC SCREW	60	2.0	68	25	32	ST	ZND

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
12 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



<u>DIN909</u>	PLUG, PIPE HEXALON HEAD PIPE PLUGS	DIA	PITCH	HT	HT	HEX	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
717779R1	PLUG, M10 X 1 - ST-PHC HEX HEAD PIPE	10	1	8	12.5	7	ST	PHC

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 13 of 74




Preferred Parts

Number:	XM-002
Date Issued:	CK-APR18

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN910

PLUG, ST THREAD
HEAVY DUTY HEXAGON HEAD SCREW PLUGS WITH
SHOULDER

	AND PARALLEL SCREW THREADS	DIA	PITCH	OD	HT	HEX	MATL	FIN
-----		--a--	--b--	--c--	--d--	--e--	----	---
905631R1	PLUG, G 1/2A - 5.8 HEX HEAD SCREW	G1/2A		26	26	19	5.8	PLN
48059978	PLUG, M12X1.5-ST-PHC HEX HD SCREW	12	1.5	17	21	13	ST	PHC
934347R1	PLUG, M18 X 1.5 - 5.8 HEX HEAD SCREW	18	1.5	23	24	17	5.8	PHC
51471321	PLUG, M18 X 1.5 - ST HEX HEAD SCREW	18	1.5	23	24	17	ST	ZND
934203R1	PLUG, M24X1.5-ST-PHC HEX HD SCREW	24	1.5	29	27	22	ST	PHC
933786R1	PLUG, M26X1.5-ST-PHC HEX HD SCREW	26	1.5	31	30	24	ST	PHC
48059982	PLUG, M42X2-ST-ZND HEX HD SCREW	42	2	49	33	30	ST	ZND

DIN912

SCREW, HEX SOCKET CAP
HEXAGON SOCKET CAP SCREWS
SEE STANDARD PARTS BOOK SECTION
CM-020

DIN913

SCREW, SET FLAT
HEXAGON SOCKET SET SCREWS WITH
FLAT POINT
SEE STANDARD PARTS BOOK SECTION
CM-030

DIN914

SCREW, SET CONE
HEXAGON SOCKET SET SCREWS WITH
CONE POINT
SEE STANDARD PARTS BOOK SECTION
CM-030

DIN915

SCREW, SET DOG
HEXAGON SOCKET SET SCREWS WITH
DOG POINT
SEE STANDARD PARTS BOOK SECTION
CM-030

DIN916

SCREW, SET CUP
HEXAGON SOCKET SET SCREWS WITH
CUP POINT
SEE STANDARD PARTS BOOK SECTION
CM-030

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
14 of 74



Preferred Parts


Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

DIN917 NUT, CROWN
CROWN NUTS
SEE STANDARD PARTS BOOK SECTION
EM-020




DIN0920

<u>DIN920</u>	SCREW, PAN SLOTTED PAN HEAD SCREWS WITH SMALL HEAD	DIA	LEN	THD-L	HD-D	HD-H	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3230793R1	SCREW, M8 X 20 - 8.8-A21 SLT SM PAN HD	8	20	TH-HD	10	3.8	8.8	PLN



DIN0926

<u>DIN926</u>	SCREW, SET DOG SLOTTED HEADLESS SCREWS WITH FULL DOG POINT	DIA-T	PITCH	LEN-T	DIA-P	LEN-P	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
931353R1	SCREW, M6 X 4 X 6 SLOTTED SET	6	1	4	4.5	6	5.8	PLN



DIN0927

<u>DIN927</u>	SCREW, SHOULDER SLOTTED SHOULDER SCREWS	DIA-T	PITCH	LEN-T	DIA-S	LEN-S	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3233323R1	SCREW, M5 X 3 - A2I SLOTTED SHOULDER	5	0.8	7	6.5	3	5.8	ZN

DIN929 NUT, WELD
HEXAGON WELD NUTS
SEE STANDARD PARTS BOOK SECTION
EM-070

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
15 of 74



Preferred Parts

Number: XM-002

Date Issued: AL-JAN08

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION

DIN 929 WITH DIN 6925 LOCKING

2900958 NUT, WELD M8-8 PREVAILING TORQUE
2900951 NUT, WELD M10-8 PREVAILING TORQUE
2929031 NUT, WELD M10-10 PREVAILING TORQUE
2928153 NUT, WELD M12-8 PREVAILING TORQUE
2928914 NUT, WELD M16-8 PREVAILING TORQUE

DIN931 BOLT, HEX HEAD
HEX HEAD BOLT WITH SHANK
REPLACED BY DIN EN 24014
SEE STANDARD PARTS BOOK SECTION
BM-001

DIN933 BOLT, THREAD TO HEAD
HEXAGON HEAD BOLTS THREAD TO
HEAD
REPLACED BY DIN EN 24017
SEE STANDARD PARTS BOOK SECTION
BM-021

DIN934 NUT, HEX
HEXAGON NUTS WITH METRIC SCREW
THREADS
REPLACED BY DIN EN 24032
SEE STANDARD PARTS BOOK SECTION
EM-001

DIN935 NUT, SLOTTED
HEXAGON SLOTTED NUTS WITH METRIC
THREAD
SEE STANDARD PARTS BOOK SECTION
EM-025

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 16 of 74




Preferred Parts

Number: XM-002

Date Issued: AV-JAN09

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS USE THE DESCRIPTION LISTED AND THE STANDARD TO FULLY DEFINE THE PART SEE SECTION X-001 FOR GENERAL INFORMATION




DIN0936

DIN936

NUT, HEX THIN
HEXAGON THIN NUTS
DO NOT USE FOR NEW DESIGN!
FOR NEW DESIGN USE HEX THIN NUTS
IN EM-040.

		DIA	PITCH	THK	HEX		MATL	FIN
		--a--	--b--	--c--	--d--	--e--	----	---
3232735R1	NUT, M20 X 1.5 -17H-A2J HEX THIN	20	1.5	9	30		17H	ZN
933707R1	NUT, M20 X 1.5 -17H-A2G HEX THIN	20	1.5	9	30		17H	ZND
934120R1	NUT, M20 X 1.5 -22H-A2F HEX THIN	20	1.5	9	30		22H	ZND
933068R1	NUT, M24 X 1.5 -17H HEX THIN	24	1.5	10	36		17H	PLN
100033	NUT, M24 X 1.5 -17H HEX THIN	24	1.5	10	36		17H	ZND
934262R1	NUT, M24 X 1.5 -22H HEX THIN	24	1.5	10	36		22H	PLN
934217R1	NUT, M26 X 1.5 -17H-PHC HEX THIN	26	1.5				17H	PHC
933723R1	NUT, M27 X 1.5 -17H HEX THIN	27	1.5	12	41		17H	PLN
905709R1	NUT, M27-22H-A2G HEX THIN	27	3	12	41		22H	ZND
934070R1	NUT, M30 X 1.5 -17H HEX THIN	30	1.5	12	46		17H	PLN




DIN0937

DIN937

NUT, THIN SLOTTED
HEXAGON THIN CASTLE NUTS

		DIA	PITCH	HT	HEX		MATL	FIN
		--a--	--b--	--c--	--d--	--e--	----	---
933169R1	NUT, M12 X 1.5 - 17H HEX THIN CASTLE	12	1.5	10	19		17H	PLN
933757R1	NUT, M14 X 1.5 - 17H HEX THIN CASTLE	14	1.5	11	22		17H	PLN
933066R1	NUT, M16 X 1.5 - 17H HEX THIN CASTLE	16	1.5	12	24		17H	PLN
934683R1	NUT, M18 X 1.5 - 17H HEX THIN CASTLE	18	1.5	13	27		17H	PLN
934165R1	NUT, M20 X 1.5 - 17H HEX THIN CASTLE	20	1.5	13	30		17H	PLN
934732R1	NUT, M22 X 1.5 -17H-PHC HEX THIN CASTLE	22	1.5	15	32		17H	PHC
3077264R1	NUT, M24 X 1.5 - 17H HEX THIN CASTLE	24	1.5	15	36		17H	PLN
87544307	NUT, M24X2 10 THIN SLOT ZND	24	2	15	36		10	ZND
934734R1	NUT, M30 X 1.5 -17H-PHC HEX THIN CASTLE	30	1.5	18	46		17H	PHC



DIN0938

DIN938

STUD, METAL
METAL STUDS FOR SCREWING INTO
STEEL

		DIA	PITCH	LEN	LEN		MATL	FIN
		--a--	--b--	--c--	--d--	--e--	----	---
3230781R1	STUD, M12 X 40 - 8.8	12	1.75	40	12		8.8	PLN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 17 of 74




Preferred Parts

Number: XM-002

Date Issued: BP-DEC14

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN939

<u>DIN939</u>	STUD, METAL METAL STUDS FOR SCREWING INTO CAST IRON	DIA	PITCH	LEN	LEN	LEN	MATL	FIN
-----		--ab--		--b--	--d--	--c--	----	---
3229789R1	STUD, M5 X 110 - 8.8	5	0.8	16	6.5	110	8.8	PLN
930343R1	STUD, M8 X 2 - 8.8	8	1.25	15	10	20	8.8	PLN
3232733R1	STUD, M8 X 30 - 10.9	8	1.25	22	10	30	10.9	PLN
934771R1	STUD, M8 X 30 - 8.8	8	1.25	22	10	30	8.8	PLN
905472R1	STUD, M10 X 170 - 8.8	10	1.5	32	12	170	8.8	PLN
3226528R1	STUD, M10 X 215 - 8.8	10	1.5	45	12	215	8.8	PLN
87477184	STUD, M12X30	12	1.75	24	15	30	8.8	ZND
934774R1	STUD, M16 X 45 - 10.9	16	2	38	20	45	10.9	PLN
931362R1	STUD, M16 X 45 - 8.8	16	2	38	20	45	8.8	PLN
3233811R1	STUD, M16 X 50 - 8.8	16	2	38	20	50	8.8	PLN
87534160	STUD, M16 X 65 - 8.8	16	2	38	20	65	8.8	PLN
934776R1	STUD, M16 X 65 - 10.9	16	2	38	20	65	10.9	PLN

DIN960 BOLT, HEX FINE THREAD
HEXAGON BOLTS WITH FINE THREADS,
M8X1 TO M100X4
REPLACED BY DIN EN 28765
SEE STANDARD PARTS BOOK SECTION
BM-001

DIN961 BOLT, HEX FINE THREAD
HEXAGON BOLTS WITH FINE THREADS,
M8X1 TO M52X3
REPLACED BY DIN EN 28767
SEE STANDARD PARTS BOOK SECTION
BM-021

DIN963 SCREW, FLAT SLOTTED
SLOTTED COUNTERSUNK (FLAT) HEAD
SCREWS
REPLACED BY DIN EN ISO 2009

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 18 of 74



Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

DIN964 SCREW, OVAL SLOTTED
SLOTTED RAISED COUNTERSUNK
(OVAL) HEAD SCREWS
REPLACED BY DIN EN ISO 2010

DIN965 SCREW, FLAT CROSS
CROSSED RECESSED COUNTERSUNK
FLAT HEAD SCREWS
REPLACED BY DIN EN ISO 7046
SEE STANDARD PARTS BOOK SECTION
CM-001

DIN966 SCREW, OVAL CROSS
CROSS RECESSED RAISED
COUNTERSUNK (OVAL) HEAD SCREWS
REPLACED BY DIN EN ISO 7047
SEE STANDARD PARTS BOOK SECTION
CM-001

DIN970 NUT, HEX METRIC COARSE
HEXAGON METRIC FINE THREAD NUTS
REPLACED BY DIN EN 24032
SEE STANDARD PARTS BOOK SECTION
EM-001

DIN971 NUT, HEX METRIC FINE
HEXAGON METRIC FINE THREAD NUTS
REPLACED BY DIN EN 28673 AND 28674
SEE STANDARD PARTS BOOK SECTION
EM-004

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002 Dated: OCT 99

Page: 19 of 74




Preferred Parts

Number: XM-002

Date Issued: AD-MAY07

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



<u>DIN979</u>	NUT, HEX SLOTTED THIN HEXAGON THIN SLOTTED NUTS	DIA	PITCH	HT	HEX		MATL	FIN
		--a--	--b--	--c--	--d--	--e--		
3232281R1	NUT, M33 X 1.5 - 05 HEX THIN CASTLE	33	1.5	26	50		05	PLN
87661866	NUT, M42X3 HEX THIN CASTLE	42	3	33	65		05	ZND

DIN980 NUT, PREVAILING TORQUE
PREVAILING TORQUE NUTS
REPLACED BY DIN EN ISO 7719
SEE STANDARD PARTS BOOK SECTION
EM-030

DIN981 NUT, BALL LOCK
LOCK NUTS FOR ROLLER BEARINGS
SEE STANDARD PARTS BOOK SECTION
NM-010

DIN982 NUT, HEX HEAVY P/T
HEAVY HEX PREVAILING TORQUE NUTS
REPLACED BY DIN EN ISO 7040
SEE STANDARD PARTS BOOK SECTION
EM-030

DIN983 RING, RETAINING EXTERNAL
EXTERNAL RETAINING RING WITH
EXTERNAL PRONGS

DIN984 RING, RETAINING INTERNAL
INTERNAL RETAINING RING WITH
INTERNAL LUGS

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 20 of 74




Preferred Parts

Number: XM-002


Date Issued: AA-JUN15

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN985		DIA	PITCH	HT	HEX		MATL	FIN
NUT, THIN P/T SELF-LOCKING THIN HEXAGON NUTS DO NOT USE FOR NEW DESIGN!		--a--	--b--	--c--	--d--	--e--	---	---
934947R1	NUT, M4-5-A2J PREV TORQUE HEX THIN	4	0.7	5	7		5	ZN
934045R1	NUT, M5-5 PREV TORQUE HEX THIN	5	0.8	5	8		5	PLN
934306R1	NUT, M5-5-A2J PREV TORQUE HEX THIN	5	0.8	5	8		5	ZN
934305R1	NUT, M6-5-A2J PREV TORQUE HEX THIN	6	1	6	10		5	ZN
905255R1	NUT, M6 - 8 - A2J PREV TORQUE HEX THIN	6	1	6	10		8	ZND
717457R1	NUT, M8 - 5 PREV TORQUE HEX THIN	8	1.25	8	13		5	PLN
934286R1	NUT, M8-8-A2J PREV TORQUE HEX THIN	8	1.25	8	13		8	ZN
933999R1	NUT, M10X1-5 PREV TORQUE HEX THIN	10	1	10	17		5	PLN
934819R1	NUT, M10-5-A2J PREV TORQUE HEX THIN	10	1.5	10	17		5	ZN
905834R1	NUT, M12X1.25-8-A2G PREV TORQUE HEX THIN	12	1.25	12	19		8	ZND
933970R1	NUT, M12X1.5-5-A2J PREV TORQUE HEX THIN	12	1.5	12	19		5	ZN
3079424R1	NUT, M12-10-A2F PREV TORQUE HEX THIN	12	1.75	12	19		10	ZND
905238R1	NUT, M14 - 8 PREV TORQUE HEX THIN	14	2	14	22		8	PLN
905878R1	NUT, M16X1.5-8-A2G PREV TORQUE HEX THIN	16	1.5	16	24		8	ZND
905239R1	NUT, M16 - 8 PREV TORQUE HEX THIN	16	2	16	24		8	PLN
905839R1	NUT, M18X1.5-8-A2G PREV TORQUE HEX THIN	18	1.5	18.5	27		8	ZND
905880R1	NUT, M24X2-8-A2G PREV TORQUE HEX THIN	24	2	24	36		8	ZND



DIN986		DIA	PITCH	HT	HEX		MATL	FIN
NUT, DOMED P/T HEXAGON DOMED PREVAILING TORQUE CAP NUT WITH NON-METALLIC INSERT		--a--	--b--	--c--	--d--	--e--	---	---
87308550	NUT, DOME PT M6 5 ZND	6	1.00	12	10		5	ZND
47899223	NUT, CROWN, PT M6 8 ZND	6	1.00	12	10		8	ZND
3233290R1	NUT, M8-5-A2J PREV TORQUE HEX DOMED	8	1.25	14	13		5	ZN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 21 of 74




Preferred Parts

Number:	XM-002
Date Issued:	CR-APR19

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**



DIN988	WASHER, SHIM SHIM AND BACKUP WASHERS	ID	OD	THK	TYPE	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
3232687R1	WASHER, 8X14X1.4 SHIM	8	14	1.4	SHIM	ST	PLN
905920R1	WASHER, 9X15X0.5 SHIM	9	15	0.5	SHIM	ST	PLN
905783R1	WASHER, 10X16X1-A2J SHIM	10	16	1	SHIM	ST	ZN
905258R1	WASHER, 13X19X1 SHIM	13	19	1	SHIM	ST	PLN
3233281R1	WASHER, 14X20X1-A2J SHIM	14	20	1	SHIM	ST	ZN
934512R1	WASHER, 15X21X1 SHIM	15	21	1	SHIM	ST	PLN
934961R1	WASHER, 16X22X0.5 SHIM	16	22	0.5	SHIM	ST	PLN
905782R1	WASHER, 16X22X1-A2R SHIM	16	22	1	SHIM	ST	PLN
934984R1	WASHER, 16X22X1 SHIM	16	22	1	SHIM	ST	PLN
934507R1	WASHER, 20X28X0.5 SHIM	20	20	0.5	SHIM	ST	PLN
905242R1	WASHER, 20X28X1 SHIM	20	28	1	SHIM	ST	PLN
906071R1	WASHER, 25X35X2 SHIM	25	35	2	SHIM	ST	PLN
934585R1	WASHER, 26X37X1 SHIM	26	37	1	SHIM	ST	PLN
905505R1	WASHER, 30X42X1 SHIM	30	42	1	SHIM	ST	PLN
811241-7907	WASHER, 30X42X1 SHIM	30	42	1	SHIM	ST	ZN
87578961	WASHER, 32X45X0.1 SHIM	32	45	0.1	SHIM	ST	PLN
87578962	WASHER, 32X45X0.15 SHIM	32	45	0.15	SHIM	ST	PLN
87582897	WASHER, 32X45X0.3 SHIM	32	45	0.3	SHIM	ST	PLN
87578963	WASHER, 32X45X0.5 SHIM	32	45	0.5	SHIM	ST	PLN
87644291	WASHER, 35X45X2.0 SHIM	35	45	2	SHIM	ST	PLN
811241-8403	WASHER, 32X45X2.0 SHIM	35	45	2	SHIM	ST	ZND
84218890	WASHER, 35X45X2.5 SHIM	35	45	2.5	SHIM	ST	PLN
811241-8907	WASHER, 37X47X2.5 SHIM	37	42	2.5	SHIM	ST	ZN
905950R1	WASHER, S40X50X2.5-A2J SUPPORT	40	50	2.5	SUPT	HRC4	ZND
811241-9924	WASHER, 45X55X1 SHIM	45	55	1	SHIM	ST	ZND
87025487	WASHER, 50X62X0.7 SHIM	50	62	0.1	SHIM	ST	PLN
87025488	WASHER, 50X62X0.3 SHIM	50	62	0.3	SHIM	ST	PLN
87025489	WASHER, 50X62X0.5 SHIM	50	62	0.5	SHIM	ST	PLN
906068R1	WASHER, 62X72X.10 SHIM	62	72	0.1	SHIM	ST	PLN
906069R1	WASHER, 62X72X.30 SHIM	62	72	0.3	SHIM	ST	PLN
906070R1	WASHER, 62X72X.50 SHIM	62	72	0.5	SHIM	ST	PLN
906072R1	WASHER, 62X72X2 SHIM	62	72	2	SHIM	ST	PLN
8401853	WASHER, 65X85X0.1 SHIM	65	85	0.1	SHIM	ST	PLN
8401852	WASHER, 65X85X0.3 SHIM	65	85	0.3	SHIM	ST	PLN
8401877	WASHER, 65X85X0.5 SHIM	65	85	0.5	SHIM	ST	PLN
84400897/906075R1	WASHER, 72X80X0.1 SHIM	72	80	0.1	SHIM	ST	PLN
84400923/906074R1	WASHER, 72X80X0.3 SHIM	72	80	0.3	SHIM	ST	PLN
84400899/906073R1	WASHER, 72X80X0.5 SHIM	72	80	0.5	SHIM	ST	PLN
48162923	WASHER, 72X80X0.8 SHIM	72	80	0.8	SHIM	ST	PLN
48162924	WASHER, 72X80X1 SHIM	72	80	1	SHIM	ST	PLN
906080R1	WASHER, 72X80X2 SHIM	72	80	2	SHIM	ST	PLN
934242R1	WASHER, 75X90X0.1 SHIM	75	90	0.1	SHIM	ST	PLN
934644R1	WASHER, 75X95X0.2 SHIM	75	95	0.2	SHIM	ST	PLN
906076R1	WASHER, 80X90X0.1 SHIM	80	90	0.1	SHIM	ST	PLN
906077R1	WASHER, 80X90X0.3 SHIM	80	90	0.3	SHIM	ST	PLN
906078R1	WASHER, 80X90X0.5 SHIM	80	90	0.5	SHIM	ST	PLN
906082R1	WASHER, 95X115X3.5 SUPPORT	95	115	3.5	SUPT	ST	PLN
906083R1	WASHER, 120X150X3.5 SUPPORT	120	150	3.5	SUPT	ST	PLN
906084R1	WASHER, 56x72x3 SUPPORT	56	72	3	SUPT	ST	PLN

See Page 73 for additional Shim and Support Washers per DIN988.

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:	Dated:	Page:
XM-002	OCT 99	22 of 74




Preferred Parts


Number:	XM-002
Date Issued:	BU-DEC15

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



<u>DIN1434</u>	PIN, HEADED SMALL HEADED PINS WITH SMALL HEADS	DIA	DIA	LEN	LEN-H	DIAHD	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905171R1	PIN, 8-7.91X14-ST50-A2J HEADED	8	7.91	14		12	ST50	ZN
932825R1	PIN, 8-7.91X18X15-ST HEADED	8	7.91	18	15	12	ST	PLN
932855R1	PIN, 8-7.91X20X17-ST HEADED	8	7.91	20	17	12	ST	PLN
905671R1	PIN, 8-7.91X25-ST HEADED	8	7.91	25		12	ST	ZN
934884R1	PIN, 8-7.91X28-ST HEADED	8	7.91	28		12	ST	PLN
905158R1	PIN, 8-7.91X28-ST-A2J HEADED	8	7.91	28		12	ST	ZN
906015R1	PIN, 8-7.91X50-ST-A2J HEADED	8	7.91	50		12	ST	ZN
934995R1	PIN, 8-7.91X60X54-ST HEADED	8	7.91	60	54	12	ST	PLN
932842R1	PIN, 10-9.89X22X17-ST HEADED	10	9.89	22		14	ST	PLN
934833R1	PIN, 10-9.91X28X24-ST50 HEADED	10	9.91	28	24	14	ST50	PLN
47958245	PIN, CLEVIS, 10X45MM	10	9.91	45	41	14	STL	ZND
47958244	PIN, CLEVIS, 10X50MM	10	9.91	50	46	14	STL	ZND



<u>DIN1436</u>	PIN, HEADED LARGE HEADED PINS WITH LARGE HEADS	DIA	DIA	LEN	LEN-H	DIAHD	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
932849R1	PIN, 6-5.925X22X18-ST HEADED	6	5.925	22	18	12	ST	PLN
905678R1	PIN, 7-6.91X28X25-ST HEADED	7	6.91	28	25	14	ST	PLN
932845R1	PIN, 8-7.91X22X19-ST HEADED	8	7.91	22	19	16	ST	PLN
932765R1	PIN, 8-7.91X23X20-ST HEADED	8	7.91	23	20	16	ST	PLN
932846R1	PIN, 8-7.91X35X28-ST HEADED	8	7.91	35	28	16	ST	PLN
932854R1	PIN, 8-7.91X40X37-ST HEADED	8	7.91	40	37	16	ST	PLN

<u>DIN1440</u>	WASHER, CLEVIS PIN WASHERS FOR CLEVIS PINS TYPE-MEDIUM REPLACED BY DIN EN 28738 (ISO 8738)
----------------	---

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:	Dated:	Page:
XM-002	OCT 99	23 of 74



Preferred Parts

Number: XM-002


Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

<u>DIN1441</u>	WASHER, CLEVIS PIN WASHERS FOR CLEVIS PINS TYPE-COARSE	ID	OD	THK			MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
934066R1	WASHER, 15-A2J	15	28	3				ZN
933964R1	WASHER, 21-A2J	21	32	4				ZN

<u>DIN1444</u>	PIN, HEADED HEADED PINS REPLACED BY DIN EN 22341 SEE STANDARD PARTS BOOK SECTION JM-015
----------------	---



<u>DIN1469</u>	PIN, GROOVE GROOVE PINS WITH HALF LENGTH GROOVE WITH SLOT SLOT TYPE A - RETAINING RINGS TYPE B - RETAINING WASHERS TYPE C - ROUNDED SLOT	DIA	LEN	TYPE			MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905421R1	PIN, C8 X 16 - ST-A2J GROOVE	8	16	C				

<u>DIN1471</u>	PIN, GROOVE GROOVE PIN, FULL LENGTH TAPER GROOVE REPLACED BY DIN EN ISO 8744
----------------	---

<u>DIN1473</u>	PIN, GROOVE GROOVE PIN WITH FULL LENGTH PARALLEL GROOVE REPLACED BY DIN EN ISO 8740
----------------	--

<u>DIN1474</u>	PIN, GROOVE GROOVE PIN WITH HALF LENGTH REVERSE GROOVE REPLACED BY DIN EN ISO 8741
----------------	---

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 24 of 74



Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION

<u>DIN1475</u>	PIN, GROOVE GROOVE PIN WITH THIRD LENGTH CENTER GROOVE REPLACED BY DIN EN ISO 8742
----------------	---

<u>DIN1476</u>	PIN, GROOVE ROUND HEAD GROOVE PINS REPLACED BY DIN EN ISO 8746
----------------	--

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 25 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION




DIN1479

<u>DIN1479</u>	NUT, TURNBUCKLE TURNBUCKLE NUTS	DIA	PITCH	LEN	LEN-T	TYPE	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
905253R1	TURNBUCKLE NUT, SP M6	6	1	30	22.5	SP	ST	PLN
934329R1	TURNBUCKLE NUT, SP M12	12	1.75	55	40	SP	ST	PLN

<u>DIN1481</u>	PIN, SLOTTED HEAVY SLOTTED (ROLL) PIN REPLACED BY DIN EN ISO 8752 SEE STANDARD PARTS BOOK SECTION JM-060
----------------	--

<u>DIN1587</u>	NUT, CAP HEXAGON CAP NUTS SEE STANDARD PARTS BOOK SECTION EM-020
----------------	---



DIN1592

<u>DIN1592</u>	CLAMP, PIPE CLAMPS FOR HEAVY PIPE	DIA-P	WIDTH	DIA-H	LEN	LEN-H	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
3229444R1	CLAMP, 36 PIPE HEAVY	26	40	14	57	41	ST	PLN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 26 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN1596	CLAMP, PIPE CLAMPS FOR LIGHT PIPE	DIA-P	WIDTH	DIA-H	LEN	LEN-H	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3404471R1	CLAMP, 23 PIPE LIGHT	23	25	9	43	28	ST	PLN

DIN1850	BUSHING BUSHINGS FOR PLAIN BEARINGS BURR RIDGE IS MISSING SECTIONS 3 AND 6 OF DIN1850						MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3399159R1	BUSHING, T 16 B 15 PA6							



DIN2093	SPRING, DISC DISC SPRINGS (SPRING WASHERS) SE = SERIES GR = GROUP	ID	OD	THK	HT	SE-GR	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
933682R1	WASHER, A12.5 GR1 DISC SPRING	6.2	12.6	0.7	1	A-1		PLN
3218395R1	WASHER, A16 GR1-C67 DISC SPRING	8.2	16	0.9	1.25	A-1		PLN
905699R1	WASHER, 2 X 10 X 26.5 DISC SPRING	10	26.5	2				PLN
933620R1	WASHER, A20 GR2 DISC SPRING	10.2	20	1.1	1.55	A-2		PLN
906045R1	WASHER, B20 GR1 DISC SPRING	10.2	20.5	0.8	1.35	B-1		PLN
3140783R1	WASHER, B25 GR1 DISC SPRING	12.2	25	0.9	1.6	B-1		PLN
934223R1	WASHER, A25 GR2 DISC SPRING	12.2	25	1.5	2.05	A-2		PLN
933606R1	WASHER, B28 GR2 DISC SPRING	14.2	28	1	1.85	B-2		PLN
933828R1	WASHER, A28 GR2 DISC SPRING	14.2	28.6	1.5	2.15	A-2		PLN
934202R1	WASHER, A31.5 GR2 DISC SPRING	16.3	31.5	1.75	2.45	A-2		PLN
905638R1	WASHER, B50 GR2 DISC SPRING	25.4	50	2	3.4	B-2		PLN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 27 of 74



Preferred Parts


Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

DIN2353	FITTING, COMPRESSION NON-SOLDERING COMPRESSION FITTINGS WITH CURVE RING SEE STANDARD FOR DIAGRAMS	NOUN	TYPE	SER	OD		MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
3141294R1	TEE, QL12-ST	TEE	Q	L	12		ST	PLN
3233280R1	TEE, EEL12-ST	TEE	EE	L	12		ST	PLN



DIN3017	CLAMP HOSE CLAMPS	TYPE	TYPE	IDMIN	IDMAX	WIDTH	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
3401580R1	CLAMP, A 8-12X7.5-W2-1 WORM DRIVE	WORM	A	8	12	7.5	W2	
3230683R1	CLAMP, A 10-16X9-W2-1 WORM DRIVE	WORM	A	10	16	9	W2	
905867R1	CLAMP, A 12-22X9-W2-1 WORM DRIVE	WORM	A	12	22	9	W2	
905893R1	CLAMP, A 12-22X9-W3 WORM DRIVE	WORM	A	12	22	9	W3	
905868R1	CLAMP, A 16-27X9-W2-1 WORM DRIVE	WORM	A	16	27	9	W2	
905894R1	CLAMP, A 16-27X13-W3 WORM DRIVE	WORM	A	16	27	13	W3	
3217480R1	CLAMP, A 25-40X9-W1-1 WORM DRIVE	WORM	A	25	40	9	W1	
905895R1	CLAMP, A 30-45X13-W3 WORM DRIVE	WORM	A	30	45	13	W3	
3220458R1	CLAMP, A 35-50X9-W2-1 WORM DRIVE	WORM	A	35	50	9	W2	
3218259R1	CLAMP, A 40-60X9-W2-1 WORM DRIVE	WORM	A	40	60	9	W2	
3144921R1	CLAMP, A 50-70X13-W2-1 WORM DRIVE	WORM	A	50	70	13	W2	
3220459R1	CLAMP, A 60-80X13-W2-1 WORM DRIVE	WORM	A	60	80	13	W2	
3219245R1	CLAMP, A 70-90X13-W2-1 WORM DRIVE	WORM	A	70	90	13	W2	
3220461R1	CLAMP, A 80-100X13-W2-1 WORM DRIVE	WORM	A	80	100	13	W2	
3226801R1	CLAMP, A 100-120X13-W2-1 WORM DRIVE	WORM	A	100	120	13	W2	

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 28 of 74




Preferred Parts

Number: XM-002


Date Issued: DD-FEB25

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION




DIN3760	SEAL ROTARY SHAFT LIP SEALS	TYPE	ID	OD	WIDTH	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
3052295R1	SEAL, A6X16X7 RADIAL LIP	A	6	16	7		
905835R1	SEAL, AS20X30X7 RADIAL LIP	AS	20	30	7		
3143200R1	SEAL, A28X4016X7 RADIAL LIP	A	28	40	7		
417722	SEAL, A30X62X7	A	30	62	7		
552456	SEAL, A35X52X7 NB	A	35	52	7	NB	
47533509	SEAL, AS35X52X7 NB	AS	35	52	7	NB	
394994	SEAL, A40X72X7 NB	A	40	72	7	NB	
365512	SEAL, A60X90X8 NB	A	60	90	8	NB	
92678967	SEAL, AS65X90X10 NB	AS	65	90	10	NB	
1079570	SEAL, AS85X11X12 NB WHT	AS	85	11	12	NB	WHT



DIN3770	O-RING SEALING RINGS	ID	SEC	--c--	--d--	--e--	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
4149587	O-RING, 6.07 X 1.78 FPM90	6.07	1.78				FPM90	
3232722R1	O-RING, 2.5 X 16 - NB70 SEALING	16	2.5				NB70	
2213611	O-RING, 29.7 X 2.8 NB90	29.7	2.8				NB90	
4149251	O-RING, 75.0 X 3.0 NB85	75.0	3.0				NB85	

DIN3771 O-RING
O-RING DIMENSIONS IN ISO 3601-1
SEE STANDARD PARTS BOOK STPS110



DIN3861	SLEEVE SLEEVE, CUTTING RING	TYPE	PIPE	ID	OD	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
3138533R1	SLEEVE, L6-ST CUTTING RING	L	6	6	9	ST	PLN
3230920R1	SLEEVE, LL8-ST CUTTING RING	LL	8	8	10	ST	PLN
3056136R1	SLEEVE, L8-ST CUTTING RING	L	8	8	11	ST	PLN
905646R1	SLEEVE, L10-ST CUTTING RING	L	10	10	13	ST	PLN
84209925	SLEEVE, L12-ST CURRING RING	L	12	12	15	ST	PLN
3143334R1	SLEEVE, L15-ST CUTTING RING	L	15	15	18	ST	PLN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
29 of 74




Preferred Parts

Number: XM-002

Date Issued: AY-APR09

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN3867

DIN3867 SLEEVE
NON-BRAZED TAPER-BUSH TYPE PIPE
UNIONS
PRESSURE BUSH FOR BUTT JOINTS


	TYPE	DUTY	SIZE	WIDTH		MATL	FIN
-----	--a--	--b--	--c--	--d--	--e--	----	---
3215241R1	A	L	15	9			



DIN3870

DIN3870 NUT, COUPLING

	COUPLING NUTS	TY-DU	SIZE	THD	THD-P	HEX	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3138527R1	NUT, A L 6 COUPLING	A L	6	M12	1.5	14		PLN
3230917R1	NUT, A LL 8-A3K COUPLING	A LL	8	M12	1	17		ZND
3056137R1	NUT, A L 8 COUPLING	A L	8	M14	1.5	17		PLN
3058452R1	NUT, A L 10 COUPLING	A L	10	M16	1.5	19		PLN
84209926	NUT, A L 12 COUPLING	A L	12	M18	1.5	22		PLN
3143333R1	NUT, A L 15 COUPLING	A L	15	M22	1.5	27		PLN
3138531R1	NUT, A S 16 COUPLING	A S	16	M24	1.5	30		PLN



DIN3872

DIN3872 NUT, COUPLING
COUPLING NUTS FOR BUTT JOINTS

	TY-DU	SIZE	THD	THD-P	HEX	MATL	FIN
-----	--a--	--b--	--c--	--d--	--e--	----	---
3215240R1	- L	15	M22	1.5	27		PLN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 30 of 74




Preferred Parts

Number: XM-002

Date Issued: BM-JUN14


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION




DIN3900

DIN3900	CONNECTOR COMPRESSION COUPLING WITH TAPERED STUD END	TY-SE	SIZE	THS	THD-P	HEX	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
3230918R1	COUPLING, LL 8 M-A3J TUBE	- LL	8	M10X1	M12X1	12	ST	PLN



DIN3901

DIN3901	CONNECTOR MALE STUD COMPRESSION COUPLINGS	TY-SE	SIZE	THD-S	THD-C	HEX	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
905859R1	COUPLING, LL 6 MB-ST TUBE	B LL	6	M10X1	M10X1	14	ST	PLN
3216696R1	COUPLING, L 6 M TUBE	- L	6	M10X1	M12X1.5	14	ST	PLN
3056174R1	COUPLING, L 8 M TUBE	- L	8	M12X1.5	M14X1.5	17	ST	PLN
1338218	COUPLING, L 8 M TUBE	- L	8	M12X1.5	M14X1.5	17	ST	ZND
3058450R1	COUPLING, L 10 M TUBE	- L	10	M14X1.5	M16X1.5	19	ST	PLN
2974241	COUPLING, L 10 M TUBE	B L	10	M14X1.5	M16X1.5	19	ST	ZND
3232169R1	COUPLING, S 12 R 1/2 TUBE	A S	12	G1/2A	M20X1.5	22	ST	PLN
3058449R1	COUPLING, L 12 M TUBE	- L	12	M16X1.5	M18X1.5	22	ST	PLN
3225749R1	COUPLING, S12 M-A3J TUBE	- S	12	M18X1.5	M20X1.5	22	ST	ZND
3217508R1	COUPLING, L15 GA-ST TUBE	A L	15	G1/2A	M22X1.5	27	ST	PLN
3225748R1	COUPLING, L15 M-A3J TUBE	- L	15	M18X1.5	M22X1.5	27	ST	ZND
905864R1	COUPLING, S 16 MB-ST TUBE	B S	16	M22X1.5	M24X1.5	27	ST	PLN
1331024	COUPLING, S 16 MB-ST TUBE	B S	16	M22X1.5	M24X1.5	27	ST	ZND
905639R1	COUPLING, L 35 M TUBE	- L	35	M42X2	M45X2	50	ST	PLN



DIN3902

DIN3902	CONNECTOR STRAIGHT COMPRESSION COUPLINGS	TY-SE	SIZE	THD	PITCH	HEX	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
3059941R1	COUPLING, L 8 STRAIGHT	- L	8	M14	1.5	14	ST	PLN
3401804R1	COUPLING, L 10 STRAIGHT	- L	10	M16	1.5	17	ST	PLN
3146448R1	COUPLING, L 12 STRAIGHT	- L	12	M18	1.5	19	ST	PLN
3057803R1	COUPLING, L 15 STRAIGHT	- L	15	M22	1.5	24	ST	PLN
3404472R1	COUPLING, L 22 STRAIGHT	- L	22	M30	2	32	ST	PLN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 31 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION




DIN3908

DIN3908	TEE, COMPRESSION EQUAL TEES, COMPRESSIONS FOR SOLDERLESS PIPE JOINT ASSEMBLIES	TYPE	DUTY	SIZE	LEN	FLAT	MATL	FIN
		--a--	--b--	--c--	--d--	--e--	---	---
3056138R1	TEE, L 8 TUBE	-	L	8	21	12/14	ST	PHC
3402836R1	TEE, L 10 TUBE	-	L	10	22	14/17	ST	PHC
3225731R1	TEE, L 12 TUBE	-	L	12	24	17/19	ST	PHC
3401098R1	TEE, L 15 TUBE	-	L	15	28	19-	ST	PHC



DIN3909

DIN3909	CONNECTOR, WELD WELD ON COMPRESSION COUPLINGS	TYPE	DUTY	SIZE	LEN	HEX	MATL	FIN
		--a--	--b--	--c--	--d--	--e--	---	---
3402892R1	COUPLING, L 8-ST WELD	-	L	8	23	14	ST	PHC



DIN3910

DIN3910	CONNECTOR, BULKHEAD MALE STUD BULKHEAD COMPRESSION COUPLING	TYPE	DUTY	SIZE	LEN	HEX	MATL	FIN
		--a--	--b--	--c--	--d--	--e--	---	---
3229363R1	COUPLING, L12 BULKHEAD	-	L	12	53	24	ST	PHC

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 32 of 74




Preferred Parts

Number: XM-002


Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



<u>DIN3911</u>	ELBOW, BULKHEAD ELBOW BULKHEAD COMPRESSION COUPLINGS	TYPE	DUTY	SIZE	LEN-1	LEN-2	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
3145380R1	ELBOW, L 10 BULKHEAD	-	L	10	53	22	ST	PHC



<u>DIN3932</u>	CONNECTOR NON-SOLDERED TAPER-BUSH TYPE PIPE UNIONS	TYPE	DUTYS	SIZE	LEN-1	LEN-2	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
3215409R1	UNION, L15 DOUBLE-ENDED	-	L	15	30	24	ST	PHC



<u>DIN3952</u>	ELBOW, ADJUSTABLE NON-SOLDERED TAPER-BUSH TYPE PIPE UNIONS, ADJUSTABLE ELBOWS	TYPE	DUTY	SIZE	LEN-1	LEN-1	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
905715R1	ELBOW, L 10-ST ADJUSTABLE	-	L	1-	29	22	ST	PHC

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 33 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN5299

<u>DIN5299</u>	HOOK, SNAP SNAPHOOK, HALF ROUND WIRE, ROUND WIRE AND FORGED	TYPE	WIRE	LEN	KG	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
3222559R1	HOOK, C 60-FE/ZN5 SNAP	C		60	120	FE	ZN5

<u>DIN5401</u>	BALL BALLS (ROLLING BEARING COMPONENTS) SEE STANDARD PARTS BOOK SECTION NM-001
----------------	--



DIN5402

<u>DIN5402</u>	ROLLER CYLINDRICAL ROLLERS (ROLLING BEARING COMPONENTS)	TYPE	DIA	LEN	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--
934642R1	ROLLER, A 3.5 X 23.8 G2	A	3.5	23.8	G2	
933915R1	ROLLER, 11 X 15		11	15		

<u>DIN5406</u>	WASHER, BEARING LOCK ROLLER BEARING LOCK WASHERS SEE STANDARD PARTS BOOK SECTION NM-014
----------------	--

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 34 of 74




Preferred Parts

Number: XM-002

Date Issued: BP-NOV14


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION




DIN5412

DIN5412	BEARING, ROLLER CYLINDRICAL ROLLER BEARINGS	SER	NUM	ID	OD	WIDTH	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905825R91	BEARING, CYLINDRICAL ROLLER NJ2 09 SKF	NJ2	209	45	85	19		
905826R91	BEARING, CYLINDRICAL ROLLER NUP 210	NUP2	210	50	90	20		
3216973R91	BEARING, CYLINDRICAL ROLLER NJ 210	NJ2	210	50	90	20		
73143481	BEARING, CYLINDRICAL ROLLER NJ 211E	NJ	211E	55	100	21		



DIN5417

DIN5417	RING, BEARING RETAINING SNAP RINGS FOR BEARINGS WITH RING GROOVES	SER	SIZE	ID	WIDTH	THK	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
934602R1	RING, SP 32 RETAINING	SP	32	29.4	3.25	1.12		
933616R1	RING, SP 47 RETAINING	SP	47	43.7	4.04	1.12		
934593R1	RING, SP 80 RETAINING	SP	80	75.4	4.85	1.7		
3232716R1	RING, SP 85 RETAINING	SP	85	80.4	4.85	1.7		
905791R1	RING, SP 120 RETAINING	SP	120	113.6	7.21	2.82		
934643R1	RING, SP 130 RETAINING	SP	130	123.6	7.21	2.82		



DIN5685

DIN5685	CHAIN, STEEL ROUND STEEL CHAIN WITHOUT QUALITY REQUIREMENTS	TYPE	DIA	PITCH	WIDTH	LEN	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3216772R1	CHAIN, 0.400M G 4.5 X 20	G	4.5	20	18	0.4M	ST	

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 35 of 74




Preferred Parts

Number: XM-002

Date Issued: AZ-JUN09


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**



DIN5686


DIN5686	CHAIN, STEEL KNOTTED LINK CHAINS WITHOUT QUALITY REQUIREMENTS	TYPE	DIA	PITCH	WIDTH	LEN	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3059418R1	CHAIN, 0.20M 2.8-A2J	-	2.8	39	12.5	0.20M	ST	
897228H1	CHAIN, 0.16M 2.8-A2J	-	2.8	39	12.5	0.16M	ST	ZN
906042R1	CHAIN, 0.47M 2.8-A2J	-	2.8	39	12.5	0.47M	ST	ZN
3057367R1	CHAIN, 0.16M 2.8	-	2.8	39	12.5	0.16M	ST	ZN
3229495R1	CHAIN, 0.12M 2.8-A2J	-	2.8	39	12.5	0.12M	ST	ZN



DIN6319

DIN6319	WASHER, SPHERICAL SPHERICAL WASHERS CONICAL SEATS	TYPE	ID	OD	THK	----	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905953R1	WASHER, SPHERICAL C8.4	C	8.4	17	3.2			
219115	WASHER, SPHERICAL C17	C	17	30	5.3			
84226029	WASHER, SPHERICAL D12	D	12	21	4			
583243	WASHER, SPHERICAL D19	D	19	30	5.3			

DIN6325	PIN, DOWEL HARDENED DOWEL PINS REPLACED BY DIN EN 28734 SEE STANDARD PARTS BOOK SECTION JM-001
---------	--



DIN6797

DIN6797	WASHER, TOOTHED TOOTHED LOCKED WASHER SEE STANDARD PARTS BOOK SECTION FM-021	TYPE	ID	OD	----	----	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3233676R1	WASHER, A 3.7-A2J TOOTHED LOCK	A	3.7	7				ZN
905768R1	WASHER, V 5.3 TOOTHED LOCK	V	5.3	9.8				PHC
3233414R1	WASHER, V 6.4-A2J TOOTHED LOCK	V	6.4	11.8				ZN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 36 of 74




Preferred Parts

Number: XM-002

Date Issued: CR-APR19


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS USE THE DESCRIPTION LISTED AND THE STANDARD TO FULLY DEFINE THE PART SEE SECTION X-001 FOR GENERAL INFORMATION



<u>DIN6798</u>	WASHER, SERRATED SERRATED LOCK WASHERS	TYPE	ID	OD			MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
905358R1	WASHER, J 6.4-A2J SERRATED LOCK	J	6.4	11				ZN
934899R1	WASHER, A 8.2-A2J SERRATED LOCK	A	8.2	14				ZN
905357R1	WASHER, A 10.5-A2J SERRATED LOCK	A	10.5	18				ZN
905359R1	WASHER, J 10.5-A2J SERRATED LOCK	J	10.5	18				ZN
934846R1	WASHER, J 25-PHC SERRATED LOCK	J	25	38				PHC
934072R1	WASHER, J 31-PHC SERRATED LOCK	J	31	48				PHC

<u>DIN6799</u>	RING, EXTERNAL E EXTERNAL E RINGS FOR SHAFTS SEE STANDARD PARTS BOOK SECTION NM-030
----------------	--



<u>DIN6885</u>	KEY, PARALLEL RECTANGULAR PARALLEL KEYS	TYPE	WIDTH	HT	LEN		MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
87349227	KEY, A 5X5X30 ST50 PLN	A	5	5	30		ST50	PLN
932664R1	KEY, A 6X4X36 RECTANGULAR	B	6	4	36		ST50	
905847R1	KEY, A 6X6X18 RECTANGULAR	A	6	6	18		ST50	
3229983R1	KEY, A 6X6X18 RECTANGULAR	A	6	6	18		ST50	
906093R1	KEY, A8X7X32 ST80 PLN	A	8	7	32		ST80	PLN
932262R1	KEY, A 10X8X70-ST80 RECTANGULAR	A	10	8	70		ST80	
932786R1	KEY, AB 12X8X30 RECTANGULAR	AB	12	8	30		ST50	
811008-0126	KEY, A 12X8X60 RECTANGULAR	A	12	8	60		ST50	
932587R1	KEY, A 14X9X40-ST80 RECTANGULAR	A	14	9	40		ST80	
932584R1	KEY, A 14X9X50-ST80 RECTANGULAR	A	14	9	50		ST80	

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
37 of 74



Preferred Parts


Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION

DIN6888 KEY, WOODRUFF
WOODRUFF KEYS
SEE STANDARD PARTS BOOK SECTION
JM-100



DIN6912

<u>DIN6912</u>	SCREW, HEX SOCKET HEX SOCKET HEAD CAP SCREWS SHALLOW HEAD	DIA	LEN	HEX			MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3233417R1	SCREW, M5X10-8.8-A2R HEX SOCKET HEAD	5	10	5			8.8	BZN
905788R1	SCREW, M6X10-8.8-A2J HEX SOCKET HEAD	6	10	5			8.8	ZN
931953R1	SCREW, M6X20-8.8 HEX SOCKET HEAD	6	20	5			8.8	PLN
3233329R1	SCREW, M8X12-8.8-A2R HEX SOCKET HEAD	8	12	6			8.8	BZN
931105R1	SCREW, M8X25-8.8 HEX SOCKET HEAD	8	25	6			8.8	PLN
934831R1	SCREW, M20X70-8.82 HEX SOCKET HEAD	20	70	17			8.8	PLN

<u>DIN6916</u>	WASHER, HIGH TENSILE WASHERS FOR HIGH-TENSILE BOLTING IN STEEL STRUCTURES.	BOLT	ID	OD	THK		MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
934272R1	WASHER, 21 HIGH TENSILE	M20	21	37	4			
905763R1	WASHER, 25 HIGH TENSILE	M24	25	44	4			

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 38 of 74



Preferred Parts


Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

DIN6921 BOLT, FLANGE
HEAVY HEX FLANGE HEAD BOLTS
SEE STANDARD PARTS BOOK SECTION
BM-041




DIN6923

<u>DIN6923</u>	NUT, FLANGE HEXAGON NUTS WITH FLANGE	THD-D	PITCH	DIA-F	HT	HEX	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905958R1	NUT, M16X1.5-10-A2J HEX FLANGE	16	1.5	34.5	16	24	10	ZN



DIN6925

<u>DIN6925</u>	NUT, PREVAIL. TORQUE ALL METAL PREVAILING TORQUE TYPE HEXAGON NUTS	THD-D	PITCH	HT-MX	HEX		MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905846R1	NUT, M20X1.5-8-A2G PREVAILING TORQUE	20	1.5	20	30		8	ZND



DIN6927

<u>DIN6927</u>	NUT, PREVAIL. TORQUE PREVAILING TORQUE TYPE ALL-METAL NUTS WITH FLANGE	THD-D	PITCH	DIA-F	HT	HEX	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
906049R1	NUT, M16-10-A2C PREVAIL. TORQUE FLANGE	16	2	34.5	18.3	24	10	ZND

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 39 of 74



Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

DIN7331 RIVET, COMPRESSION
COMPRESSION RIVETS
SEE STANDARD PARTS BOOK SECTION
GM-014

DIN7338 RIVET, BRAKE LININGS
RIVETS FOR BRAKE LININGS AND
CLUTCH LININGS
SEE STANDARD PARTS BOOK SECTION
GM-010

DIN7340 RIVET, TUBULAR
TUBULAR RIVETS CUT FROM THE TUBE
SEE STANDARD PARTS BOOK SECTION
GM-012

DIN7343 PIN, SPIRAL
SPIRAL PINS
REPLACED BY DIN EN ISO 8750

DIN7344 PIN, COILED SPRING
COILED SPRING PINS
REPLACED BY DIN EN ISO 8748
SEE STANDARD PARTS BOOK SECTION
JM-050

DIN7346 PIN, SLOTTED SPRING
SLOTTED SPRING PINS - LIGHT WEIGHT
TYPE
SEE STANDARD PARTS BOOK SECTION
JM-060

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 40 of 74




Preferred Parts

Number: XM-002

Date Issued: AM-FEB08


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN7349 WASHER
PLAIN WASHERS FOR BOLTS WITH HEAVY
CLAMPING
SLEEVES


		ID	OD	THK			MATL	FIN
		--a--	--b--	--c--	--d--	--e--	---	---
933615R1	WASHER, 8.4 FLAT	8.4	21	4			ST	PLN
388702A1	WASHER, 8.4 FLAT ZND	8.4	21	4			ST	ZND
934759R1	WASHER, 10.5 FLAT	10.5	25	4			ST	PLN
905424R1	WASHER, 10.5-ST-A2J FLAT	10.5	25	4			ST	ZN
906059R1	WASHER, 13 HTS (FM-001) ZND FLAT	13	30	6			HTS	ZND
933829R1	WASHER, 13 FLAT	13	30	6			ST	PLN
3233421R1	WASHER, 13-A2J FLAT	13	30	6			ST	ZN



DIN7500 THREAD ROLLING SCREWS

87752090 SCREW, M4X8 STYLE M C/R FLAT HD CST BZN

DIN7504 SCREW, DRILLING
DRILLING SCREW WITH SELF-TAPPING
SCREW THREADS
SEE STANDARD PARTS BOOK SECTION
DM-035



DIN7513

DIN7513 SCREW, SELF-CUTTING
SELF-CUTTING SCREWS, SLOTTED

		TYPE	DIA	PITCH	LEN		MATL	FIN
		--a--	--b--	--c--	--d--	--e--	---	---
931515R1	SCREW, A M5X10 HEX HD THRD CUTTING	A	5		10			PLN
934782R1	SCREW, A M5X10-A2J HEX HD THRD CUTTING	A	5		10			ZN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
41 of 74



Preferred Parts

Number: XM-002

Date Issued: BE-FEB12

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**


Type A




DIN7516

DIN7516	SCREW, SELF-CUTTING SELF-CUTTING SCREWS, CROSS RECESSED	TYPE	DIA	PITCH	LEN	DRIVE	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905973R1	SCREW, A M3X10-ST-H-A2J PAN HD TAPPING	A	3		10	H	ST	ZN
905351R1	SCREW, A M5X8-ST-H-A2J PAN HD TAPPING	A	5		8	H	ST	ZN
905350R1	SCREW, A M6X16-ST-H-A2J PAN HD TAPPING	A	16		16	H	ST	ZN


Type A Flat Gasket



Type C Filled Gasket



Type D O-Ring



DIN7603

DIN7603	RING, SEAL RINGS SEALS AND GASKETS	TYPE	ID	OD	THK	----	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
933598R1	RING, A 5X7.5-CU SEALING	A	5	7.5	1		CU	
933696R1	RING, A 6X10-CU SEALING	A	6	10	1		CU	
710673R2	RING, A 8X11.5-AL SEALING	A	8	11.5	1		AL	
3053133R1	RING, A 8X11.5-CU SEALING	A	8	11.5	1		CU	
3138687R2	RING, C 8X11.5-CUFA SEALING	C	8	11.5	1.5		CUFA	
933087R2	RING, A 10X13.5-AL SEALING	A	10	13.5	1		AL	
933697R1	RING, A 10X13.5-CU SEALING	A	10	13.5	1		CU	
934667R1	RING, A 10X14-AL SEALING	A	10	14	1		AL	
718743R1	RING, A 10X16-CU SEALING	A	10	16	1		CU	
934662R1	RING, C 10X16-CUFA SEALING	C	10	16	1.5		CU	
713710R2	RING, A 12X15.5-AL SEALING	A	12	15.5	1.5		AL	
713845R1	RING, A 12X15.5-CU SEALING	A	12	15.5	1.5		CU	
3141650R1	RING, A 12X17-CU SEALING	A	12	17	1.5		CU	
934005R1	RING, A 12X18-CU SEALING	A	12	18	1.5		CU	
710097R2	RING, A 14X18-AL SEALING	A	14	18	1.5		AL	
933610R1	RING, A 14X18-CU SEALING	A	14	18	1.8		CU	
934893R1	RING, A 14X20-CU SEALING	A	14	20	1.5		CU	
933850R1	RING, A 15X19-VF SEALING	A	15	19	1.5		VF	
933155R1	RING, A 16X20-CU SEALING	A	16	20	1.5		CU	
933721R1	RING, A 16X22-CU SEALING	A	16	22	1.5		CU	
933222R1	RING, A 18X22-CU SEALING	A	18	22	1.5		CU	
3051337R1	RING, A 18X24-CU SEALING	A	18	24	1.5		CU	
718957R1	RING, A 20X24-CU SEALING	A	20	24	1.5		CU	
933741R1	RING, A 21X26-CU SEALING	A	21	26	1.5		CU	

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
42 of 74



Preferred Parts


Number: XM-002

Date Issued: BF-JUL12

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

E135040	RING, A 22X27-CU SEALING	A	22	27	1.5	CU
933945R1	RING, C 23X28-ALFA SEALING	C	23	28	2.5	ALFA
A48812	RING, A 24X29-CU SEALING	A	24	29	1.5	CU
<u>933608R1</u>	RING, A 26X31-CU SEALING	A	26	31	2	CU
1964123C1	RING, C 26X31-STFA SEALING	C	26	31	2.5	STFA
<u>3052681R1</u>	RING, A 30X36-CU SEALING	A	30	36	2	CU
933918R1	RING, A 33X39-CU SEALING	A	33	39	2	CU
933686R1	RING, A 40X47-CU SEALING	A	40	47	2	AL
<u>933710R1</u>	RING, A 42X49-CU SEALING	A	42	49	2	CU



**DIN7604 PLUG
LIGHT-DUTY HEXAGON HEAD SCREW PLUGS WITH
PARALLEL
SCREW THREAD**

		TYPE	DIA-T	PITCH	DIA-F	HT	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
934259R1	PLUG, C-M10X1-PHC HEX HEAD	C	10	1				PHC
933321R1	PLUG, A-M12X1.5-PHC HEX HEAD	A	12	1.5				PHC
712616R1	PLUG, A-M14X1.5-PHC HEX HEAD	A	14	1.5				PHC
933621R1	PLUG, A-M16X1.5-MS HEX HEAD	A	16	1.5				MS
933223R1	PLUG, A-M18X1.5-PHC HEX HEAD	A	18	1.5				PHC
716954R1	PLUG, A-M22X1.5-PHC HEX HEAD	A	22	1.5				PHC
933718R1	PLUG, A-M24X1.5-PHC HEX HEAD	A	24	1.5				PHC
934519R1	PLUG, C-M26X1.5- HEX HEAD	C	26	1.5				PLN
906081R1	PLUG, A-M8X1-GALV HEX HEAD	A	8	1				ZN



**DIN7642 COUPLING, BANJO
BANJO COUPLINGS - RING TYPE
NIPPLES FOR
BRAZED CONNECTION**

		TYPE	DUTY	SIZE	LEN	WIDTH	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
710678R1	FITTING, B LL 6	B	LL	6	16	10		
718676R2	FITTING, B LL 8	B	LL	8	18	12		
716003R1	FITTING, B LL 12	B	LL	12	22	16		

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 43 of 74




Preferred Parts


Number: XM-002
Date Issued: AG-JUL07

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS USE THE DESCRIPTION LISTED AND THE STANDARD TO FULLY DEFINE THE PART SEE SECTION X-001 FOR GENERAL INFORMATION



DIN7643		COUPLING, COMPRESSION COMPRESSION COUPLINGS - RING TYPE NIPPLES FOR BANJO BOLTS						
		PIPE	THD-D	PITCH	LEN	HEX	MATL	FIN
		--a--	--b--	--c--	--d--	--e--	----	----
87622362	BOLT, 6 BANJO 3 OR 4 HOLE (STD)	6	10	1	19	14	STL	ZND
87622363	BOLT, 8 BANJO 3 OR 4 HOLE (STD)	8	12	1.5	24	17	STL	ZND
87622364	BOLT, 10 BANJO 3 OR 4 HOLE (STD)	10	14	1.5	26	19	STL	ZND
87622365	BOLT, 12 BANJO 3 OR 4 HOLE (STD)	12	16	1.5	28	22	STL	ZND
87622366	BOLT, 15 BANJO 3 OR 4 HOLE (STD)	15	18	1.5	32	24	STL	ZND
87622367	BOLT, 22 BANJO 3 OR 4 HOLE (STD)	22	26	1.5	45	32	STL	ZND
710672R1	BOLT, 3 BANJO 3 HOLE (SPCL)	3						
930009R1	BOLT, 6 BANJO 3 OR 4 HOLE (SPCL)	6	10	1	23	14	STL	ZND
717200R1	BOLT, 8 BANJO 3 OR 4 HOLE (SPCL)	8	12	1.5	28	17		
524258	710098R2	10	14	1.5	32	19	STL	ZND
1570647	930241R1	12	16	1.5	36	22	STL	ZND
271575	930259R1	15	18	1.5	42	24	STL	ZND
	931081R1	22	26	1.5	60	32	STL	ZND



DIN7647		COUPLING, COMPRESSION MALE STUD COMPRESSION COUPLING						
		TYPE	PIPE	THD-D	PITCH	LEN	MATL	FIN
		--a--	--b--	--c--	--d--	--e--	----	----
3144896R1	UNION, A 8	A	8	12	1.5	26		4

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 44 of 74




Preferred Parts

Number: XM-002


Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN7753	BELT, VEE NARROW VEE BELT	TYPE	WIDTH	HT	LEN	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
716404R1	BELT, 9.5 X 1225 LA NARROW V	9.5	10	8	1225		
769482R1	BELT, 12.5 X 1000 LA NARROW V	12.5	13	10	1000		



DIN7956	HINGE ROLLED PIANO HINGES	TYPE	WIDTH	THK	LEN	WIRE	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
3234748R1	HINGE, C 32X1.25X260-ST PIANO	C	32	1.25	260	2.5	ST	6
3405097R1	HINGE, C 40X1.5X130-ST PIANO	C	40	1.5	130	6.3	ST	



DIN7967	SERIES	DI	A	PITCH	MAT'L	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--
905986R1	NUT, M12 SERIES 1 STAMPED	1	12	1.75		PLN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 45 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN7968

DIN7968	BOLT, FITTING HEXAGON FITTING BOLTS FOR STEEL STRUCTURES	DIA	PITCH	LEN	W/NUT	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
3142216R1	BOLT, M20X65 - 8.8 PLN HEX HEAD	20	2.5	65	NO	8.8	PLN
905644R1	BOLT, M20X70 - 10.9 PLN HEX HEAD	20	2.5	70	NO	10.9	PLN

DIN7970 SCREW, TAPPING
TAPPING SCREWS THREAD
REPLACED BY DIN EN ISO 1478
SEE STANDARD PARTS BOOK SECTION
DM-001

DIN7971 SCREW, TAPPING
SLOTTED PAN HEAD TAPPING SCREWS
IDENTICAL WITH
ISO 1481:1983, REPLACED BY DIN ISO
1481
SEE STANDARD PARTS BOOK SECTION
DM-001

DIN7972 SCREW, TAPPING
SLOTTED COUNTERSUNK (FLAT) HEAD
TAPPING SCREWS
(COMMON HEAD STYLE) IDENTICAL W/
ISO 1482:1983
REPL. BY DIN ISO 1482, SEE STANDARD
PARTS SECTION DM-001

DIN7973 SCREW, TAPPING
SLOTTED RAISED COUNTERSUNK
(OVAL) HD TAP SCREWS
(COMMON HEAD STYLE) IDENTICAL W/
ISO 1483:1983
REPL. BY DIN ISO 1483, SEE STANDARD
PARTS SECTION DM-001

DIN7976 SCREW, TAPPING
HEXAGON HEAD TAPPING SCREWS
IDENT. W/ISO 1479:1983
REPLACED BY DIN ISO 1479
SEE STANDARD PARTS BOOK SECTION
DM-001

DIN7980 WASHER, LOCK
SINGLE COIL SPRING LOCK WASHERS
CHEESE HEAD SCREWS
WITHDRAWN - NO REPLACEMENT

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
46 of 74



Preferred Parts

Number: XM-002

Date Issued: CZ-JUL21

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

DIN7981 SCREW, TAPPING
CROSS RECESSED PAN HEAD TAPPING SCREWS

IDENTICAL W/ ISO 7049:1983 REPL. BY DIN ISO 7049
SEE STANDARD PARTS BOOK SECTION DM-001

DIN7982 SCREW, TAPPING
CROSS RECESSED COUNTERSUNK (FLAT) HEAD TAPPING
SCREWS (COMMON HEAD STYLE) IDENT. W/ISO 7050:1983
REPL. BY DIN ISO 7050 SEE STANDARD PARTS BOOK SEC DM-001

DIN7983 SCREW, TAPPING
CROSS RECESSED RAISED COUNTERSUNK (OVAL) HEAD
TAPPING SCREWS, IDENTICAL W/ISO 7051:1983
REPL. BY DIN ISO 7051 SEE STANDARD PARTS BOOK SEC DM-001

<u>DIN7984</u>	SCREW, SOCKET HEAD HEXAGON SOCKET HEAD CAP SCREWS WITH REDUCED HEIGHT OF HEAD							
		DIA	PITCH	LEN	H-HT	HEX	MATL	FIN
		-a-	-b-	-c-	-d-	-e-	—	—
92139036	SCREW, M8X30 FULL 8.8 BGM	8	1.25	30	5	5	8.8	BGM
934820R1	SCREW, M8X55-8.8-BLO	8	1.25	55	5	5	8.8	BLO
91716008	SCREW, M10X1.25X20 FULL 10.9 ZND	10	1.25	20	6	7	10.9	ZND
51429717	SCREW, M10X20 FULL 10.9 DAC	10	1.5	20	6	7	10.9	DAC
48122903	SCREW, M10X20 FULL 12.9 DAC	10	1.5	20	6	7	12.9	DAC
87698816	SCREW, M10X30 FULL 10.9 ZND	10	1.50	30	6	7	10.9	ZND
51517303	SCREW, M10X45 FULL 10.9 ZND	10	1.5	45	6	7	10.9	ZND
51500514	SCREW, M10X50 FULL 10.9 ZND	10	1.5	50	6	7	10.9	ZND
51675677	SCREW, M12X25 FULL 8.8 ZND	12	1.75	25	7	8	8.8	ZND
84017988	SCREW, M12X40 FULL 10.9 PLN	12	1.75	40	7	8	10.9	PLN
48122905	SCREW, M14X30 FULL 8.8 DAC	14	2.0	30	8	10	8.8	DAC
51408858	SCREW, M14X30 FULL 10.9 DAC	14	2.0	30	8	10	10.9	DAC
119746	SCREW, M20X50 FULL 8.8 ZND	20	2.5	50	11	14	8.8	ZND

DIN7985 SCREW, MACHINE
HEXAGON SOCKET COUNTERSUNK HEAD
CAP SCREWS
REPLACED BY DIN EN ISO 7045
SEE STANDARD PARTS BOOK SECTION
CM-001

DIN7991 SCREW, MACHINE
HEXAGON SOCKET COUNTERSUNK HEAD
CAP SCREWS
SEE STANDARD PARTS BOOK SECTION
CM-018

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
47 of 74




Preferred Parts


Number:	XM-002
Date Issued:	DE-APR25

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN7993	RING, RETAINING							
	ROUND WIRE SNAP RINGS FOR SHAFTS AND BORES	TYPE	SIZE	WIRE	ID	OD	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
48080236	RING, B 7 INT ROUND WIRE RETAINING	B	7	0.8		7.9		BLO
90415691	RING, B 10 INT ROUND WIRE	B	10	0.8		10.9		BLO
934628R1	RING, A 14 EXT ROUND WIRE RETAINING	A	14	1	12.8			PLN
3232717R1	RING, A 16 EXT ROUND WIRE RETAINING	A	16	1.6	14.2			PLN
906026R1	RING, A 32 EXT ROUND WIRE RETAINING	A	32	2.5	29.1			PLN
47845655	RING, B 38 INT ROUND WIRE	B	38	2.5		40.9		PHC
3225832R1	RING, B 40 INT ROUND WIRE RETAINING	B	40	2.5		42.9		PLN
1974037C1	RING, A 40 EXT ROUND WIRE RETAINING	A	40	2.5	37.1			PLN
906027R1	RING, A 50-A2J EXT ROUND WIRE	A	50	2.5	47			ZN
92696172	RING, A 55 EXT ROUND WIRE	A	55	3.2	51.1			PLN
47727085	RING, A 60 EXT ROUND WIRE	A	60	3.2	56.1			PLN
47845662	RING, B 70 INT ROUND WIRE	B	70	3.2		74		PHC
47488902	RING, B 75 INT ROUND WIRE RETAINING	B	75	3.2		79		PLN
84488522	RING, B 85 INT ROUND WIRE RETAINING	B	85	3.2		89		PLN
47545147	RING, B 95 INT ROUND WIRE	B	95	3.2		99		PLN



DIN9021	WASHER, FLAT							
	WASHERS, OD APPROX. THREE TIMES BOLT DIAMETER	ID	OD	THK	TYPE		MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905951R1	WASHER, A 3.7-ST-A2R FLAT	3.7	11	0.8	A		ST	BZN
905177R1	WASHER, A 4.3-ST-A2J FLAT	4.3	12	1	A		ST	ZN
934599R1	WASHER, B 5.3-ST-FLAT	5.3	15	1.6	B		ST	PLN
934902R1	WASHER, A 5.3-ST-A2J-FLAT	5.3	15	1.6	A		ST	ZN
3233293R1	WASHER, A 6.4-ST-A2J-FLAT	6.4	18	1.6	A		ST	ZN
906006R1	WASHER, A 6.4-ST-A2G FLAT	6.4	18	1.6	A		ST	ZND
934673R1	WASHER, A 8.4-ST-A2J-FLAT	8.4	25	2	A		ST	ZN
3233292R1	WASHER, A 8.4-ST-A2J-FLAT	8.4	25	2	A		ST	ZN
906007R1	WASHER, A 8.4-ST-A2G FLAT	8.4	25	2	A		ST	ZND
934674R1	WASHER, A 10.5-ST-A2J-FLAT	10.5	30	2.5	A		ST	ZN
934848R1	WASHER, A 13-ST-A2J-FLAT	13	40	3	A		ST	ZN
6100024	WASHER, A 17-ST-A3B-FLAT	17	50	3	A		ST	ZND

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 48 of 74




Preferred Parts

Number:	XM-002
Date Issued:	Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN9045 RING, RETAINING
ROUND WIRE SNAP RINGS FOR NEW DESIGN USE
DIN 7993
MATERIAL: SPRING STEEL

		TYPE	SIZE	WIRE	ID		MATL	FIN
-----		--a--	--b--	--c--	--d--	--e--	----	---
934020R1	RING, 7 RETAINING EXT	EXT	7	0.8	6.2			PLN
934177R1	RING, 12 RETAINING EXT	EXT	12	1	11			PLN
934650R1	RING, 16 RETAINING EXT	EXT	16	1.6	14.5			PLN
933255R1	RING, 22 RETAINING EXT	EXT	22	2	20.2			PLN
933232R1	RING, 30 RETAINING EXT	EXT	30	2	28.2			PLN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:	Dated:	Page:
XM-002	OCT 99	49 of 74




Preferred Parts

Number: XM-002


Date Issued: AT-OCT08

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN11023	PIN, LINCH QUICK ATTACH (LINCH) PINS	HOLE	LEN	DIA-S	LOC	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
87036460 3057333R91	PIN, 5 X 32 QUICK ATTACH SNAP	5	32	25	8		
3147026R1	PIN, 8 X 42 QUICK ATTACH SNAP	8	42	32	12		
3053363R91	PIN, 10 X 45 QUICK ATTACH SNAP	10	45	32	14		
3217717R1	PIN, 12-STD50-2 QUICK ATTACH SNAP	12	45	32	18		
905701R1	PIN, 12 X 55 QUICK ATTACH SNAP	12	55	45	18		



DIN11024	PIN, SPRING SPRING COTTER PINS	HOLE	LEN	DIA-S	DIA-S	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
906063R1	PIN, 3.2MM - ADJ SPRING COTTER	3.2	48	11.2	14	CST	GALV
905821R1	PIN, 4MM - A2J SPRING COTTER	4	64	14	20	CST	GALV
87613336	PIN, SPRING COTTER 5mm CST GALV	5	80	20	26	CST	GALV
87657982	PIN, 6.3MM - A2J SPRING COTTER	6.3	97	26	34	CST	GALV

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 50 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN20021

DIN20021	HOSE, REINFORCED REINFORCED RUBBER HOSE	TYPE	SIZE	ID	LEN	BEND	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905903R1	HOSE, 0.82M 2TE 8	2TE	8	7.9	0.82	50		
3402839R1	HOSE, 0.06M 1TE 10	1TE	10	9.5	0.06	75		
3402572R1	HOSE, 0.20M 2TE 10	2TE	10	9.5	0.20	60		
3230898R1	HOSE, 0.05M 2TE 12	2TE	12	12.7	0.05	70		
3399946R1	HOSE, 0.30M 2TE 12	2TE	12	12.7	0.30	70		
905897R1	HOSE, 0.35M 2TE 12	2TE	12	12.7	0.35	70		
3399078R1	HOSE, 0.05M 2TE 16	2TE	16	15.9	0.05	90		
3229377R1	HOSE, 0.65M 2TE 16	2TE	16	15.9	0.65	90		
3230041R1	HOSE, 0.09M 2TE 16	2TE	16	15.9	0.09	90		
3232165R1	HOSE, 0.24M 2TE 16	2TE	16	15.9	0.24	90		
905908R1	HOSE, 0.41M 2TE 16	2TE	16	15.9	0.41	90		
905909R1	HOSE, 0.46M 2TE 16	2TE	16	15.9	0.46	90		
905910R1	HOSE, 0.52M 2TE 16	2TE	16	15.9	0.52	90		
905911R1	HOSE, 0.70M 2TE 16	2TE	16	15.9	0.70	90		
905912R1	HOSE, 0.78M 2TE 16	2TE	16	15.9	0.78	90		



DIN32500

DIN32500	STUD, WELD STUDS FOR DRAWN ARC STUD WELDING, THREADED STUDS, FERRULES	TYPE	SIZE	LEN-F	LEN-W	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	----	---
905943R1	STUD, PM6X16-4.8-CZE WELD	P	6	16		4.8	CZE

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 51 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



<u>DIN32501</u>	STUD, WELD STUDS FOR STUD WELDING WITH TIP IGNITION	TYPE	SIZE	LEN-F	LEN-W	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----
905956R1	STUD, GA M6X10-4.8-C2E WELD	GA	6	10		4.8	COP
905971R1	STUD, GA M6X12-4.8-C2E WELD	GA	6	12		4.8	COP
905921R1	STUD, GA M6X20-4.8-C2E WELD	GA	6	20		4.8	COP
905961R1	STUD, GA M8X16-4.8-C2E WELD	GA	8	16		4.8	COP

DIN40621 SLEEVE, INSULATING
INSULATING SLEEVES, NON-FIBROUS
WITHDRAWN
REPLACED BY DIN EN 60684-1



<u>DIN46245</u>	RECEPTACLE RECEPTACLES FOR TAB SIZE 6.3 WITH INSULATING SLEEVE	SIZE	XSEC	DIA	LEN	SLEEV	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	----
905694R1	RECEPTACLE, 6.3-2.5 BZ PVC	6.3	2.5	2.3	11	PVC	BZ	

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 52 of 74




Preferred Parts

Number: XM-002


Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



<u>DIN70852</u>	NUT, BEARING LOCK BEARING LOCK NUTS	DIA	PITCH	THK	--d--	--e--	MATL	FIN
-----	-----	--a--	--b--	--c--			---	---
933117R1	NUT, M18X1.5-LH THREAD BEARING LOCK	18	1.5LH					
934655R1	NUT, M40X1.5-8.8 BEARING LOCK	40	1.5				8.8	
934013R1	NUT, M50X1.5 BEARING LOCK	50	1.5					
905653R1	NUT, M60X1.5-22H BEARING LOCK	60	1.5				22H	



<u>DIN70952</u>	WASHER, BEARING LOCK NUTS LOCKING WASHER FOR BEARING LOCK NUTS	TYPE	DIA				MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
933899R1	WASHER, A20 BEARING NUT LOCK	A	20					

DIN71412 FITTING, LUBRICATION
CONICAL HEAD LUBRICATION FITTINGS
SEE STANDARD PARTS BOOK SECTION
LM-005

DIN71752 CLEVIS, ROD END
ROD END CLEVISES, THREADED
SEE STANDARD PARTS BOOK SECTION
WM-004

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 53 of 74




Preferred Parts

Number:	XM-002
Date Issued:	DB-DEC23


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

DIN71754 CLEVIS, ROD END
ROD END CLEVISES, NON-THREADED
SEE STANDARD PARTS BOOK SECTION
WM-004



<u>DIN71802</u>	JOINT, BALL BALL STUDS AND TIE ROD SOCKETS WITH SPRING LOCK	TYPE	BALL	LEN	DIA	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
K303757	JOINT, AS 10 BALL	AS	10	12.5	6		
897106H1	JOINT, AS 13 BALL	AS	13	16.5	8		
3222844R1	JOINT, AS 16 BALL	AS	16	20	10		
108592	JOINT, AS 16 BALL	AS	16	20			ZND



<u>DIN71803</u>	JOINT, BALL BALL STUD FOR TIE ROD JOINTS	TYPE	BALL	LEN	DIA	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
3233253R1	BALL, B 8X4 RIVET STUD	B	8	4	5		
3233295R1	BALL, B 10X4.5 RIVET STUD	B	10	4.5	6		
905652R1	BALL, B 10X8 RIVET STUD	B	10	8	6		
905995R1	BALL, B 10X8, 6.8	B	10	8	6	6.8	
47919770	BALL, C 10X12.5	C	10	12.5	M6	6.8	ZND
92207148	BALL, C 10X12.5 303SST	C	10	12.5	M6	303SST	PLN
3234708R1	BALL, B 13X10 RIVET STUD	B	13	10	8		
87021310	BALL, A 13X16.5	A	13	16.5	M8		ZND
906088R1	BALL, B 16X13 RIVET STUD	B	16	13	10		

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:	Dated:	Page:
XM-002	OCT 99	54 of 74




Preferred Parts

Number: XM-002

Date Issued: AP-MAY08

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN71805-1

<u>DIN71805</u>	JOINT, BALL HOUSINGS AND CIRCLIPS FOR TIE ROD JOINTS	TYPE	BALL				MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3233279R1	SOCKET, A8-A2J BALL JOINT	A	8					ZN
3404206R1	SOCKET, S8-A2J SPRING	S	8					ZN
906017R1	SOCKET, B10-A2J BALL JOINT	B	10					ZN
906018R1	CLIP, S10-A2J SPRING	S	10					ZN
3234707R1	SOCKET, A13 BALL JOINT	A	13					
3402211R1	SOCKET, B13 BALL JOINT	B	13					
905757R1	SOCKET, B13-LH BALL JOINT	B	13	LH				ZN
3233348R1	CLIP, S13-A2J SPRING	S	13					ZN
906090R1	SOCKET, B16-BZN	B	16					BZN
906089R1	CLIP, S16-BZN SPRING	S	16					BZN

<u>DIN72311</u>	BATTERY LEAD ACID BATTERY PROTECTORS	TYPE					MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905779R1	PROTECTOR, F-18R	F	18	R				



<u>DIN72577</u>	SOCKET, 7 PIN SEVEN PIN RECEPTACLE DISCONTINUED STANDARD	TYPE					MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3142496R1	RECEPTACLE, A7	A7						

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 55 of 74




Preferred Parts

Number: XM-002


Date Issued: AB-MAR07

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



<u>DIN72581</u>	FUSE FUSE FOR LOW TENSION INSTALLATION, FUSE LINKS	SIZE	COLOR				MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
926644C1	FUSE, A16	A16	RED					
3021478R1	FUSE, A8	A8	WHITE					
3021479R1	FUSE, A5	A5	YEL					



DIN72601	LAMP								
-----	MOTOR VEHICLE BULBS	TYPE	VOLT	WATT				MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	----	----
3141107R1	LAMP, W5/1.2 12V1.2W BULB	W5/1.2	12	1.2					
711625R1	LAMP, H 12V2W BULB	H	12	2					
1094378R1	LAMP, J 12V2W BULB	J	12	2					
3221006R1	LAMP, W10/3 12V3W BULB	W10/3	12	3					
3050199R91	LAMP, T8/4 12V4W BULB	T8/4	12	4					
711335R1	LAMP, R 19/5 12V5W BULB	R19/5	12	5					
3131234R1	LAMP, P25-2 12V21/5W BULB	P25-2	12	5					
3050958R1	LAMP, K 12V10W BULB	K	12	10					
P40556H	LAMP, R19/10 12V10W BULB	R19/	12	10					
3050959R1	LAMP, K 12V18W BULB	K	12	18					
3131227R1	LAMP, P25-1 12V21W BULB	P25-1	12	21					
710940R1	LAMP, E 12V25W BULB	E	12	25					
926645C1	LAMP, 5/1.2 24V1.2W BULB	W5	24	1.2					
710196R1	LAMP, C11 12V5W BULB	C11	12	5					
559299	LAMP, YC 12V 55 W/BULB	YC	12	55					
DIN72616	REFLECTOR								
-----	ROUND REFLEX REFLECTORS	TYPE	DIA					MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	----	----
34802DA	REFLECTOR, A55	A	55						

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 56 of 74




Preferred Parts

Number: XM-002


Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN73411	HOSE, WATER COOLING PIPES IN MOTOR VEHICLES HOSES & COMPOUNDS	TYPE	DIA	WALL	LEN	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
3147089R1	HOSE, 15X380 COOLANT	COOL	15		380		
3225217R1	HOSE, 15X400 COOLANT	COOL	15		400		
905904R1	HOSE, 20X4PX115 COOLANT	COOL	20	4	115	P	
3055305R1	HOSE, 50X70 COOLANT	COOL	50		70		
3057428R1	HOSE, 50X110 COOLANT	COOL	50		110		
3216754R1	HOSE, 50X160 COOLANT	COOL	50		160		
3399199R1	HOSE, 50X5PX130 COOLANT	COOL	50	5	130	P	
906010R1	HOSE, 100X6PX50 ACC	ACC	100	6	50	P	



DIN74225	HOSE, BRAKE BRAKE HOSES, BRAKE HOSE CLIPS	TYPE	END	END	DIA	LEN	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
897786H1	HOLDER, 14 BRAKE HOSE	CLIP	14					
3148507R1	HOSE, A E 10X340 BRAKE	HOSE	A	E	10	340		

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 57 of 74




Preferred Parts

Number: XM-002

Date Issued: CW-MAR21

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.





NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN74305

DIN74305	BRAKE, AIR AIR BRAKING EQUIPMENT, HOLLOW SCREW FITTING	TYPE	DIA	PITCH	THK	MATL	FIN
-----	HEXAGON NUT	-a-	-b-	-c-	-d-	-e-	---
933882R1	NUT, M22X1.5 HEX	NUT	22	1.5	8		

Spherical Collar Nuts (A) Hexagon Nut with Flange (B) Conical Nut (F) Spring Lock Washers (C)



DIN74361

DIN74361	WHEEL, FASTENERS FASTENERS FOR WHEELS	TYPE	DIA	PITCH	MATL	FIN
-----	-----	-a-	-b-	-c-	-d-	-e-
933092R1	NUT, A 14-8 WHEEL	A	14	1.5	8	PLN
933948R1	NUT, A 14-8-A2G WHEEL	A	14	1.5	8	ZND
933095R1	WASHER, C 14.5 SPRING LOCK	C	14.5			PLN
3230877R1	NUT, B 18-10-A2M WHEEL	B	18	1.5	10	A2M
905667R1	NUT, B 18-10-A2J WHEEL	B	18	1.5	10	PLN
933602R1	NUT, A 18-8-B2J WHEEL	A	18	1.5	8	CAD
933121R1	NUT, A 18-8 WHEEL	A	18	1.5	8	PLN
98782C1	NUT, B 18-8-A2J WHEEL	B	18	1.5	8	ZN
712824R1	WASHER, C 18.5 SPRING LOCK	C	18.5			PLN
3232736R1	NUT, A 20-10-PHC WHEEL	A	20	1.5	10	PHC
98783C1	NUT, B 20-8-A2J WHEEL	B	20	1.5	8	ZN
86981719	NUT, B 20-10 A2C WHEEL	B	20	1.5	10	ZND
86981718	WASHER, C 20.5 SPRING LOCK	C	20.5		10	ZND
811242-6223	WASHER, C 20.5 SPRING LOCK	C	20.5		STL	PLN
180132A1	NUT, B 22-8 WHEEL	B	22	1.5	8	PLN
3227960R1	NUT, B 22-10-PHC WHEEL	B	22	1.5	10	PHC
8408505	NUT, B 22-10-ZND WHEEL	B	22	1.5	10	ZND
8409152	WASHER, C 22.5 SPRING LOCK	C	22.5		STL	ZND

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
58 of 74




Preferred Parts

Number: XM-002


Date Issued: AW-FEB09

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



DIN80705	NUT, THIN THIN NUTS WITH SMALL WIDTHS ACROSS FLATS, METRIC THREAD, METRIC FINE THREAD	DIA	PITCH	FLAT	HT		MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905898R1	NUT, M16X1.5-A2G HEX THIN	16	1.5					ZND
905491R1	NUT, M18X1.5-B4A HEX THIN	18	1.5					CAD
905660R1	NUT, M24X1.5-5S-A2J HEX THIN	24	1.5				5S	ZN
84198528	NUT, M36X2	32	2	46	9		5S	ZND



DINEN60684	SLEEVE, INSULATING FLEXIBLE SPECIFICATION FOR FLEXIBLE INSULATING SLEEVING REPLACES DIN40621	TYPE	ID	THK	LEN	COLOR	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
3216773R1	LOOM, B 18 X 1 X 360 - SW	B	18	1	360	BLACK		
3218656R1	LOOM, B 25 X 1.2 X 230 - SW	B	25	1.2	230	BLACK		
3228311R1	LOOM, B 25 X 1.2 X 61B-SW	B	25	1.2	618	BLACK		



DINEN60809	LAMP FILAMENT LAMP FOR ROAD VEHICLES	TYPE	VOLT	WATT		COLOR	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
305198R91	LAMP, R2 12V45/40W YELLOW BULB	R2	12	40		YEL		
3076115R1	LAMP, R2 12V45/40W BULB	R2	12	40				
3217310R1	LAMP, H3 12V 55W BULB	H3	12	55				
3217312R1	LAMP, H1 12V 55W BULB	H1	12	55				
710192R1	LAMP, S2 12V35/35W BULB	52	12	35				

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 59 of 74




Preferred Parts

Number: XM-002

Date Issued: CE-SEP17

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



ISO1207	SCREW, CHEESE SLOTTED CHEESE HEAD SCREW	DIA	PITCH	LEN			MATL	FIN
		--a--	--b--	--c--	--d--	--e--	----	---
931326R1	SCREW, M4X5-8.8-A2F SLOT CHEESE HEAD	4	0.7	5			8.8	ZND
931342R1	SCREW, M4X6-8.8-A2F SLOT CHEESE HEAD	4	0.7	6			8.8	ZND
931377R1	SCREW, M4X12-8.8-A2F SLOT CHEESE HEAD	4	0.7	12			8.8	ZND
931339R1	SCREW, M4X16-8.8-A2F SLOT CHEESE HEAD	4	0.7	16			8.8	ZND
3079379R1	SCREW, M4X18-5.8-A2F SLOT CHEESE HEAD	4	0.7	18			5.8	ZND
931110R1	SCREW, M5X8-4.8 SLOT CHEESE HEAD	5	0.8	8			4.8	PLN
3079390R1	SCREW, M5X10-5.8 SLOT CHEESE HEAD	5	0.8	10			5.8	PLN
625589C1	SCREW, M5X10-8.8-A2F SLOT CHEESE HEAD	5	0.8	10			8.8	ZND
931111R1	SCREW, M5X12-4.8 SLOT CHEESE HEAD	5	0.8	12			4.8	PLN
931340R1	SCREW, M5X12-8.8-A2F SLOT CHEESE HEAD	5	0.8	12			8.8	ZND
931231R1	SCREW, M5X16-4.8 SLOT CHEESE HEAD	5	0.8	16			4.8	PLN
931313R1	SCREW, M5X20-4.8-A2J SLOT CHEESE HEAD	5	0.8	20			4.8	ZN
905817R1	SCREW, M5X25-BRASS SLOT CHEESE HEAD	5	0.8	25			BRS	PLN
931858R1	SCREW, M5X35-5.8-A2J SLOT CHEESE HEAD	5	0.8	35			5.8	ZN
931380R1	SCREW, M5X45-8.8-A2F SLOT CHEESE HEAD	5	0.8	45			8.8	ZND
48188633	SCREW, M5X16-5.8 ZND SLOT CHEESE HEAD	5	0.8	16			5.8	ZND
931330R1	SCREW, M6X12-8.8-A2F SLOT CHEESE HEAD	6	1	12			8.8	ZND
48188634	SCREW, M6X16-5.8 ZND SLOT CHEESE HEAD	6	1	16			5.8	ZND
934895R1	SCREW, M8X16-8.8-A2J SLOT CHEESE HEAD	8	1.25	16			8.8	ZN
3402559R1	SCREW, M8X20-8.8-A2R SLOT CHEESE HEAD	8	1.25	20			8.8	BZN
905293R1	SCREW, M8X25-8.8-A2J SLOT CHEESE HEAD	8	1.25	25			8.8	ZN
3402552R1	SCREW, M8X30-8.8-A2R SLOT CHEESE HEAD	8	1.25	30			8.8	BZN
3230794R1	SCREW, M10X45-8.8-A2J SLOT CHEESE HEAD	10	1.5	45			8.8	ZN

ISO1234 PIN, SPLIT
SPLIT PINS (COTTER)
LENGTH IS LENGTH IS SHORTER LEG
SEE STD PARTS BOOK SECTION JM-010

ISO1479 SCREW, TAPPING
HEXAGON HEAD TAPPING SCREWS
SEE STD PARTS BOOK SECTION DM-001

ISO1481 SCREW, PAN HEAD
SLOTTED PAN HEAD TAPPING SCREWS
SEE STD PARTS BOOK SECTION DM-001

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
60 of 74



Preferred Parts

Number: XM-002

Date Issued: AZ-JUN09


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

ISO1482 SCREW, FLAT HEAD
SLOTTED COUNTERSUNK (FLAT) HEAD
TAPPING SCREWS
SEE STANDARD PARTS BOOK SECTION
DM-001

ISO1483 SCREW, OVAL HEAD
SLOTTED RAISED COUNTERSUNK
(OVAL) HEAD TAPPING
SCREWS
SEE STANDARD PARTS BOOK SECTION
DM-001

ISO1580 SCREW, PAN
SLOTTED PAN HEAD SCREWS
SEE STANDARD PARTS BOOK SECTION
CM-001



<u>ISO2009</u>	SCREW, FLAT HEAD SLOTTED COUNTERSUNK (FLAT) HEAD MACHINE SCREW	DIA	PITCH	LEN			MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
64296	SCREW, M4X16 4.8 ZND SLOT CTSK	4	0.7	16			4.8	ZND
931609R1	SCREW, M5X12-4.8-A2G SLOT CTSK HEAD	5	0.8	12			4.8	ZND
905152R1	SCREW, M6X12-4.8-A2G SLOT CTSK HEAD	6	1	12			4.8	ZND
905403R1	SCREW, M6X40-8.8-A2G SLOT CTSK HEAD	6	1	40			8.8	ZND

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 61 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



<u>ISO2010</u>	SCREW, OVAL HEAD SLOTTED RAISED COUNTERSUNK (OVAL) HEAD MACHINE SCREW	DIA	PITCH	LEN			MATL	FIN
		--a--	--b--	--c--	--d--	--e--	---	---
905962R1	SCREW, M6X20-4.8 SLOT RAISED CTSK HEAD	6	1	20			4.8	PLN

<u>ISO2338</u>	PIN, PARALLEL PARALLEL PINS OF UNHARDENED STEEL AND AUSTENITIC STAINLESS STEEL SEE STANDARD PARTS BOOK SECTION JM-005
----------------	--

<u>ISO2341</u>	PIN, CLEVIS CLEVIS PINS WITH HEAD SEE STANDARD PARTS BOOK SECTION JM-015
----------------	---

<u>ISO2982</u>	BEARING, ACCESSORIES BEARING LOCKNUTS, LOCK WASHERS AND SLEEVES SEE STANDARD PARTS BOOK SECTION NM-010 AND NM-014
----------------	---

<u>ISO3290</u>	BALL, BEARING BEARING BALLS SEE STANDARD PARTS BOOK SECTION NM-001
----------------	---

<u>ISO3601-1</u>	O-RING SEALING DEVICES, O-RINGS SEE STANDARD PARTS BOOK SECTION SM-001
------------------	---

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 62 of 74




Preferred Parts

Number: XM-002


Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.


NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



ISO4014	BOLT, HEXAGON HEXAGON HEAD BOLTS SEE STANDARD PARTS BOOK SECTION BM-001	DIA	PITCH	LEN	HEX	HT	MATL	FIN
		--a--	--b--	--c--	--d--	--e--	----	---
931236R1	BOLT, M6X35-5.6-A2G HEX HEAD	6	1	35	10	4	5.6	ZND



ISO4016	BOLT, HEXAGON HEXAGON HEAD BOLTS, PRODUCT GRADE C	DIA	PITCH	LEN	HEX	HT	MATL	FIN
		--a--	--b--	--c--	--d--	--e--	----	---
905422R1	BOLT, M8X25-3.6-A2J HEX HEAD	8	1.25	25	13	5.3	3.6	ZN
905423R1	BOLT, M10X20-3.6-A2J HEX HEAD	10	1.50	20	15	6.4	3.6	ZN



ISO4017	BOLT, HEXAGON HEXAGON HEAD BOLTS, PRODUCT GRADES A & B SEE STANDARD PARTS BOOK SECTION BM-021	DIA	PITCH	LEN	HEX	HT	MATL	FIN
		--a--	--b--	--c--	--d--	--e--	----	---
931272R1	BOLT, M5X10-5.6 HEX HEAD	5	0.8	10	8	3.5	5.6	PLN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 63 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



ISO4018

ISO4018	BOLT, HEXAGON HEXAGON HEAD BOLTS, PRODUCT GRADE C	DIA	PITCH	LEN	HEX	HT	MATL	FIN
		--a--	--b--	--c--	--d--	--e--	----	---
934679R1	BOLT, M8X20-4.6-A2J HEX HEAD	8	1.25	20	13	5.3	4.6	ZN
930404R1	BOLT, M10X20-4.6 HEX HEAD	10	1.5	20	16	6.4	4.6	PLN
931099R1	BOLT, M12X20-4.6 HEX HEAD	12	1.75	20	18	7.5	4.6	PLN

ISO4026 SCREW, SET
HEXAGON SOCKET SET SCREWS WITH
FLAT POINT
SEE STANDARD PARTS BOOK SECTION
CM-030

ISO4027 SCREW, SET
HEXAGON SOCKET SET SCREWS WITH
CONE POINT
SEE STANDARD PARTS BOOK SECTION
CM-030

ISO4028 SCREW, SET
HEXAGON SOCKET SET SCREWS WITH
DOG POINT
SEE STANDARD PARTS BOOK SECTION
CM-030

ISO4029 SCREW, SET
HEXAGON SOCKET SET SCREWS WITH
CUP POINT
SEE STANDARD PARTS BOOK SECTION
CM-030

ISO4032 NUT, HEXAGON
HEXAGON NUTS, STYLE 1 - PRODUCT
GRADES A & B
SEE STANDARD PARTS BOOK SECTION
EM-001

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 64 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



ISO4034

ISO4034	NUT, HEXAGON HEXAGON NUTS, PRODUCT GRADE C	DIA	PITCH	HEX	HT		MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
934330R1	NUT, M12-5-LH HEX	12	1.7LH	18	12.2		5	PLN
933318R1	NUT, M12-5 HEX	12	1.75	18	12.2		5	PLN
Q5337	NUT, M16-5 HEX	16	2	24	15.9		5	PLN



ISO4035

ISO4035	NUT, HEXAGON HEXAGON THIN NUTS (CHAMFERED), PRODUCT GRADES A&B SEE STANDARD PARTS BOOK SECTION EM-040						MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
3233416R1	NUT, M8-04-A2J HEX THIN	8	1.25	13	4		04	ZN
934300R1	NUT, M10-04-A2J HEX THIN	10	1.5	16	5		04	ZN
934392R1	NUT, M16-04-A2J HEX THIN	16	2	24	8		04	ZN

ISO4161	NUT, HEXAGON FLANGE HEXAGON NUTS WITH FLANGE, PRODUCT GRADE A SEE STANDARD PARTS BOOK SECTION EM-010
---------	--

ISO4757	SCREW, CROSS RECESSES CROSS RECESSES FOR SCREWS SEE STANDARD PARTS BOOK SECTION CM-001
---------	---

ISO4762	SCREW, HEXAGON SOCKET HEAD HEXAGON SOCKET HEAD CAP SCREWS SEE STANDARD PARTS BOOK SECTION CM-020
---------	---

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
65 of 74



Preferred Parts

Number: XM-002

Date Issued: Z-DEC06


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

ISO4766	SCREW, SET SLOTTED SET SCREWS WITH FLAT POINTS	DIA	PITCH	LEN		MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
930952R1	SCREW, M4X6 SLOTTED HEADLESS SET	4		6			

ISO6149-2 FITTING, HYDRAULIC
PORTS AND STUD ENDS, HEAVY DUTY
SERIES. SPECIFIED
AS PORT END OF FITTINGS IN LM-001 &
O-RINGS
SEE STANDARD PARTS BOOK SECTION
LM-001, LM-004, & SM-005

ISO6392 FITTING, LUBRICATION
NIPPLE TYPE LUBRICATION FITTINGS
SEE STANDARD PARTS BOOK SECTION
LM-005



ISO7040

ISO7040	NUT, PREV. TORQUE PREVAILING TORQUE HEXAGON NUT WITH NON-METALLIC INSERT SEE STANDARD PARTS BOOK SECTION EM-030	DIA	PITCH	HT	HEX		MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
905873R1	NUT, M14X1.5-8-A3G PREVAILING TORQUE	14	1.5	17	21		8	ZND
905877R1	NUT, M22X1.5-8-A3G PREVAILING TORQUE	22	1.5	25	32		8	ZND

ISO7045 SCREW, PAN
PAN HEAD SCREWS WITH CROSS
RECESS
SEE STANDARD PARTS BOOK SECTION
CM-001

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 66 of 74



Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

<u>ISO7046</u>	SCREW, FLAT HEAD COUNTERSUNK, FLAT HEAD SCREWS WITH CROSS RECESS SEE STANDARD PART BOOK SECTION CM-001
<u>ISO7047</u>	SCREW, OVAL COUNTERSUNK, RAISED HEAD SCREWS (OVAL) WITH CROSS RECESS SEE STANDARD PARTS BOOK SECTION CM-001
<u>ISO7049</u>	SCREW, PAN TAPPING CROSS RECESS PAN HEAD TAPPING SCREWS SEE STANDARD PARTS BOOK SECTION DM-001
<u>ISO7050</u>	SCREW, FLAT TAPPING CROSS RECESSED COUNTERSUNK (FLAT) HEAD TAPPING SCREWS SEE STANDARD PARTS BOOK SECTION DM-001
<u>ISO7051</u>	SCREW, OVAL TAPPING CROSS RECESSED RAISED COUNTERSUNK (OVAL) HEAD TAPPING SCREW SEE STANDARD PARTS BOOK SECTION DM-001
<u>ISO7053</u>	SCREW, HEX TAPPING HEX WASHER HEAD TAPPING SCREWS SEE STANDARD PARTS BOOK SECTION DM-001
<u>ISO7379</u>	SCREW, SHOULDER HEXAGON SOCKET HEAD SHOULDER SCREWS SEE STANDARD PARTS BOOK SECTION CM-027

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
67 of 74




Preferred Parts

Number: XM-002
Date Issued: BA-AUG09

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



ISO7380	SCREW, BUTTON HEXAGON SOCKET BUTTON HEAD SCREWS	DIA	PITCH	LEN	HT	HEX	MATL	FIN
		--a--	--b--	--c--	--d--	--e--	----	---
84139321	SCREW, HEX SOC BHD M6X10 FULL 8.8 ZND	6	1	10	2.3	4	8.8	ZND
906051R1	SCREW, M6X10-12.9-A2J HEX SOC BUTTON HD	6	1	10	2.3	4	12.9	ZN
906092R1	SCREW, M6X20-12.9-A2J	6	1	20	2.3	4	12.9	ZN
87697843	SCREW, M6X30 10.9 ZND	6	1	30	3.2	4	10.9	ZND
87028323	SCREW, M8X25 - 8.8 ZND	8	1.25	25	4.4	5	8.8	ZND
87360874	SCREW, M8X16	8	1.25	16	4.4	5	8.8	ZND
87675525	SCREW, M8X20 HEX-SOC BHD 12.9 ZNM	8	1.25	20	4.4	5	12.9	ZNM
87028324	SCREW, M10X20 - 8.8 ZND	10	1.50	20	5.5	6	8.8	ZND
906054R1	SCREW, M10X25-12.9-A2J HEX SOC BHD	10	1.5	25	5.5	6	12.9	ZN
84129712	SCREW, M10X35 HEX-SOC BHD 8.8 ZND	10	1.5	35	5.5	6	8.8	ZND
84232472	SCREW, M10X35 12.9 DAC	10	1.5	35	5.5	6	12.9	DAC
84173775	SCREW, M12X25 10.9 BZN	12	1.75	25	6.6	8	10.9	BZN
86836488	SCREW, M12X25-12.9 BLO	12	1.75	25	6.6	8	12.9	BLO
84129702	SCREW, M12X50 10.9 ZND	12	1.75	50	6.6	8	10.9	ZND
ISO7719	NUT, PREVAILING TORQUE PREVAILING TORQUE TYPE ALL-METAL HEXAGON NUTS SEE STANDARD PARTS BOOK SECTION EM-030							
ISO7721	SCREW, FLAT HEAD CROSS RECESS, COUNTERSUNK, FLAT HEAD SCREWS SEE STANDARD PARTS BOOK SECTION CM-001							
ISO8434-3	FITTINGS, HYDRAULIC O-RING FLAT FACED SEAL HYDRAULIC FITTINGS SEE STANDARD PARTS BOOK SECTION LM-001							
ISO8673	NUT, HEXAGON HEXAGON FINE PITCH METRIC NUTS STYLE 1 SEE STANDARD PARTS BOOK SECTION EM-004							
ISO8674	NUT, HEXAGON HEXAGON FINE PITCH METRIC NUTS STYLE 2 SEE STANDARD PARTS BOOK SECTION EM-004							

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes issue:

XM-002

Dated:

OCT 99

Page:

68 of 74



Preferred Parts

Number:	XM-002
Date Issued:	CN-NOV18

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**

ISO8675 NUT, THIN
HEXAGON THIN NUTS WITH METRIC FINE
PITCH THREADS
SEE STANDARD PARTS BOOK SECTION
EM-040


ISO8676 SCREW, FINE
HEXAGON HEAD SCREWS WITH METRIC
FINE PITCH THREAD
SEE STANDARD PARTS BOOK SECTION
BM-021

ISO8677 BOLT, ROUND HEAD
ROUND HEAD QUARE NECK BOLTS WITH
LARGE HEADS
SEE STANDARD PARTS BOOK SECTION
BM-034

ISO8678 BOLT, ROUND HEAD
ROUND HEAD SQUARE NECK BOLTS
WITH SMALL HEAD AND SHORT NECK
SEE STANDARD PARTS BOOK SECTION
BM-031

ISO8734 PIN, PARALLEL
PARALLEL PINS OF HARDENED STEEL
AND MARTENSITIC
STAINLESS STEEL (DOWEL PINS)

<u>ISO8738</u>	WASHER, CLEVIS PIN PLAIN WASHERS FOR CLEVIS PINS	ID	OD	THK			MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
934234R1	WASHER, 6-ST FLAT	6	12	1.6			ST	PLN
934033R1	WASHER, 8-ST FLAT	8	15	2			ST	PLN
905406R1	WASHER, 14-ST-A2G FLAT	14	22	3			ST	ZN
933998R1	WASHER, 20-ST FLAT	20	30	4			ST	PLN



ISO8434-6 ELBOW, 90, BSPP X BSPT

		DIA A BSPT	DIA B BSPP	CH	H	E	C
-----	-----						
811311-2602	ELBOW, 90, G3/8 X R3/8	R3/8	G3/8	17	26	29	8

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
69 of 74




Preferred Parts

Number: XM-002

Date Issued: CF-SEP17


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION




ISO8740

ISO8740	PIN, GROOVE GROOVED PINS, FULL-LENGTH PARALLEL GROOVED, WITH CHAMFER	DIA	LEN				MATL	FIN
		--a--	--b--	--c--	--d--	--e--	---	---
936660R1	PIN, 5 X 12 - ST FULL-LENGTH GROOVED	5	12				ST	PLN
932627R1	PIN, 8 X 6 - ST FULL-LENGTH GROOVED	8	6				ST	PLN



ISO8741

ISO8741	PIN, GROOVE GROOVED PINS, HALF-LENGTH REVERSE TAPER GROOVED	DIA	LEN				MATL	FIN
		--a--	--b--	--c--	--d--	--e--	---	---
3232718R1	PIN, 6 X 20 - ST HALF-LENGTH GROOVED	6	20				ST	PLN



ISO8742

ISO8742	PIN, GROOVE GROOVED PINS, ONE THIRD	DIA	LEN				MATL	FIN
		--a--	--b--	--c--	--d--	--e--	---	---
82879257	PIN, 4X18 THIRD LG GROOVED	4	18				STL	ZND
82879255	PIN, 4X20 THIRD LG GROOVED	4	20				STL	PLN
906023R1	PIN, 5X12-ST-A2R THIRD LG GROOVED	5	12				ST	BZN
906024R1	PIN, 5X20-ST-A2R THIRD LG GROOVED	5	20				ST	BZN
934903R1	PIN, 5X28-ST-A2E THIRD LG GROOVED	5	28				ST	ZN
48191647	PIN, 6X24 THIRD LG GROOVED	6	24				STL	ZND
934994R1	PIN, 8X60-ST THIRD LG GROOVED	8	60				ST	PLN

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:
XM-002

Dated:
OCT 99

Page:
70 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06


ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



ISO8744

ISO8744	PIN, GROOVE GROOVED PINS, FULL-LENGTH TAPER GROOVED	DIA	LEN				MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---	---
932936R1	PIN, 8X40-ST FULL-LENGTH TAPER GROOVED	8	40				ST	PLN



ISO8746

ISO8746	PIN, GROOVED GROOVED PINS WITH ROUND HEAD	TYPE	DIA	LEN	DIA-H	HT-H	MATL	FIN
-----	-----							
934890R1	PIN, 3X4-ST-A2E ROUND HEAD GROOVED DRV		3	4	5.45	1.95	ST	ZN
932658R1	PIN, 3X5-ST ROUND HEAD GROOVED DRIVE		3	5	5.45	1.95	ST	PLN
932688R1	PIN, 4X6-ST ROUND HEAD GROOVED DRIVE		4	6	7.25	2.55	ST	PLN
905501R1	PIN, 6X8-ST-A2E ROUND HEAD GROOVED DRV		6	8	10.8	3.75	ST	ZN
932761R1	PIN, 6X20-ST ROUND HEAD GROOVED DRIVE		6	20	10.8	3.75	ST	PLN
934802R1	PIN, 6X32-ST ROUND HEAD GROOVED DRIVE		6	32	10.8	3.75	ST	PLN

ISO8748	PIN, COILED SPRING-TYPE STRAIGHT PINS, COILED HEAVY DUTY SEE STANDARD PARTS BOOK SECTION JM-050
---------	---

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 71 of 74




Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION



ISO8750

<u>ISO8750</u>	PIN, COILED SPRING-TYPE STRAIGHT PINS, COILED STANDARD DUTY	DIA	LEN	THK	KN		MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	----	---
905829R1	PIN, 5X26-ST STD DUTY COILED SPRING	5	26	0.42	15		ST	PLN
905797R1	PIN, 5X30-ST STD DUTY COILED SPRING	5	30	0.42	15		ST	PLN
905793R1	PIN, 6X36-ST STD DUTY COILED SPRING	6	36	0.5	22		ST	PLN
905828R1	PIN, 6X45-ST STD DUTY COILED SPRING	6	45	0.5	22		ST	PLN
905815R1	PIN, 8X40-ST STD DUTY COILED SPRING	8	40	0.67	39		ST	PLN
905796R1	PIN, 10X45-ST STD DUTY COILED SPRING	10	45	0.84	62		ST	PLN

ISO8752 PIN, SLOTTED
SPRING-TYPE STRAIGHT PINS, SLOTTED
SEE STANDARD PARTS BOOK SECTION
JM-060

ISO8765 BOLT, FINE PITCH
HEXAGON HEAD BOLTS WITH METRIC
FINE PITCH THREAD,
PRODUCT GRADES A & B
SEE STANDARD PARTS BOOK SECTION
BM-001

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 72 of 74




Preferred Parts

Number:	XM-002
Date Issued:	CT-JUL19

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

**NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION**



DIN988	WASHER, SHIM SHIM & BACKUP WASHERS	ID	OD	THK	TYPE	MATL	FIN
-----	-----	--a--	--b--	--c--	--d--	--e--	---
811241-6902	WASHER, 25X35X0.5 SHIM ST PLN	25	35	0.5	SHIM	ST	PLN
811241-6904	WASHER, 25X35X1.0 SHIM ST ZND	25	35	1.0	SHIM	ST	ZND
87034239	WASHER, 25X36X2 SUPT ST PLN	25	36	2	SUPT	ST	PLN
84218888	WASHER, 28X40X2 SHIM ST PLN	28	40	2	SHIM	ST	PLN
87039406	WASHER, 35X45X0.1 SHIM ST PLN	35	45	0.1	SHIM	ST	PLN
87039407	WASHER, 35X45X0.15 SHIM ST PLN	35	45	0.15	SHIM	ST	PLN
87039408	WASHER, 35X45X0.3 SHIM ST PLN	35	45	0.3	SHIM	ST	PLN
87039409	WASHER, 35X45X0.5 SHIM ST PLN	35	45	0.5	SHIM	ST	PLN
811241-8904	WASHER, 40X50X0.5 SHIM ST PLN	40	50	0.5	SHIM	ST	PLN
811241-8905	WASHER, 40X50X1.0 SHIM ST PLN	40	50	1.0	SHIM	ST	PLN
87302190	WASHER, 42X52X0.1 SHIM ST PLN	42	52	0.1	SHIM	ST	PLN
87302191	WASHER, 42X52X0.15 SHIM ST PLN	42	52	0.15	SHIM	ST	PLN
87302192	WASHER, 42X52X0.3 SHIM ST PLN	42	52	0.3	SHIM	ST	PLN
87302193	WASHER, 42X52X0.5 SHIM ST PLN	42	52	0.5	SHIM	ST	PLN
87033533	WASHER, 50X62X0.15 SHIM ST PLN	50	62	0.15	SHIM	ST	PLN
87345883	WASHER, 55X68X0.1 SHIM ST PLN	55	68	0.1	SHIM	ST	PLN
87345884	WASHER, 55X68X0.15 SHIM ST PLN	55	68	0.15	SHIM	ST	PLN
87345886	WASHER, 55X68X0.2 SHIM ST PLN	55	68	0.2	SHIM	ST	PLN
87345889	WASHER, 55X68X0.3 SHIM ST PLN	55	68	0.3	SHIM	ST	PLN
87345890	WASHER, 55X68X0.5 SHIM ST PLN	55	68	0.5	SHIM	ST	PLN
87345893	WASHER, 55X68X1.0 SHIM ST PLN	55	68	1.0	SHIM	ST	PLN
87345894	WASHER, 55X68X3.0 SHIM ST PLN	55	68	3.0	SHIM	ST	PLN
87039410	WASHER, 62X72X0.15 SHIM ST PLN	62	72	0.15	SHIM	ST	PLN
87039411	WASHER, 72X80X0.15 SHIM ST PLN	72	80	0.15	SHIM	ST	PLN
87033534	WASHER, 90X110X0.1 SHIM ST PLN	90	110	0.1	SHIM	ST	PLN
87033535	WASHER, 90X110X0.15 SHIM ST PLN	90	110	0.15	SHIM	ST	PLN
87033536	WASHER, 90X110X0.3 SHIM ST PLN	90	110	0.3	SHIM	ST	PLN
87033537	WASHER, 90X110X0.5 SHIM ST PLN	90	110	0.5	SHIM	ST	PLN
87033538	WASHER, 100X120X0.1 SHIM ST PLN	100	120	0.1	SHIM	ST	PLN
87033541	WASHER, 100X120X0.15 SHIM ST PLN	100	120	0.15	SHIM	ST	PLN
87033542	WASHER, 100X120X0.3 SHIM ST PLN	100	120	0.3	SHIM	ST	PLN
87033543	WASHER, 100X120X0.5 SHIM ST PLN	100	120	0.5	SHIM	ST	PLN
87033544	WASHER, 110X140X0.1 SHIM ST PLN	110	140	0.1	SHIM	ST	PLN
87033545	WASHER, 110X140X0.15 SHIM ST PLN	110	140	0.15	SHIM	ST	PLN
87033546	WASHER, 110X140X0.3 SHIM ST PLN	110	140	0.3	SHIM	ST	PLN
87033548	WASHER, 110X140X0.5 SHIM ST PLN	110	140	0.5	SHIM	ST	PLN
87743033	WASHER, 125X140X0.1 SHIM ST PLN	*125	140	0.1	SHIM	ST	PLN
87743034	WASHER, 125X140X0.15 SHIM ST PLN	*125	140	0.15	SHIM	ST	PLN
87743035	WASHER, 125X140X0.3 SHIM ST PLN	*125	140	0.3	SHIM	ST	PLN
87743036	WASHER, 125X140X0.5 SHIM ST PLN	*125	140	0.5	SHIM	ST	PLN

See Page 22 for additional Shim and Support Washers per DIN 988.

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue:	Dated:	Page:
XM-002	OCT 99	73 of 74



Preferred Parts

Number: XM-002

Date Issued: Z-DEC06

ELECTRONIC DOCUMENT IN THE VIEWER IS CONTROLLED. PRINTED COPY IS AN UNCONTROLLED DOCUMENT.

NATIONAL AND INTERNATIONAL STANDARD PARTS
USE THE DESCRIPTION LISTED AND THE STANDARD
TO FULLY DEFINE THE PART
SEE SECTION X-001 FOR GENERAL INFORMATION

Current Case Part Number	Current New Holland Part Number	Reference Part Number	*Owner of Reference Part Number
3233348R1	86999310		
897106H1	87021169		
3057333R91	87036460		
3217717R1	87335105		

* Example - Steiger, Concord, O&K, etc.

(See Page 74 for New Holland/Reference Part Numbers)

Supersedes Issue: XM-002
Dated: OCT 99

Page: 74 of 74