Manufacturer PDF Provided by www.southeasternequipment.net

KÄRCHER



ROCK-SOLID VERSATILITY.

Cart to skid cleaning with the modular Teton.

PROFESSIONAL | TETON SERIES

Manufacturer PDF Provided by www.southeasternequipment.net

TETON SERIES



Cleaning versatility and durability.

Corrosion-resistant and light-weight, Kärcher's direct or belt drive, Teton Series aluminum pressure washers can be utilized as a cart or a skid for maximum cleaning versatility and durability. These reliable Kärcher powered pressure washers offer a 4-year engine warranty for a limited time, bypass loop for additional pump protection, 7-year pump warranty and flat-free tires.









1 Mobile and durable

- Choose between direct or belt drive.
- Low profile handle is easy to push and pull.
- Flat free tires are puncture proof.
- Weld free, corrosion resistant aluminum frame.
- Reliable Kärcher commercial-duty gasoline engine with a 4-year warranty.
- Durable VRT3 unloader with bypass loop diverts water flow when trigger gun is not activated.

2 Modular design

- Can transition from cart to skid (with skid feet accessory) design for versatile cold water cleaning applications.

3 Adaptable

- Can be fitted to the HD Pallet Skid with a 50 gallon water tank and 100' hose reel or the HD Pallet Skid with two 100' hose reels. Mild steel skid fits within a standard UTV / ATV bed. See optional accessories for more information.

Manufacturer PDF Provided by www.southeasternequipment.net

Technical data and equipment.

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	CC	Engine	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
HD 3.0/27 G Teton	1.107-398.0	3.0	2700	Direct	212	Kärcher	Crankcase	112	45 x 28 x 29
HD 4.0/40 G Teton	1.107-399.0	4.0	4000	Direct	420	Kärcher	Crankcase	130	45 x 28 x 29
HD 4.0/40 Ge Teton†	1.107-400.0	4.0	4000	Direct	420	Kärcher	Crankcase	158	45 x 28 x 29
HD 3.5/35 G Teton	1.107-440.0	3.5	3500	Direct	302	Kärcher	Crankcase	132	45 x 28 x 29
HD 3.0/27 GB Teton	1.107-441.0	3.0	2700	Belt	212	Kärcher	Crankcase	123	45 x 28 x 29
HD 3.5/35 GB Teton	1.107-442.0	3.5	3500	Belt	302	Kärcher	Crankcase	158	45 x 28 x 29
HD 4.0/40 GB Teton	1.107-443.0	4.0	4000	Belt	420	Kärcher	Crankcase	169	45 x 28 x 29
HD 4.0/40 GeB Teton	1.107-444.0	4.0	4000	Belt	420	Kärcher	Crankcase	205	45 x 28 x 29
HD 5.0/30 GB Teton	1.107-445.0	5.0	3000	Belt	420	Kärcher	Crankcase	169	45 x 28 x 29
HD 5.0/30 GeB Teton	1.107-472.0	5.0	3000	Belt	420	Kärcher	Crankcase	205	45 x 28 x 29

ACCESSORIES

	Order No.	Description
■	8.750-247.0	Trigger Gun, model M407
■	8.925-129.0	Hose, 50' x 3/8", 1w, 4,000 PSI SWXSO
■	8.783-039.0	Lance 30" Zinc plated, handle & coupler (for HD 3.0/27 G Classic)
■	8.783-040.0	Lance 44" Zinc plated, handle & coupler (for HD 4.0/40 G Classic and HD 4.0/40 Ge Classic)
■	9.802-216.0	Injector, Chem, NON ADJ, 0.083
□	8.712-429.0	Nozzle
□	8.925-229.0	Legacy, 100' x 3/8" ID, 6000 PSI, 2-wire, smooth cover, black high pressure hose
□	8.929-509.0	Direct Drive Hose Reel Bracket Kit $157.00
□	8.929-511.0	Belt Drive Hose Reel Bracket Kit $152.00
□	8.753-572.0	A+ Surface Cleaner SC21
□	8.753-573.0	A+ Surface Cleaner SC24
□	9.302-243.0	Legacy Turbo Nozzle, 4.0, 4350 PSI
□	8.710-620.0	Legacy Superlite stainless steel wand, 72" - 56.0 oz
□	9.807-754.0	Skid mount feet
□	9.807-750.0	37.5" long handle
□	9.807-753.0	Lance holder
□	9.807-752.0	Hose storage hook
□	9.807-751.0	Handle with hose reel (mild steel anthracite handle)





Features

- 50 gallon water tank (HD Pallet Skid with Tank only)
- Forklift holes
- Includes skid feet
- 1 to 2, 100' hose reels
- Fits within standard UTV/ATV bed
- Assembly required

TECHNICAL DATA

Model	Part No.	Frame Material	Description	Compatible Pressure Washer (sold separately)	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
HD Pallet Skid with Tank	9.807-833.0	Mild Steel	50 gal water tank and 1 hose reel	HD 3.0/27 G Teton (1.107-398.0) HD 4.0/40 G Teton (1.107-399.0) HD 4.0/40 Ge Teton (1.107-400.0) HD 3.5/35 G Teton (1.107-440.0)	185	40 x 48 x 35
HD Pallet Skid with 2 Hose Reels	9.807-838.0	Mild Steel	2 hose reels		172	47 x 40 x 35

OPTIONS (FACTORY INSTALLED)

	Order No.	Description
□	8.923-105.0	Rubber feet kit
□	8.923-107.0	Inlet filter kit
□	8.923-106.0	Lifting eye bolts kit
□	8.923-108.0	Three-way valve kit

■ Included □ Optional †Electric start available on select models.

Manufacturer PDF Provided by www.southeasternequipment.net

Please contact us for more information:

Kärcher U.S.A.
6398 N. Kärcher Way
Aurora, CO 80019
U.S.A.

Tel. 888-805-9852

www.karcher.com/us/professional

KarcherUSA

@kaercher_us_professional

karchercommercial

karcher-us

KarcherUSA

Rev. 01/24 · B362 · Rights to technical modifications reserved.