



**135 rpm  
MAXIMUM  
ROTOR  
SPEED**




**Honda GX120  
(118 cc)  
GASOLINE  
ENGINE**



**4 hp (3 kW)  
HORSEPOWER**



**24 in (61 cm)  
4-BLADES**



## PRO424E

The compact weight and size of the Pro424E walk-behind trowel makes this easy to use for tight areas. This walker is great for edging against walls, pipes and other obstructions, and will fit easily through doorways. This unique compact walker, with the collapsible folding handle, allows for easy transportation.



Scan this QR code to learn more details about this product.



## SPECIFICATIONS


SPECIFICATIONS	PRO424E
ENGINE	Honda GX120 (118 cc)
HORSEPOWER CLASS	4 hp (3 kW)
ROTOR DIAMETER	24 in (61 cm) 4-blades
MAXIMUM ROTOR SPEED	135 rpm
TROWEL ARMS & SPIDER	Standard Duty
WEIGHT	122 lb (55 kg)
DIMENSIONS (L X W X H)	65 x 24 x 43 in (165.1 x 61 x 109.2 cm)

PART NO.	MODEL NO.	DESCRIPTION
056521A	TWPE424H4F	PRO424E - 4 hp class engine, fine blade pitch, rotating guard ring, fully collapsible handle

## BLADE & PAN RECOMMENDATIONS

BLADES	PRO424E
FINISH	N/A
FLAT FINISH	N/A
COMBO	059008V-4: 4.75" x 9" Combo - Silver Series COMES WITH THESE BLADES
CLIP ON FLOAT (RH)	N/A
PLASTIC FINISH	N/A

PANS	PRO424E
CLIP-ON DISHED	N/A
CLIP ON FLAT	057751 - 24" O.D. 90° Lip Angle
SAFETY CATCH FLAT	N/A



Fine pitch handles use a twist action to control blade pitch from flat to 28° and anything in between.

# TROWEL BLADES

Allen Engineering offers a complete line of finish blades, combination blades, and clip-on float shoes for your walk-behind or ride-on power trowels. We use high-quality steel or composite plastic with six high-strength rivets to maximize blade life. For the flattest floors, trust only Allen Finishing Blades. And, Allen Blades fit most other brands of walkers and riders.



Scan this QR code to learn more details about this product.



Plastic

Silver

Blue

Gold

**PR0424E**

PART NO.	MODEL NO.	DESCRIPTION
059008V-4	TBE5X925V4	Combo 4.75" x 9" Silver Series - set of 4, 8 lb (4 kg)

# STEEL FLOAT PANS

Allen Engineering pioneered the use of floating discs (or pans) on riding trowels in 1989 and Allen® Pans remain today the finisher's choice when high FF Numbers are specified on a concrete floor. Allen's flat pan tolerances cut bumps and fill low spots in the concrete floor. Insist on Allen® Steel Pans for your Allen Riders and Walk-Behinds. Made to the same exacting tolerances as the trowels themselves, nothing finishes better.



Scan this QR code to learn more details about this product.



Safety Catch Pan

Clip-On Pan

**TWO TYPES OF PANS**

Allen offers both Flat (0" to 1/8" dish) and Mild-Dished (1/4" to 3/8" dish) steel pans. This gives contractors even more pan choices from Allen.



**MADE IN THE U.S.A.  
FROM U.S. MADE  
STEEL**

**PR0424E**

PART NO.	MODEL NO.	DESCRIPTION
057751-10	P4C2490-10	24" O.D., Allen Flat, 90° Lip Angle, 4-Blade, Clip On (Ten Pack), 130 lb (59 kg)