


## 475 / 478 INSTALLATION INSTRUCTIONS



1

Facing locking mechanism, lift lock wire from notched pressure bar and slide gate toward open position until rubber bumpers contact doorway or hallway surface  
Model 475 (27" - 42") (68cm - 106cm)  
Model 478 (29" - 48") (73cm - 121cm)



2

Align lock wire with notch in straight up position, count four notches to left (toward plastic latch) and make a distinctive pencil mark on notched bar.



3

Release plastic latch by pulling upward on finger grip or by pushing outward in both directions on the bottom of the latch legs while pulling up on the latch with the other hand.



4

Raise notched bar up until lock wire fits in notch marked with pencil. Push down on notched pressure bar until gate expands and applies pressure to doorway or hallway.



5














Push plastic latch down until it locks firmly into place over bottom pressure bar. Be sure gate is secure by giving top of gate a push - pull action. Gate should be held tightly in position. If gate feels loose, release plastic latch and advance lock wire to next notch on pressure bar toward the latch and repeat locking procedure.



# WARNING

- ⚠ Children have died or been seriously injured when gates are not securely installed. ALWAYS install and use gates as directed using all required parts.
- ⚠ Plastic wrapping should be kept away from babies, pets, children and disposed of properly to avoid risk of accidental suffocation.
- ⚠ Do not install gate in any opening greater than the indicated opening.
- ⚠ Mount gate with latching mechanism side away from children and pets
- ⚠ Use only with latching mechanism securely engaged.
- ⚠ This gate is intended for use with children from 6-24 months of age.
- ⚠ STOP using when a child can climb over or dislodge gate.
- ⚠ To prevent falls, never use at top of stairs. Never use in a window.
- ⚠ After installation is complete, check to ensure that gate is properly fixed and secure.
- ⚠ A periodic inspection should be performed in regard to make sure fasteners are tight and secure.
- ⚠ Periodically clean pressure bumpers especially when repositioning gate.
- ⚠ Never use this gate if parts/components are loose, missing or broken.
- ⚠ NEVER use to keep child away from pool.

## ADVERTENCIA

-  Los niños han muerto o sido heridos cuando las puertas no están bien instaladas. SIEMPRE instale y usa las entradas como se indica utilizando todas las piezas necesarias.
-  Envoltura plástica debe mantener alejados de los bebés, mascotas, niños y desecharse de manera adecuada para evitar el riesgo de asfixia accidental.
-  No instale la puerta en cualquier abertura mayor que la abertura indicada.
-  Montaje de puerta con bloqueo lateral del mecanismo de los niños y mascotas
-  Uso solamente con mecanismo de enganche firmemente comprometidos.
-  Esta puerta está diseñada para usarse con niños de 6-24 meses de edad.
-  DEJE de usar cuando un niño puede subir o desalojar la puerta.
-  Para evitar caídas, no usar en la parte superior de las escaleras. No utilice nunca en una ventana.
-  Vez finalizada la instalación, compruebe que la puerta es bien fijo y seguro.
-  Una inspección periódica debe realizarse en sentido para asegurarse de que los sujetadores estén apretados y seguro.
-  Limpiar periódicamente topes de presión especialmente al colocar de nuevo la puerta.
-  No usar esta puerta si las piezas o componentes sueltos, faltantes o rotas.
-  Nunca use para mantener a niño de la piscina.