

APPROVED PAINT MATERIALS FOR METAL PARTS

1. SCOPE

1.1 This specification lists approved paint materials that correspond to CNH Colors listed in the CNH MAT0101 (86628042) General Paint Requirements and Color Control Specification.

1.2 Successful application and performance of these approved paint formulations depends on complex interrelationships of several factors including substrate preparation, process capabilities, and cure schedules. Cure schedule for a given paint material shall be as specified by the supplier. Consultation with Materials personnel is recommended before selecting listed formulations for use to paint product at either CNH manufacturing or supplier facilities.

1.3 This specification supersedes MAT0101Q – APPROVED PAINT MATERIALS (86628043)

2. APPLICATION

2.1 Approved paint materials listed in this specification are used in current applications by CNH facilities or their suppliers. Tables 1-14 identify preferred paint materials tested and qualified to CNH MAT0103 performance class requirements and have the letters “CNH” before the applicable maximum performance class (e.g. CNH 3). These CNH preferred materials should be used in new part and product applications.

2.2 Paint materials qualified under prior Case or New Holland material specifications are considered Non-Preferred Materials, as they are not approved to applicable CNH MAT0103 performance requirements. These materials remain approved for continued use when necessary for the corresponding performance classes indicated but should not be used for new applications or newly developed products. These non-preferred paint materials are listed in MAT0101Q.

2.3 Paint materials qualified under prior specifications shall be re-tested to applicable MAT0103 performance class requirements before being listed in Tables 1-14. In all cases, the listed material shall conform to all requirements of the prior company specification under which it was originally qualified.

2.4 New materials to be listed in Tables 1-14 of this specification must meet all applicable MAT0103 requirements for the appropriate performance Class and be approved by the CNH Materials Engineering group.

2.5 The maximum performance Class to which a paint formulation has been approved is listed in Tables 1-14. The use of a paint formulation approved to a higher performance class than is specified on the drawing is permitted as listed in Table 1A below.

ISSUED BY J HANSEN 08MAY26	ECN NO. 35527236	NAME APPROVED PAINT MATERIALS FOR METAL PARTS	
APPROVED BY T SHAH 08MAY26	REV. W	PAGE 1 OF 39	CNH NUMBER 48158409

THE INFORMATION HEREON IS THE CONFIDENTIAL AND PROPRIETARY PROPERTY OF CNH INDUSTRIAL N.V. AND/OR ITS SUBSIDIARIES OR DIVISIONS. ANY USE, EXCEPT THAT FOR WHICH IT MAY BE LOANED, IS PROHIBITED.

UNCONTROLLED COPY When Printed

Table 1A: Performance Class Substitutions	
For a part drawing with this class:	Paint materials listed with these classes can be used:
1	1, 3, 5, 2
2	2, 3, 5
3	3, 5, 4W
4	4, 5
4W	4W, 6
5	5
6	6
Order of Preference	Most Preferred → Least Preferred

2.6 Topcoat paint materials are approved as a paint system. The primer and topcoat listed must be used together to meet the class requirements. In cases where a topcoat is approved without a primer, the material is listed with DTM (Direct to Metal) under the primer heading.

2.7 Primers approved alone are used in instances when a part drawing requires only a primer performance class (Class 1P-3P).

2.8 Table 13 lists paints specifically approved for applications at the St. Nazianz location. These paints require and undergo additional chemical resistance testing per MTM0108.

3. RELATED SPECIFICATIONS

CNH MAT0101 (86628042) General Paint Requirements and Color Control

CNH MAT0101Q (86628043) Approved Paint Materials

CNH MAT0103 (86628044) Paint Material and Finished Part Performance Requirements

CNH MTM0108 (86628048) Chemical Resistance Testing

4. TABLE LISTING OF CNH APPROVED PAINT MATERIALS

<u>Table no.</u>	<u>Color</u>	<u>Page Start</u>
Table 1:	Preferred CNH Approved Paint Materials - Red.....	3
Table 2:	Preferred CNH Approved Paint Materials - Gray.....	6
Table 3:	Preferred CNH Approved Paint Materials - Yellow.....	14
Table 4:	Preferred CNH Approved Paint Materials - Black.....	17
Table 5:	Preferred CNH Approved Paint Materials - Blue.....	19
Table 6:	Preferred CNH Approved Paint Materials - Tan.....	22
Table 7:	Preferred CNH Approved Paint Materials - White.....	25
Table 8:	Preferred CNH Approved Paint Materials - Clear.....	26
Table 9:	Preferred CNH Approved Paint Materials – Orange and Terracotta.....	27
Table 10:	Preferred CNH Approved - Metallic Paint Materials.....	27
Table 11:	Preferred CNH Approved - Metallic Paint Materials – with Clear Coat.....	28
Table 12:	Preferred Approved ANSI - Safety Colors.....	28
Table 13:	Preferred CNH Approved Paint Materials – St. Nazianz.....	29
Table 14:	Preferred CNH Approved Primer Materials.....	30
Table 15:	Non-Preferred Paint Materials (Approved to Former Company Specifications).....	38
Table A1	Pretreatments used for new Material Approval Testing.....	39

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	2 of 39	48158409

5. APPROVED MATERIALS

Table 1: Preferred CNH Approved Paint Materials - Red											
Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat A,B,C,D Ref)
Ag Red 86609757	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	AkzoNobel	3	1305T12M						Liquid		(A)
	AkzoNobel	6	Autocoat LV FLNA31145		Spray	EP381031		Spray	Liquid		(A)
	AkzoNobel	6	BT LV650 FLNA32407	Urethane	Spray	BT LV262	Epoxy	Spray	Liquid	USA	5849NH2020 (B)
	Axalta	3	1827-33927	Urethane	Spray	2525-400	Epoxy	Spray	Liquid	USA	2734NH2017 (A)
	Hentzen	3	17914RXX	Urethane	Spray	17844APU-2	Urethane	Spray	Liquid	USA	(A)
	Mankiewicz	3	401-04 389C	Urethane	Spray	DTM	—	—	Liquid		K0389 (A)
	Mankiewicz	3	401-04 389C	Urethane	Spray	PPG Powercron 6000	E-coat, Epoxy	Dip	Liquid	Germany	K0396 (A)
	Mankiewicz	3	401-04 389C	Urethane	Spray	PPG Powercron 6000 CR691A/CP523F	E-coat, Epoxy	Dip	Liquid	Germany	(A)
	Mankiewicz	3	ALEXIT-Monolyer 401-04 389C	Urethane	Spray	ALEXIT-Primer 463-96	Urethane	Spray	Liquid	Germany	721NH2016 (A)
	Mankiewicz	3	ALEXIT-Topcoat 461-6H 389C	Urethane	Spray	ALEXIT-Primer 463-96	Urethane	Spray	Liquid	Germany	722NH2016 (A)
	Mankiewicz	3	ALEXIT-Topcoat 461-6H 389C	Urethane	Spray	SEEVENAX 113-31	Epoxy	Spray	Liquid	Germany	723NH2016 (A)
	Mankiewicz	4W	ALEXIT-Monolyer 401-04 389C	Urethane	Spray	DTM	DTM	DTM	Liquid	Germany	8553ZD2022 (B)
	Mankiewicz	4W	Alexit 401-BT 389C	Urethane	Spray	Seevenax 113-BT 7802 3a	Epoxy	Spray	Liquid	India	12010ZD2025(B)
	Mankiewicz	4W	Alexit 461-BT 389C	Urethane	Spray	Seevenax 113-BT 7802 3a	Epoxy	Spray	Liquid	India	12011ZD2025(B)
	PPG	3	LT6006SSA	Urethane	Spray	DTM	—	—	Liquid	Brazil	N0189 (A)
	PPG	3	Q3990AC42	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	(A)
	PPG	3	SPM76569 (1)	Urethane	Spray	DTM	—	—	Liquid		P0416 (D)
	PPG	3	SPU65290	Urethane	Spray	SPU65287	Urethane	Spray	Liquid	USA	N0888 (A,B)
	PPG	3	SPU65290	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	J0249 (A)
	PPG	3	SPU65290B	Urethane	Spray	SPU65287A	Urethane	Spray	Liquid	USA	J0785 (A)
	PPG	3	SPU65290B	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	J0436 (A)
	PPG	4W	LT15307SSA	Urethane	Spray	LT0002SSA	Urethane	Spray	Liquid	Brazil	3162NH2018 (A,B)
	PPG	4W	SPTB200001	Urethane	Spray	SEPB300002	Epoxy	Spray	Liquid	China	603NH2016 (A)
	PPG	4W	SPU65290BCN	Urethane	Spray	SPPG300003	Urethane	Spray	Liquid	China	3057NH2018 (A)
	PPG	4W	SPU65290BCN	Urethane	Spray	W43181ATJ	Urethane	Spray	Liquid	China	7264ZD2021 (B)
	PPG	4W	P421R666D	Primid polyester	Spray	DTM	DTM	DTM	Powder	Poland	7260ZD2021(A)
	PPG	4W	P421R666D	Primid polyester	Spray	P6000HE	E-coat, Epoxy	Dip	Powder	Poland	7261ZD2021 (A)
	PPG	5	P421R666D	Primid polyester	Spray	DTM	DTM	DTM	Powder	Poland	5927ZD2020 (A)
	PPG	5	P421R666D	Primid polyester	Spray	P6000HE	E-coat, Epoxy	Dip	Powder	Poland	5928ZD2020 (A)

(1) Restricted Application: Contact CNH Materials Engineering; approved for use only over Henkel NT-1 pretreatment

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	3 of 39	48158409



Material Specifications

MAT0103Q**Table 1 cont.: Preferred CNH Approved Paint Materials - Red**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Ag Red 86609757	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	PPG	6	SPU71482	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	K0467 (A)
	PPG	6	DCOMR1001	Urethane	Spray	DTM	DTM	DTM	Liquid	USA	8694NH2022C (B)
	Sherwin-Williams	3	F63RC61	Urethane	Spray	E61AC144	Urethane	Spray	Liquid	USA	K0308 (A)
	Sherwin-Williams	4W	IKPR006	Urethane	Spray	IEEA0151	Epoxy	Spray	Liquid	India	2317NH2017 (A)
	Sherwin-Williams	4W	60465	SB 2K PU	Spray	76490	SB 2K Acrylic	Spray	Liquid	Europe	8406ZD2022 (B)
	Sherwin-Williams	4W	IKPR006	Urethane	Spray	IEEA0205	2K Epoxy	Spray	Liquid	India	10127ZD2023 (B)
	Sherwin-Williams	4W	41054	WB 2K PU	Spray	41873	WB Epoxy	Spray	Liquid	Europe	7619ZD2021 (B)
	Sherwin-Williams	4W	53741PL	2K SB Urethane	Spray	36790	SB Epoxy	Spray	Liquid	Europe	11411ZD2024(B)
	Sherwin-Williams	4W	40038	Polyester	Spray	DTM	DTM	Spray	Powder	Italy	7042ZD2020(B)
	Sherwin-Williams	5	40038	Polyester	Spray	DTM	DTM	Spray	Powder	Europe	6803ZD2020(B)
	Sherwin-Williams	6	F63RC69	Urethane	Spray	E61AC144	Urethane	Spray	Liquid	USA	M0858 (A)
	Sherwin-Williams	6	F63RC72	Urethane	Spray	EEA1030	Epoxy	Spray	Liquid	USA	5722NH2019
	Sherwin-Williams	6	F63RC72	Urethane	Spray	EEX0447	Epoxy	Spray	Liquid	USA	5724NH2019
	Sico Ind Ctg	3	551-718								
	Valspar	1	AAR0720	Alkyd	Spray	DTM	DTM	DTM	Liquid	USA	K0569 (A)
	Valspar	4	64220673	Urethane	Spray	64140681	Epoxy	Spray	Liquid	Brazil	2954NH2018 (A)
	Valspar	4	IKPR006/ 153-X145B	Urethane	Spray	IEEA0151/ICEC127	Epoxy	Spray	Liquid		575NH2017 (A)
	Valspar	6	KPR0741	Urethane	Spray	EEA0142	Epoxy	Spray	Liquid	USA	N1214Q (A)
	Valspar	6	KPR0742	Urethane	Spray	EEA0142	Epoxy	Spray	Liquid	USA	N1215 (A)
	Bake (Cure Temperatures above 90°C or 194°F)										
	AkzoNobel	5	YG003QF	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	AkzoNobel	5	YG658F	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	France	M0467 (A)
	AkzoNobel	5W	YG013i	Polyester TGIC Free	Spray	DTM	DTM	DTM	DTM	Italy	8708ZD2022
	Axalta	3	389158A PFRS9	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Axalta	3	PFR625S9	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Axalta	5	PFR662S9	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	J0565 (A)
	Chemilac Paints	3	5004S017027	Acrylic	Spray	PPG Powercron 6000CX	E-coat, Epoxy	Dip	Liquid	India	436NH2016B (A)
	Diamond Vogel	5	PLX5432-01	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	K0496 (A)
	Graepel Loeningen	5	P421R666D-YC	Polyester	Spray	BAT1-10516	Cathodic Epoxy Electrocoat	Dip	Liquid	----	9127ZD2022, Bonderite M-NT 1800
	IVC Industrial Coatings	5	B13905TR90K-A	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	N1156 (A)

Table 1 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	4 of 39	48158409

UNCONTROLLED COPY When Printed



Material Specifications

MAT0103Q**Table 1 cont.: Preferred CNH Approved Paint Materials - Red**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Ag Red 86609757	Bake (Cure Temperatures above 90°C or 194°F)										
	PPG	3	48-04-069			DTM	DTM	DTM	Powder		(A)
	PPG	3	PCS69100	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	3	W42639D	Acrylic	Spray	P8000	E-coat, Epoxy	DIP	Liquid	USA	(A)
	PPG	3	W42639D	Acrylic	Spray	W43435	Epoxy	Spray	Liquid	USA	(A)
	PPG	3	1582R139	1K Acrylic	Spray	66650000	Epoxy Ecoat CED	Dip	Liquid	India	12189ZD2025(B)
	PPG	4W	PCT1G-4534B	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	3531NH2018 (A)
	PPG	5	PCT69106	TGIC Polyester	Spray	Henkel Aquence 930	Autophoretic	Dip	Powder	USA	K0744(A)
	PPG	5	PCT69106	TGIC Polyester		DTM	DTM	DTM	Powder		(A)
	PPG	5	PCT69108	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	5	PCT69108L	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		L0455 (A)
	PPG	6	SAC71481	Acrylic	Spray	W43435	Epoxy	Spray	Liquid	USA	K0474 (A)
	Protech	5W	ZS111R240	Super Durable	Spray	DTM	DTM	DTM	DTM	USA	10308NH2023 (B)
	Sherwin-Williams	5	DRS8-20002	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	G0288 (A)
	Spraylat	5	P0806319A			DTM	DTM	DTM	Powder		(A)
	Tiger Drylac	3	281/30078	Primid Polyester	Spray	DTM	DTM	DTM	Powder	Austria	5670ZD2019 (B)
	Tiger Drylac	3	338/30679	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	K0637 (A)
	Tiger Drylac	3	418/30715	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	3766NH2018 (A)
	Tiger Drylac	4W	281-30078	Polyester	Spray	771027032	Epoxy	Spray	Powder	Austria	8856ZD2022 (B)
	Tiger Drylac	5	418/30008	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	6131NH2020 (B)
	Tiger Drylac	5	281-30078	Polyester	Spray	771027032	Epoxy	Spray	Powder	Austria	8856ZD2022 (B)
	Tiger Drylac	5W	281-30078	Polyester	Spray	771027032	Epoxy	Spray	Powder	Austria	8856ZD2022 (B)
	Valspar	3	PTR90184	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	China	O1179 (A)
	Valspar	4W	PTR90102	Polyester		DTM	DTM	DTM	Powder		2947NH2018 (B1000 P60)

Table 1 continued on nest page

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

5 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q**Table 1 cont.: Preferred CNH Approved Paint Materials - Red**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Traffic Red (Kobelco) 87591055	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Freilacke	3	UR1991GO1166	Urethane	Spray	ER1980MRU735	Epoxy	Spray	Liquid	Germany	G0423 (A)
	Sherwin-Williams	3	F63RC68	Urethane	Spray	E61AC144	Urethane	Spray	Liquid	USA	J0260 (A)
	Bake (Cure Temperatures above 90°C or 194°F)										
	PPG	5	SAC68137	Acrylic	Spray	PHE551FI		Spray	Liquid		(A)
	Sherwin-Williams	5	DRS9-20005	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	J0256 (A)

Table 2: Preferred CNH Approved Paint Materials - Gray

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
CNH CE Gray 86981868	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Axalta	3	1827-50557	Urethane	Spray	2525-400	Epoxy	Spray	Liquid	USA	2729NH2017 (A)
	Axalta	3	S1500.1997	Urethane	Spray	S1150.3295	Urethane	Spray	Liquid	Brazil	(A)
	Becker	3	80BR28/HES CE GRAY M3305			GS1235AC Beckypri			Liquid		(A)
	Chemilac Paints	3	2512S013062	Urethane	Spray	1512P033049	Epoxy	Spray	Liquid	India	438NH2016B (A)
	Freilacke	3	UR1991GO1148	Urethane	Spray	ER1980MRU735	Epoxy	Spray	Liquid	Germany	G0417 (A)
	Hentzen	3	18931AXX-5	Urethane	Spray	17844APU-2	Urethane	Spray	Liquid	USA	K0593 (A)
	Kansai Nerolac	3	9007489	Polyester	Spray	DTM	DTM	DTM	Powder	India	11441ZD2024(B)
	Kansai	4W	BS15G2394	Pur Acrylic	Spray	PPG P6000	Epoxy E-coat	Dip	Liquid	Turkey	10137ZD2023
	Mankiewicz	3	341-1A-72D5	Urethane, Waterbased	Spray	SEEEVENAX 313-31 2C	Epoxy, Waterbased	Spray	Liquid	Germany	M0706 (A)
	Mankiewicz	3	401-04 72D5	Urethane	Spray	DTM	DTM	DTM	Liquid		K0387 (A)
	Mankiewicz	3	401-04 72D5	Urethane	Spray	PPG Powercron 6000	E-coat, Epoxy	Dip	Liquid	Germany	K0397 (A)
	Mankiewicz	3	401-04 72D5	Urethane	Spray	ALEXIT-Primer 463-96	Urethane	Spray	Liquid	Germany	704NH2016 (A)
	Mankiewicz	3	Alexit 401-BT 72D5	Urethane	Spray	Seevenax 113-BT 7802 3a	Epoxy	Spray	Liquid	India	12007ZD2025(B)
	Mankiewicz	4W	401-TM 72D5	Urethane	Spray	DTM	DTM	DTM	Liquid		1307NH2017 (A,B)
	Mankiewicz	4W	ALEXIT Monolyer 401-04072D5	Urethane	Spray	DTM	DTM	DTM	Liquid	Germany	8558ZD2022 (B)
	Mankiewicz	4W	Alexit 461-BT 72D5	Urethane	Spray	Seevenax 113-BT 7802 3a	Epoxy	Spray	Liquid	India	12008ZD2025(B)

Table 2 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	6 of 39	48158409



Material Specifications

MAT0103Q**Table 2 cont.: Preferred CNH Approved Paint Materials - Gray**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
CNH CE Gray 86981868 (continued)	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	PPG	3	2206J481	Urethane	Spray	16230305	Urethane	Spray	Liquid	USA	2803NH2017 (A)
	PPG	3	Q3990AC8	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	(A)
	PPG	3	SPM76635	Urethane	Spray	DTM	DTM	DTM	Liquid	USA	P0596 (A,B)
	PPG	3	SPM77451	Urethane	Spray	DTM	DTM	DTM	Liquid	USA	P0598 (A)
	PPG	3	SPU60166	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	K0489 (A)
	PPG	3	W43685	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	(A)
	PPG	3	WPU32256	Urethane, Waterbased	Spray	WPR30005	Urethane, Waterbased	Spray	Liquid	Poland	1591ZD2016
	PPG	4	SPU60166	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	9113NH2022
	PPG	4W	LT15019SSA	Urethane	Spray	LT0045SSA	Urethane	Spray	Liquid	Brazil	255NH2016 (A, B)
	PPG	4W	W43685TJ	Urethane	Spray	W43181ATJ	Urethane	Spray	Liquid	China	7265ZD2021 (B)
	PPG	4W	2206J481	Urethane	Spray	16230305	Epoxy	Spray	Liquid	India	7267ZD2021 (B)
	Kansai Nerolac	3	9007489 low bake	PE	Spray	DTM	DTM	DTM	DTM	India	11441D2024(other)
	Sherwin-Williams	3	F63AC0162	Urethane	Spray	E61AC125	Urethane	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	F63AC0162	Urethane	Spray	E61YC712	Epoxy	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	F63AC180	Urethane	Spray	E61AC144	Urethane	Spray	Liquid	USA	K0563 (A)
	Sherwin-Williams	3	F63AC180	Urethane	Spray	E61BC28	Urethane	Spray	Liquid	USA	K0558 (A)
	Sherwin-Williams	3	52184	Urethane, Waterbased	Spray	34316	Epoxy Waterbased	Spray	Liquid	Italy	4884ZD2019 (A)
	Sherwin-Williams	4W	IKPA0266	Urethane	Spray	IEEA0151	Epoxy	Spray	Liquid	India	2322NH2017 (A)
	Sherwin-Williams	4W	64220696	Urethane	Spray	64140681	Epoxy	Spray	Liquid	Brazil	2958NH2018 (A)
	Sherwin-Williams	4W	IKPA0266	PU	Spray	IEEA0205	Epoxy	Spray	Liquid	India	10974ZD2024 (B)
	Sherwin-Williams	4W	97600	SB 2K PU	Spray	68440	SB Acrylic	Spray	Liquid	Europe	7883ZD2021 (B)
	Sherwin-Williams	4W	60752	2K SB Urethane	Spray	36790	SB Epoxy	Spray	Liquid	Europe	12110ZD2025 (B)
	Sherwin-Williams	4W	60752PL	2K SB Urethane	Spray	36790	SB Epoxy	Spray	Liquid	Europe	12110ZD2025 (B)
	Sherwin-Williams	5	F63AC0162	Urethane	Spray	PPG CF 590-534	E-coat, Epoxy	Dip	Liquid	USA	(A)
	Bake (Cure Temperatures above 90°C or 194°F)										
	AkzoNobel	4W	YL001N	Pure polyester	Spray	DTM	DTM	DTM	Powder	India	11444ZD2024 (B)
	AkzoNobel	5	YL001QF	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	AkzoNobel	5W	YL099i, Interpon ACE 2010 Low E	Polyester TGIC Free	Spray	DTM	DTM	DTM	DTM	Italy	8709ZD2022 (B)
	Axalta	3	PFH672S9	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Axalta	5	PFH804S9	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	K0607
	CWS Powder Coatings	5	31/70409	Non-TGIC Polyester	Spray	PPG Powercron P6000HE	E-coat, Epoxy, HE	Dip	Powder	Germany	3022ZD2018 (A)
	Diamond Vogel	5	PLX5982-03	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	L0289 (A)
	Diamond Vogel	6	PLX5982-03	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	L0612 (A)

Table 2 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	7 of 39	48158409

UNCONTROLLED COPY When Printed



Material Specifications

MAT0103Q**Table 2 cont.: Preferred CNH Approved Paint Materials - Gray**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
CNH CE Gray 86981868 (continued)	Bake (Cure Temperatures above 90°C or 194°F)										
	Hentzen	5	P90397APC	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	N0630 (A)
	IVC Ind. Coatings	6	B14496TA90K-C	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	P0228
	Kansai Nerloc	3	9003556		Spray	DTM	DTM	DTM	Powder	India	O0798 (A)
	Kansai	5	31/70409	Non-TGIC Polyester	Spray	Electron LB-400	E-coat, Epoxy	Dip	Powder	Germany	11776ZD2024 (B)
	Kansai	5	31/70409	Non-TGIC Polyester	Spray	Electron LB-280	E-coat, Epoxy	Dip	Powder	Germany	11773ZD2024 (B)
	Mankiewicz	3	FINADUR 721-33 72D5	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder		699NH2016 (A)
	PPG	3	5816J481	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	India	879NH2016 (A)
	PPG	3	EXP5653		Spray	DTM	DTM	DTM	Powder		(A)
	PPG	3	SAC63296	Acrylic	Spray	W29886	Epoxy	Spray	Liquid	USA	(A)
	PPG	3	SAC64414	Acrylic	Spray	P648-526	E-coat, Epoxy	Dip	Liquid	USA	(A)
	PPG	3	SAC64414	Acrylic	Spray	W43435	Epoxy	Spray	Liquid	USA	(A)
	PPG	3	SAC64414	Acrylic	Spray	Powercron P8000	E-coat, Epoxy	Dip	Liquid	USA	(A)
	PPG		SAC64414A (1)	Acrylic	Spray	Powercron CR619B/CP606	E-coat, Epoxy	Dip	Liquid	USA	2187NH2017 (D)
	PPG	4	P151G0001R	Polyester	Spray	N/A	N/A	0	Powder	France	8604ZD2022
	PPG	4	P151G0001R	Polyester	Spray	DTM	DTM	DTM	Powder	France	8604ZD2022 (B)
	PPG	4W	LT15015SSO	Acrylic	Spray	LT0044SSO	Epoxy	Spray	Liquid	Brazil	247NH2016 (A)
	PPG	4W	PCT1G-1154B	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	3161NH2018 (A,B)
	PPG	4W	SAC60P59	Acrylic	Spray	Powercron 6000 CR619B/CP606	E-coat, Epoxy	Dip	Liquid	USA	623NH2016 (A)
	PPG	5	PCT79105	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	PPG	5	PCT79513C	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	China	O1079 (A)
	PPG	5	PCTZ79109	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	PPG	5	SAC64414	Acrylic	Spray	Powercron 6100LC CR681/CP597	E-coat, Epoxy	Dip	Liquid	USA	(A)
	PPG	5	SAC64414	Acrylic	Spray	Powercron 6100CM CR691B/CP597	E-coat, Epoxy	Dip	Liquid	USA	(A)
	PPG	5	SAC64414	Acrylic	Spray	691B-606	E-coat, Epoxy	Dip	Liquid	USA	L0507 (A)
	PPG	5	P151B0001R	Polyester	Spray	P512G002R-YD	Polyester	Spray	Powder	France	8607ZD2022
	PPG	5W	PCT79105	Polyester	Spray	PCM70140	Epoxy, Zinc	Spray	Powder	USA	9581NH2023 (B)
	PPG	6	PCT79105	Polyester	Spray	PCM70140	Epoxy, Zinc	Spray	Powder	USA	9581NH2023 (B)

Table 2 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	8 of 39	48158409

UNCONTROLLED COPY When Printed



Material Specifications

MAT0103Q**Table 2 cont.: Preferred CNH Approved Paint Materials - Gray**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
CNH CE Gray 86981868 (continued)	Bake (Cure Temperatures above 90°C or 194°F)										
	Sherwin-Williams	3	PAS8-20085	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Sherwin-Williams	3	37469	Primid Polyester	Spray	DTM	DTM	DTM	Powder	Italy	5611ZD2019 (B)
	Sherwin-Williams	5	37469	Polyester	Spray	DTM	DTM	DTM	Powder	Europe	7754ZD2021(B)
	Sherwin-Williams	5W	IPD822003GF	Pure Polyester TGIC Free	Spray	DTM	DTM	DTM	DTM	India	9654ZD2023 (B)
	Spraylat	2	PPL960188	TGIC Polyester	Spray	DTM	DTM	DTM			
	TCI	4	9920-72188-BX55	TGIC Polyester	Spray	CF691B/PT524	E-coat, Epoxy	Dip	Liquid	USA	9141NH2022
	TCI	5	9920-72188	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	K0703 (A)
	Tiger Drylac	4W	281/70010	Polyester	Spray	77102/7032	Epoxy	Spray	Powder	Austria	8853ZD2022 (B)
	Tiger Drylac	5	418/73802	TGIC polyester	Spray	DTM	DTM	DTM	Powder	USA	3769NH2018(A)
	Tiger Drylac	5	281/70010	Polyester	Spray	77102/7032	Epoxy	Spray	Powder	Austria	8853ZD2022 (B)
	Tiger	5	281/70010	Polyester	Spray	DTM	DTM	DTM	Powder	Austria	8859ZD2022 (B)
	Tiger Drylac	5W	281/70010	Polyester	Spray	77102/7032	Epoxy	Spray	Powder	Austria	8853ZD2022 (B)
	Valspar	4W	PTA90080	TGIC polyester	Spray	DTM	DTM	DTM	Powder	Brazil	2952NH2018 (A)
	Valspar	5	PTA90080	TGIC polyester	Spray	DTM	DTM	DTM	Powder	USA	G0503 (A)

Table 2 cont.: Preferred CNH Approved Paint Materials - Gray

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
CNH Dark Gray 84433810	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Axalta	4W	1827-50556	Urethane	Spray	2525-400	Epoxy	Spray	Liquid	USA	2730NH2017 (A)
	Axalta	5	SD90007312921	Polyester Primid	Spray	Powder	DTM	DTM	Powder	0	3866ZD2018 (A)
	Chemilac Paints	3	2512S013010	Urethane	Spray	1512P033049	Epoxy	Spray	Liquid	India	L0611C (A)
	Freilacke	3	UR1991GO1162	Urethane	Spray	ER1980MRU735	Epoxy	Spray	Liquid	Germany	G0416 (A)
	Hentzen	3	18947AXX-5	Urethane	Spray	17844APU-2	Urethane	Spray	Liquid	USA	K0594 (A)
	Mankiewicz	3	401-04 70K7	Urethane	Spray	DTM	DTM	DTM	Liquid		K0385 (A)
	Mankiewicz	3	401-04 70K7	Urethane	Spray	PPG Powercron 6000 CR691A/CP523F	E-coat, Epoxy	Dip	Liquid	Germany	K0400(A)
	Mankiewicz	3	401-04 70K7	Urethane	Spray	SEEEVENAX 113-05	Urethane	Spray	Liquid	Germany	P0664 (A)
	Mankiewicz	3	401-EE 70K7	Urethane	Spray	DTM	DTM	DTM	Liquid	Germany	P0897 (A)
	Mankiewicz	3	ALEXIT-Topcoat 461-6H 70K7	Urethane	Spray	SEEEVENAX 113-31	Epoxy	Spray	Liquid	Germany	727NH2016 (A)
	Mankiewicz (India)	3	Alexit 461-BT 70K7	Urethane	Spray	Seevenax 113-BT 7802 3a	Epoxy	Spray	Liquid	India	12001ZD2025(B)

Table 2 continued on next page

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

9 of 39

CNH NUMBER

48158409

UNCONTROLLED COPY When Printed



Material Specifications

MAT0103Q**Table 2 cont.: Preferred CNH Approved Paint Materials - Gray**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
CNH Dark Gray 84433810	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Mankiewicz	4	401-04 70K7	Urethane	Spray	P10X(CR110-CP495)	Epoxy Ecoat CED	Dip	Liquid	Germany	12476ZD2025 (B)
	Mankiewicz	4W	401-CN 70K7	Urethane	Spray	DTM	DTM	DTM	Liquid	China	P0677 (A)
	Mankiewicz	4W	ALEXIT-Topcoat 461-6H 70K7	Urethane	Spray	ALEXIT Primer 463-96	Urethane	Spray	Liquid	Germany	725NH2016 (A)
	Mankiewicz	4W	ALEXIT-Monolyer 401-04 70K7	Urethane	Spray	DTM	DTM	DTM	Liquid	Germany	8555ZD2022 (B)
	Mankiewicz	4W	Alexit 461-BT 70K7	Urethane	Spray	Seevenax 113-BT 7802 3a	Epoxy	Spray	Liquid	India	12002ZD2025(B)
	Mankiewicz	5W	401-04 70K7	Urethane	Spray	Viant	Conversion + Primer	Dip	Liquid	Germany	9185NH2022 (None)
	Mankiewicz	5W	401-04 70K7	Urethane	Spray	Viant	Conversion + Primer	Dip	Liquid	Germany	9188NH2022 (E)
	Mankiewicz	5W	401-5C-70K7	Urethane	Spray	DTM	DTM	DTM	Liquid	Germany	6608NH2020C (B)
	PPG	1	Plascron X487-9290		Spray	X447-9303			Liquid		(A)
	PPG	1	W43779	Alkyd	Dip				Liquid		(A)
	PPG	2	W43704		Spray	W43729			Liquid		(A)
	PPG	3	HS67169	Urethane	Spray	SPR53217	Epoxy	Spray	Liquid	Poland	2705ZD2017 (B)
	PPG	3	LT6003SSA-A	Urethane	Spray	DTM	DTM	DTM	Liquid	Brazil	N0989 (A)
	PPG	3	SPM76568 (2)	Urethane	Spray	DTM	DTM	DTM	Liquid		P0415 (D)
	PPG	3	SPU65292	Urethane	Spray	SPU65287	Urethane	Spray	Liquid	USA	(A)
	PPG	3	SPU65292	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	(A)
	PPG	3	SPU70887	Urethane	Spray	SPU65287A	Urethane	Spray	Liquid	USA	J0416 (A)
	PPG	3	SPU73893	Urethane	Spray	DTM	DTM	DTM	Liquid		M0321 (A)
	PPG	3	W43703	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	(A)
	PPG	3	W43074TJ	Alkyd	Spray	W43071BTJM	Alkyd	Spray	Liquid	China	4662ZD2019 (A)
	PPG	3	SPU90001	Urethane	Spray	SPR53217	Epoxy	Spray	Liquid	Poland	5669ZD2019 (B)
	PPG	3	SPDD300001	2K Urethane DTM	Dip	DTM	DTM	DTM	Liquid	China	8468ZD2022
	PPG	3	BHS01565	2K PU	Spray	Ecoat P6200	Epoxy Ecoat	Dip	Liquid	France	11407ZD2024(B)
	PPG	3	22063J64	Urethane	Spray	16235N25	Epoxy	Spray	Liquid	India	12369ZD2025(B)
	PPG	4W	LT15033SSA	Urethane	Spray	LT0002SSA	Urethane	Spray	Liquid	Brazil	P0604 (A)
	PPG	4W	SPM76490	Urethane	Spray	DTM	DTM	DTM	Liquid	USA	1225NH2016 (A)
	PPG	4W	SPTB300002	Urethane	Spray	SEPB300002	Epoxy	Spray	Liquid	China	604NH2016 (A)
	PPG	4W	W43074TJ	Alkyd	Spray	W43071BTJM	Alkyd	Spray	Liquid	China	7259ZD2021 (B)
	PPG	4W	SPU65292CN	Urethane	Spray	W43181ATJ	Urethane	Spray	Liquid	China	7266ZD2021 (B)
	PPG	4W	BHS01565	2K Urethane	Spray	P6200	Epoxy Ecoat CED	Dip	Liquid	France	11407ZD2024 (B)
	PPG	4W	SPDD300001	2K Urethane	Dip	DTM	DTM	DTM	Liquid	China	8468ZD2022(B)
	PPG	5	P421G014D	Primid polyester	Spray	DTM	DTM	DTM	Powder	Poland	4355ZD2019 (A)
	PPG	5	P421G014D	Primid polyester	Spray	P6000HE	E-coat, Epoxy	Dip	Powder	Poland	4353ZD2019 (A)
	PPG	6	SPU65292CN	Urethane	Spray	SPPG300003	Urethane	Spray	Liquid	China	3059NH2018 (A)
	PPG	6	DCOME 1001	Urethane	Spray	DTM	DTM	DTM	Liquid	USA	8693NH2022C (B)

Table 2 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	10 of 39	48158409

UNCONTROLLED COPY When Printed



Material Specifications

MAT0103Q**Table 2 cont.: Preferred CNH Approved Paint Materials - Gray**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
CNH Dark Gray 84433810 (continued)	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Sherwin-Williams	1	F88AC0005	Alkyd	Spray	DTM	DTM	DTM	Liquid	USA	(A)
	Sherwin-Williams	2	F88AC0005	Alkyd	Spray	E61AC134	Alkyd	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	F63AC155	Urethane	Spray	E61AC725	Epoxy	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	F63AC178	Urethane	Spray	E61AC144	Urethane	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	F63AC178	Urethane	Spray	E61A280	Epoxy	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	F63AC155	Urethane	Spray	E61A280	Epoxy	Spray	Liquid	USA	9077NH2022 (B)
	Sherwin-Williams	3	IKPA1279	Urethane	Spray	IEEA0205	2K Epoxy	Spray	Liquid	India	9802ZD2023 (B)
	Sherwin-Williams	3	64220676.CN	Urethane	Spray	64140681.CN	Epoxy	Spray	Liquid	China	12193ZD2025(B)
	Sherwin-Williams	4W	47452	Urethane	Spray	DTM	DTM	DTM	Liquid	Italy	6569ZD2020 (B)
	Valspar	3	62915	Urethane	Spray	36790	Epoxy	Spray	Liquid	Europe	2016K036 (A)
	Valspar	4W	64220676	Urethane	Spray	64140681	Epoxy	Spray	Liquid	Spray	2957NH2018 (A)
	Valspar	4W	64220676	Urethane	Spray	62140709	Epoxy	Spray	Liquid	Brazil	1087NH2016 (A,B)
	Bake (Cure Temperatures above 90°C or 194°F)										
	AkzoNobel	4	YL079i	Polyester, TGIC Free	Spray	DTM	DTM	DTM	DTM	Italy	8704ZD2022
	AkzoNobel	4W	YL079i	Polyester, TGIC Free	Spray	DTM	DTM	DTM	DTM	Italy	8704ZD2022
	AkzoNobel	4W	YL079i	Polyester, TGIC Free	Spray	P6200	Epoxy Ecoat CED	Dip	Powder	Italy	11576ZD2024(B)
	AkzoNobel	4W	YL079i	Polyester, TGIC Free	Spray	P10X(CR110-CP495)	Epoxy Ecoat CED	Dip	Powder	Italy	11575ZD2024(B)
	AkzoNobel	5	KL504QF	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	Q0154 (A)
	AkzoNobel	5	QN0087	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	J0206 (A)
	AkzoNobel	5	YL003QF	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	AkzoNobel	5	YL056F	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	France	L0396 (A)
	AkzoNobel	5	YL056F	Non-TGIC polyester	Spray	P 10X(P100-491)	Epoxy Ecoat CED	Dip	Powder	France	12407ZD2025(B)
	Arsonsisi	3	W440G90	Alkyd	Dip or Spray	W323N34	Epoxy	Dip or Spray	Liquid	Italy	6193ZD2020 (A)
	Axalta	3	PFH671S9	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	L0313 (A)
		5	PFH803S9	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	K0603 (A)
	Diamond Vogel	5	PLX6091-02	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	L0451 (A)
		6	PLX6091-02	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	M0347 (A)
	Gross & Perthune	5	ZP-4705241	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Germany	
	Hentzen	5	P90398APC	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	N0628 (A)
	Kansai Heilos	5	31-78837	Polyester, Primid	Spray	DTM	DTM	DTM	Powder	Germany	12023ZD2025 (B)
	Mankiewicz	5	FINADUR 771-23 70KD	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder		N0711 (A)
	Mankiewicz	5W	771-24 70K7	TGIC-Free Polyester	Spray	Viant	Conversion + Primer	Dip	Powder	Germany	9186NH2022 (None)
	Mankiewicz	5W	771-24 70K7	TGIC-Free Polyester	Spray	Viant	Conversion + Primer	Dip	Liquid	Germany	9189NH2022 (E)

Table 2 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	11 of 39	48158409

UNCONTROLLED COPY When Printed



Material Specifications

MAT0103Q**Table 2 cont.: Preferred CNH Approved Paint Materials - Gray**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
CNH Dark Gray 84433810	Bake (Cure Temperatures above 90°C or 194°F)										
	PPG	3	48-04-066		Spray	DTM	DTM	DTM	Powder		(A)
	PPG	3	PCS79100	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	3	PCT99101	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		N1278 (A,B)
	PPG	3	W43702M	Acrylic	Spray	W43435	Epoxy	Spray	Liquid	USA	(A)
	PPG	3	W43702M	Acrylic	Spray	Powercron 8000	E-coat, Epoxy	Dip	Liquid		(A)
	PPG	4W	PCT1G-1153	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	382NH2016 (A)
	PPG	4W	PCT1G-1153B	Polyester		DTM	DTM		Powder	Brazil	2025NH2017
	PPG	5	PCT99101	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		N1277 (A)
	PPG	5	PCT99101G	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		L0448 (A)
	PPG	5	PCT99123	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	5	PCT99123C	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	China	P0712 (A,B)
	PPG	5	PCT99123L	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		L0457 (A)
	Sherwin-Williams	3	PBS8-20053	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Sherwin-Williams	3	DAS9-20014	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	1811NH2017 (A,B)
	Sherwin-Williams	4W	63261148	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	5143NH2019 (B)
	Sherwin-Williams	5	RAS8-20001	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Sherwin-Williams (Shanghai)	5	3100E90245.CN	Polyester	Spray	DTM	DTM	DTM	Powder	China	11851ZD2025(B)
	Sherwin-Williams	5W	PBS8-20053	TGIC Polyester	Spray	RBS4-20001	TGIC Polyester	Spray	Powder	USA	11313NH2024 (B)
	Spraylat	2	PPL9694Y	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		J0796 (A)
	TCI	5	9920-72190	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	K0701 (A)
	Tiger	4	281-70090	Polyester, Primid	Spray	P10X(CR110-CP495)	Epoxy Ecoat CED	Dip	Liquid	Austria	12475ZD2025 (B)
	Tiger Drylac	4W	281/70090	PolyesterPrimid	Spray	77102/7032	Epoxy	Spray	Powder	Austria	8854ZD2022 (B)
	Tiger Drylac	5	40/70096	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Austria	N1188 (A)
	Tiger Drylac	5	418/80704	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	3770NH2018 (A)
	Tiger Drylac	5	281/70090	PolyesterPrimid	Spray	77102/7032	Epoxy	Spray	Powder	Austria	8854ZD2022 (B)
	Tiger Drylac	5	281/70090	Primid	Spray	DTM	DTM	DTM	DTM	Austria	5822ZD2022 (B)
	Tiger Drylac	5W	281/70090	PolyesterPrimid	Spray	77102/7032	Epoxy	Spray	Powder	Austria	8854ZD2022 (B)
	Valspar	3	45215	Urethane, Waterbased	Spray	34316	Epoxy, Waterbased	Spray	Liquid	Europe	O0545Q (A)
	Valspar	5	37542	Non-TGIC Polyester	Spray	31910	Non-TGIC Polyester	Spray	Powder	Europe	2016K032 (A)
	Valspar	5	37542	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Europe	2016K035 (A)
	Valspar	5	3100E90245	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	I0602 (A)
	Valspar	6	PTA90240	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	O0687 (A)

Table 2 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	12 of 39	48158409



Material Specifications

MAT0103Q

Table 2 cont.: Preferred CNH Approved Paint Materials - Gray											
Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Fiat Gray 672 47914787	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	PPG	4W	SPU77482	Urethane	Spray	HPP2003	Urethane	Spray	Liquid	USA	2108NH2017 (A,B)
	Bake (Cure Temperatures above 90°C or 194°F)										
PPG	5	PCU79105	Urethane	Spray	DTM	DTM	DTM	DTM	Powder		1490NH2017 (A,B)
Fiat Light Gray 670 47914785	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	PPG	4W	SPU77574	Urethane	Spray	HPP2003	Urethane	Spray	Liquid	USA	2109NH2017 (A,B)
Fiat Anthracite 650 47914784	Bake (Cure Temperatures above 90°C or 194°F)										
	PPG	5	PCU99131	Urethane	Spray	DTM	DTM	DTM	Powder		1488NH2017 (A)
Light Gray (Kobelco) 87591054	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Freilacke	3	UR1991GO1168	Urethane	Spray	ER1980MRU735	Epoxy	Spray	Liquid	Germany	G0425 (A)
NH F-H Gray 86570829	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Valspar	1	AFST128E	Aftermarket	Spray	B91253N	Aftermarket	Spray	Liquid	USA	(A)
			AFST25	Aftermarket	Spray	B91253N	Aftermarket	Spray	Liquid	USA	(A)
NH Gray (RAL 7024) 86572647	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	PPG	3	W43690	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	(A)
Sumitomo Gray 87047472	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Sherwin-Williams	3	F63AC182	Urethane	Spray	E61AC144	Urethane	Spray	Liquid	USA	J0521 (A)
	Bake (Cure Temperatures above 90°C or 194°F)										
PPG	3	SAC70227	Acrylic	Spray	Powercron 8000	E-coat, Epoxy	Dip	Liquid	USA	J0287 (A)	
Sherwin-Williams	5	DAS9-20001	TGIC Polyester	Spray	DTM	DTM	DTM	DTM	Powder	USA	J0729 (A)
Wheat 86614422	Bake (Cure Temperatures above 90°C or 194°F)										
	Axalta	1	UFTF02S0	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

13 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q**Table 3: Preferred CNH Approved Paint Materials - Yellow**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
NH Bright Yellow 86572648	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	AkzoNobel	3	1304T33M			4003A05M			Liquid		(A)
	Axalta	3	1827-50554	Urethane	Spray	825P32760	Epoxy	Spray	Liquid	USA	P0866 (A)
	Axalta	3	1827-50554	Urethane	Spray	2525-400	Epoxy	Spray	Liquid	USA	2732NH2017 (A)
	Axalta	3	S1400.1397	Urethane	Spray	S1150.3295	Urethane	Spray	Liquid	Brazil	(A)
	Becker	3	80BR28/HES/POL BR YELL M5093		Spray	GS1235 AC		Spray	Liquid		J0140 (A)
	Chemilac Paints	3	2512S016023	Urethane	Spray	1512P036021	Epoxy	Spray	Liquid	India	P0814B (A)
	Freilacke	3	UR1991GO114	Urethane	Spray	ER1980MRU735	Epoxy	Spray	Liquid	Germany	G0419 (A)
	Goodlass Nerolac Paints	3	1013455			F-1 1015794 / F-2 1016056			Liquid		(A)
	Grand Polycoats	3	RTU LC OR CNH YELLOW	Urethane	Spray	RTU QR Beige SG	Epoxy	Spray	Liquid	India	11608ZD2024(B)
	Hentzen	3	18937YXX-5	Urethane	Spray	17844APU-2	Urethane	Spray	Liquid	USA	K0590 (A)
	Mankiewicz	3	341-1A 141U	Urethane	Spray	SEEVENAX 313-31	Epoxy, Waterbased	Spray	Liquid	Germany	N1074 (C)
	Mankiewicz	3	401-04 141U	Urethane	Spray	DTM	DTM	DTM	Liquid		K0391 (A)
	Mankiewicz	3	401-04 141U	Urethane	Spray	PPG Powercron 6000	E-coat, Epoxy	Dip	Liquid	Germany	K0394 (A)
	Mankiewicz	3	401-04 141U	Urethane	Spray	PPG Powercron 6000 CR691A/CP523F	E-coat, Epoxy	Dip	Liquid	Germany	(A)
	Mankiewicz	3	401-04 141U	Urethane	Spray	SEEVENAX 113-31	Epoxy	Spray	Liquid	Germany	L0463 (A)
	Mankiewicz	4W	Alexit-Monolyer 401-04-414U	Urethane	Spray	DTM	DTM	DTM	Liquid	Germany	8557ZD2022 (B)
	Mankiewicz	4W	Alexit 461-BT 141U	Urethane	Spray	Seevenax 113-BT 7802 3a	Epoxy	Spray	Liquid	India	12017ZD2025(B)

Table 3 continued on next page

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

14 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q**Table 3 cont.: Preferred CNH Approved Paint Materials - Yellow**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
NH Bright Yellow 86572648	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	PPG	3	LT6007SSA	Urethane	Spray	DTM	DTM	DTM	Liquid	Brazil	M0903 (A)
	PPG	3	SPM76570 (1)	Urethane	Spray	DTM	DTM	DTM	Liquid	USA	P0417 (D)
	PPG	3	SPTB800002	Urethane	Spray	SEP8300002	Epoxy	Spray	Liquid	China	605NH2016 (A)
	PPG	3	SPU65291	Urethane	Spray	SPU65288	Urethane	Spray	Liquid	USA	(A)
	PPG	3	SPU65291	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	J0555 (A)
	PPG	3	SPU65291CN	Urethane	Spray	SPPG300003	Urethane	Spray	Liquid	China	3058NH2018 (A)
	PPG	3	SPU70412	Urethane	Spray	SPU70411	Urethane	Spray	Liquid	USA	J0204 (A)
	PPG	3	SPU70412	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	J0437 (A)
	PPG	3	SPU74850	Urethane	Spray	DTM	DTM	DTM	Liquid		M0685 (A)
	PPG	3	W43597		Spray	W43181A	Urethane	Spray	Liquid	USA	(A)
	PPG	3	WPU32183	Urethane, Waterbased	Spray	WPR30005	Urethane, Waterbased	Spray	Liquid	Poland	1592ZD2016 (A)
	PPG	3	SPU65291CN	Urethane	Spray	W43181ATJ	Urethane	Spray	Liquid	China	6800ZD2020 (B)
	PPG	4W	LT15290SSA	Urethane	Spray	LT0002SSA	Urethane	Spray	Liquid	Brazil	2446NH2017 (A,B)
	PPG	4W	DCOMY1000	Urethane	Spray	DTM	DTM	DTM	Liquid	USA	7789NH2021D (B)
	PPG	5	P421Y022D	Primid polyester	Spray	DTM	DTM	DTM	Powder	Poland	4354ZD2019 (A)
	PPG	5	P421Y022D	Primid polyester	Spray	P6000HE	E-coat, Epoxy	Dip	Powder	Poland	4352ZD2019 (A)
	Sherwin-Williams	3	F63YC0077	Urethane	Spray	E61AC144	Urethane	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	F63YC0077	Urethane	Spray	E61A280	Epoxy	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	F63YC40	Urethane	Spray	E61YC708	Urethane	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	F63YC40	Urethane	Spray	E61YC712	Epoxy	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	IKPY0281	2K Urethane	Spray	IEEA0205/ICEC056	2K Epoxy	Spray	Liquid	India	8127ZD2021 (B)
	Sherwin-Williams	3	86525	SB 2K PU	Spray	76490	SB 2K Acrylic	Spray	Liquid	Europe	8404ZD2021B (B)
	Sherwin-Williams	3	42120	WB Polyurethane	Spray	41873	WB Epoxy	Spray	Liquid	Italy	7049ZD2020 (A)
	Sherwin-Williams	3	86525	2K SB Urethane	Spray	76490	2K SB Acrylic	Spray	Liquid	Europe	8404ZD2021(B)
	Sherwin-Williams	4W	64220675	Urethane	Spray	64140681	Epoxy	Spray	Liquid	Brazil	2956NH2018 (A)
	Sherwin-Williams	4W	60098PL	2K SB Urethane	Spray	36790	SB Epoxy	Spray	Liquid	Europe	11410ZD2024(B)
	Tiger Drylac	4W	281-2001	Polyester	Spray	771027032	Epoxy	Spray	Powder	Austria	8858ZD2022 (B)
	Tiger Drylac	5	281-2001	Polyester	Spray	771027032	Epoxy	Spray	Powder	Austria	8858ZD2022 (B)
	Bake (Cure Temperatures above 90°C or 194°F)										
	AkzoNobel	4W	YE013i	Polyester TGIC Free	Sprat	DTM	DTM	DTM	DTM	Italy	8707ZD2022 (B)
	AkzoNobel	5	YE001QF	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	AkzoNobel	5	YE051F	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	France	L0398 (A)
	AkzoNobel	5W	YE013i	TGIC-Free Polyester	Spray	P6200	Epoxy Ecoat CED	Dip	Powder	Italy	11574ZD2024(B)
	AkzoNobel	5W	YE013i	TGIC-Free Polyester	Spray	P10X(CR110-CP495)	Epoxy Ecoat CED	Dip	Powder	Italy	11573ZD2024(A)
	Axalta	3	PFY639S8	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Axalta	5	PFY686S9	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	L0428 (A)

Table 3 continued on next page

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

15 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q**Table 3 cont.: Preferred CNH Approved Paint Materials - Yellow**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
NH Bright Yellow 86572648	Bake (Cure Temperatures above 90°C or 194°F)										
	IVC Ind. Coatings	5	B10455TY90K-A	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	N0466B (A)
	IVC Ind. Coatings	5	B14495TY90K	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	P0135 (A,B)
	Mankiewicz	5	FINADUR 771-23 141U	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder		N0710 (A)
	PPG	3	PCS39100	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	3	SAC63364	Acrylic	Spray	W29886	Epoxy	Spray	Liquid	USA	(A)
	PPG	3	W43584E	Acrylic	Spray	Powercron 8000	E-coat, Epoxy	Dip	Liquid	USA	(A)
	PPG	3	W43584E	Acrylic	Spray	P648-526	E-coat, Epoxy	Dip	Liquid	USA	(A)
	PPG	3	W43584E	Acrylic	Spray	W43435	Epoxy	Spray	Liquid	USA	(A)
	PPG	4W	LT15017SSO	Acrylic	Spray	LT0044SSO	Epoxy	Spray	Liquid	Brazil	260NH2016 (A)
	PPG	4W	PCT1G-3039C	TGIC Polyester	Spray	DTM	DTM	DTM	DTM	Brazil	5336NH2019 (B)
	PPG	4W	PCT1G-3039D	TGIC Polyester	Spray	DTM	DTM	DTM	DTM	Brazil	5337NH2019 (B)
	PPG	5	P421Y007D	Non-TGIC Polyester	Spray	Powercron 6000HE	E-coat, Epoxy, HE	Dip	Powder		2612NH2017 (A)
	PPG	5	PCT39100	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	5	PCT39131	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	5	PCT39131C	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	China	P0690 (A,B)
	PPG	5	PCTZ39109	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	5	PCTZ39109L	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		L0456 (A)
	Protech Chemicals	5	PS112Y238	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	L0096 (A)
	Sherwin-Williams	5	RYS8-20001	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Sherwin-Williams	5W	IPD422003GF	Pure Polyester TGIC Free	Spray	DTM	DTM	DTM	DTM	India	9266ZD2022 (B)
	Tiger Drylac	3	40/20031	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Austria	N1187 (A)
	Tiger Drylac	5	418/20855	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	3768NH2018 (A)
	Tiger Drylac	5	281-20001	Polyester	Spray	771027032	Epoxy	Spray	Powder	Austria	8858ZD2022 (B)
	Tiger Drylac	5	281-20001	Primid	Spray	DTM	DTM	DTM	N/A	Austria	5821ZD2020 (B)
	Tiger	5W	281-20001	Polyester	Spray	771027032	Epoxy	Spray	Powder	Austria	8858ZD2022 (B)
	Valspar	5	37502	Non-TGIC Polyester	Spray	31910	Non-TGIC Polyester	Spray	Powder	Europe	2016K033 (A)
	Valspar	5	37502	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Europe	2016K031 (A)

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

16 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q

Table 4: Preferred CNH Approved Paint Materials - Black											
Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Black High GL 87026672	Bake (Cure Temperatures above 90°C or 194°F)										
	PPG	5	PCT99145L	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		N0112 (A)
CNH Black 86600186	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Arsonsisi	3	W440G98	Alkyd	Spray	W323N34	Epoxy	Dip	Liquid	Italy	5131ZD2019 (A)
	Axalta	5W	2FRB-02530	Acrylic Urethane	Spray	3525-100 IN	Epoxy	Spray	Liquid	India	10124ZD2023 (B)
	Chemilac Paints	4W	2512S022003	Urethane	Spray	1512P033049	Epoxy	Spray	Liquid	India	466NH2016B (A)
	IBA KIMYA	5	PS66AT900510 4CMX	PE/HAA	Spray	E-coat Kromasis	Epoxy	Dip	Powder	Turkey	4281ZD2019 (B)
	Kansai Helios	5	N181P232PE	Polyester, Primid	Spray	DTM	DTM	DTM	Powder	Italy	12111ZD2025 (B)
	PPG	4W	LT15106SSA	Urethane	Spray	LT0045SSA	Urethane	Spray	Liquid	Brazil	475NH2016 (A,B)
	PPG	4W	SPTA900002	Urethane	Spray	SEPB300002	Epoxy	Spray	Liquid	China	606NH2016 (A)
	Sherwin-Williams	3	F63BC102	Urethane	Spray	E61AC125	Urethane	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	IKPA1280	Urethane	Spray	IEEA0205	2K Epoxy	Spray	Liquid	India	10128ZD2023 (B)
	Sherwin-Williams	4W	53628	SB 2K PU	Spray	36790	SB 2K Epoxy	Spray	Liquid	Europe	9880ZD2023 (B)
	Valspar	4W	64220703	Urethane	Spray	64140681	Epoxy	Spray	Liquid	Brazil	2960NH2018 (A)
	Bake (Cure Temperatures above 90°C or 194°F)										
	AkzoNobel	5	JN185QF	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	N1090 (A)
	AkzoNobel	5	YN101QF	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	AkzoNobel	5	YN2054	Polyester	Spray	Kansai NT-260 WFA260S2157VR	Epoxy Ecoat CED	Dip	Powder	Turkey	10961ZD2024 (B)
	AkzoNobel (Boya)	5	MN2074	Polyester	Spray	PPG P6200HE	Epoxy Ecoat CED	Dip	Powder	Turkey	11987ZD2025(B)
	AkzoNobel	5W	YN1211	Polyester TGIC Free	Spray	PE6000	E-Coat epoxy	Dip	Liquid	Italy	9991ZD2023 (B)
	AkzoNobel	6	YN121i	Polyester TGIC Free	Spray	DTM	DTM	DTM	DTM	Italy	8705ZD2022 (B)
	Axalta	3	PFB642S4	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Axalta	5	PFB712S4	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	K0565 (A)
	Diamond Vogel	5	PLX6453.02	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	M0715 (A)
	Hentzen	5	P40361KSC	Powder	Spray	DTM	DTM	DTM	Powder	USA	6638NH2020B (B)

Table 4 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	17 of 39	48158409



Material Specifications

MAT0103Q**Table 4 cont.: Preferred CNH Approved Paint Materials - Black**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
CNH Black 86600186	Bake (Cure Temperatures above 90°C or 194°F)										
	Powder Technology	5	PT-PS41-BS02	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	L0644 (A)
	PPG	3	W42634	Acrylic	Spray				Liquid		(A)
	PPG	3	22064N79	PU	Spray	(66610000+47950801)	CED	Dip	Liquid	India	11298ZD2024 (B)
	PPG	4	P412N399D	Polyester	DTM	DTM	DTM	DTM	Liquid	France	8601ZD2022 (B)
	PPG	4W	P412N399D	Polyester	Spray	DTM	DTM	DTM	DTM	France	8601ZD2022 (B) *bake 25min @195°C
	PPG	4W	LT15114SSO	Acrylic	Spray	LT0044SSO	Epoxy	Spray	Liquid	Brazil	1742NH2017 (A,B)
	PPG	4W	PCTC99104	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	China	3273NH2018 (A,B)
	PPG	5	PCT99104	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	(A)
	PPG	5	PCTC99104	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	China	3272NH2018 (A,B)
	PPG	5	PCT99104	TGIC Polyester	Spray	9720-73804	TGIC polyester	Spray	Powder	USA	10337NH2023 (B)
	PPG	5W	P412N399D	Primid Polyester	Spray	P10X CR110-CP495	Epoxy CED	Dip	Liquid	Italy	12185ZD2025 (B)
	PPG	5W	P412N399D	Polyester	Spray	P512G002R-YD	Polyester	Spray	Powder	France	8610ZD2022 (B)
	PPG	6	PCT1N-8050	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	3526NH2018B (A,B)
	PPG	6	PCT1N-8050B	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	2026NH2017 (A,B)
	PPG	6	PCT1N-8050	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	411NH2016 (A)
	Sherwin-Williams	4W	88636	Primid Polyester	Spray	DTM	DTM	DTM	Powder	Italy	6884ZD2020 (A)
	Sherwin-Williams	5	FBS4-20001	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Sherwin-Williams	5	RBS4-20001	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	J0573 (A)
	Sherwin-Williams	5W	RBS4-20001	TGIC Polyester	Spray	RBS4-20001	TGIC polyester	Spray	Powder	USA	11311NH2024 (B)
	TCI	5	9420-91835	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	K0702 (A)
	Tiger Drylac	4W	276/80004	Polyester	Spray	DTM	DTM	DTM	Powder	Austria	9360ZD2022 (B)
	Tiger Drylac	5	418/81403	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	3772NH2018 (A)
	Tiger Drylac	5	276/80004	Polyester	Spray	DTM	DTM	DTM	Powder	Austria	9360ZD2022 (B)
	Valspar	4W	63261154	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	934NH2016 (A,B)
NH Black 86505493	Bake (Cure Temperatures above 90°C or 194°F)										
	Tiger Drylac	5	418/80382	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	3771NH2018 (A)
Black RAL 9005 86629856	Bake (Cure Temperatures above 90°C or 194°F)										
	Cenaris GmbH	5	Duravent Black	Non-TGIC Polyester	Spray	BAT1-10516	Epoxy Ecoat CED	Dip	Powder	Portugal	11679ZD2024(B)
	Sherwin-Williams	3	PTA20332	Polyester	DTM	DTM	DTM	DTM	Powder	China	12668ZD2025(B)
	----	----	----	----	----	----	----	----	----	----	----

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

18 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q**Table 5: Preferred CNH Approved Paint Materials - Blue**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Blue Green 87024450	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Freilacke	3	UR1991GO1161	Urethane	Spray	ER1980MRU735	Epoxy	Spray	Liquid	Germany	G0418 (A)
NH (New) Blue 86593620	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	AkzoNobel	3	1309T14M			4003A05M			Liquid		(A)
	AkzoNobel	6	FLNA51095		Spray	LV260		Spray	Liquid		L0041 (A)
	AkzoNobel	6	BT LV650 FLNA51908	Urethane	Spray	BT LV262	Epoxy	Spray	Liquid	USA	5848NH2020 (B)
	Axalta	3	1827-50553	Urethane	Spray	2525-400	Epoxy	Spray	Liquid	USA	2733NH2017 (A)
	Hentzen	3	18914BXX-5	Urethane	Spray	17844APU-2	Urethane	Spray	Liquid	USA	K0591 (A)
	Mankiewicz	3	401-04 515T	Urethane	Spray	DTM	DTM	DTM	Liquid		K0388 (A)
	Mankiewicz	3	401-04 515T	Urethane	Spray	PPG Powercron 6000	E-coat, Epoxy	Dip	Liquid	Germany	K0399 (A)
	Mankiewicz	3	401-04 515T	Urethane	Spray	PPG Powercron 6000 CR691A/CP523F	E-coat, Epoxy	Dip	Liquid	Germany	(A)
	Mankiewicz	3	401-04 515T	Urethane	Spray	Seevenax 113-31	Epoxy	Spray	Liquid	Germany	L0469 (A)
	Mankiewicz	3	401-04 515T	Urethane	Spray	Seevenax 313-31	Epoxy Waterbase	Spray	Liquid	Germany	L0468 (A)
	Mankiewicz	3	Alexit 401-BT 515T	Urethane	Spray	Seevenax 113-BT 7802 3a	Epoxy	Spray	Liquid	India	12004ZD2025(B)
	Mankiewicz	4W	401-04 515T	Urethane	Spray	ALEXIT-Primer 463-96	Urethane	Spray	Liquid	Germany	731NH2016 (A)
	Mankiewicz	4W	461-6H 515T	Urethane	Spray	ALEXIT-Primer 463-96	Urethane	Spray	Liquid	Germany	732NH2016 (A)
	Mankiewicz	4W	461-6H 515T	Urethane	Spray	Seevenax 113-31	Epoxy	Spray	Liquid	Germany	733NH2016
	Mankiewicz	4W	ALEXIT-Monolyer 401-04-515T	Urethane	Spray	DTM	DTM	DTM	Liquid	Germany	8556ZD2022 (B)
	Mankiewicz	4W	Alexit 461-BT 515T	Urethane	Spray	Seevenax 113-BT 7802 3a	Epoxy	Spray	Liquid	India	12005ZD2025(B)
	PPG	3	LT6005SSA	Urethane	Spray	DTM	DTM	DTM	Liquid		O0007 (A)
	PPG	3	SPU60135	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	(A)
	PPG	3	W43469	Acrylic	Spray	W43181A	Urethane	Spray	Liquid	USA	(A)
	PPG	3	WPU32485	Urethane, Waterbased	Spray	WPR30005	Urethane, Waterbased	Spray	Liquid	Poland	1589ZD2016 (A)
	PPG	4W	LT15032SSA	Urethane	Spray	LT0002SSA	Urethane	Spray	Liquid	Brazil	259NH2016 (A,B)
	PPG Asian Paints Pvt.	4W	1611A193	2K PU	Spray	16230305	2K Epoxy	Spray	Liquid	India	10249ZD2023-B(B)
	Sherwin-Williams	3	40944	Urethane, Waterbased	Spray	41873	Epoxy, Waterbased	Spray	Liquid	Italy	5414ZD2019 (A)
	Sherwin-Williams	6	IKPL0013	Urethane	Spray	IEEA0151	Epoxy	Spray	Liquid	India	2320NH2017 (A)
	Sherwin-Williams	6	IKPL0013/153- X145A	2K Urethane	Spray	IEEA0205/ICEC056	2K Epoxy	Spray	Liquid	India	9803ZD2023 (B)
	Sherwin-Williams	4W	64220674	Urethane	Spray	64140681	Epoxy	Spray	Liquid	Brazil	2955NH2018 (A)
	Sherwin-Williams	4W	IKPL0013/153- X145B	Urethane	Spray	IEEA0151/ ICEC127	Epoxy	Spray	Liquid		1577NH2017 (A)
	Sherwin-Williams	4W	51310	SB 2K PU	Spray	36790	SB 2K Epoxy	Spray	Liquid	Europe	9878ZD2023 (B)

Table 5 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	19 of 39	48158409

UNCONTROLLED COPY When Printed



Material Specifications

MAT0103Q**Table 5 cont.: Preferred CNH Approved Paint Materials - Blue**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
NH (New) Blue 86593620	Bake (Cure Temperatures above 90°C or 194°F)										
	AkzoNobel	5	YJ000QF	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	AkzoNobel	5W	YJ018i	Polyester TGIC Free	Spray	DTM	DTM	DTM	DTM	Italy	8706ZD2022 (B)
	Axalta	3	PFK633S9	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Chemilac Paints	3	5004S014012	Acrylic	Spray	PPG Powercron 6000CX	E-coat, Epoxy	Dip	Liquid	India	437NH2016B (A)
	Diamond Vogel	6	PLX5921-08	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	N0552 (A)
	Hentzen	5	P90395BSC	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	N0538 (A)
	Hentzen	5	P90325BPC	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	2271NH2017 (A)
	Hentzen	6	P90325BPC	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	4187NH2018 (A)
	PPG	3	1582A650	Acrylic	Spray	51940000/51050607 CED	E-coat, Epoxy	Dip	Liquid	China	867NH2016 (A)
	PPG	3	PCT59100	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	3	SAC71686	Acrylic	Spray	Powercron 6000CX	E-coat, Epoxy	Dip	Liquid	USA	L0666 (A)
	PPG	3	W43564B		Spray				Liquid		(A)
	PPG	4	P151B0001R	Polyester	DTM	N/A	N/A	N/A	Powder	France	8602ZD2022 (B)
	PPG	4	P151B0001R	Polyester	Spray	DTM	DTM	DTM	Powder	France	8602ZD2022 (B)
	PPG	4W	PCT1G-5053	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	2245NH2017 (A,B)
	PPG	4W	PCT1G-5053B	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	2247NH2017 (A)
	PPG	5	PCT1G-5053	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	3214NH2017 (A)
	PPG	5	PCT1G-5053B	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	3215NH2017 (A)
	PPG	5	PCT59118L	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		N0111 (A)
	PPG	5	PCTZ59106	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	5	P151B0001R	Polyester	Spray	P512G002R-YD	Polyester	Spray	Powder	France	8608ZD2022
	Protech	5W	ZS241B345	Super Durable	Spray	DTM	DTM	DTM	DTM	USA	10306NH2023 (B)
	Sherwin-Williams	5	PLS8-20159	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	L0666 (A)
	Sherwin-Williams	5	RLS8-20001	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Sherwin-Williams	5	48254	Polyester	Spray	DTM	DTM	DTM	Powder	Europe	7345ZD2021(B)
	Spraylat	5	P0806322E			DTM	DTM	DTM	Powder		L0666 (A)

Table 5 continued on next page

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

20 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q**Table 5 cont.: Preferred CNH Approved Paint Materials - Blue**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
NH (New) Blue 86593620	Bake (Cure Temperatures above 90°C or 194°F)										
	TCI	5	9920-51087	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	M0101 (A)
	Tiger Drylac	4W	281/40061	Polyester	Spray	77102/7032	Epoxy	Spray	Powder	Austria	8855ZD2022 (B)
	Tiger Drylac	5	418/40003	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	3765NH2018 (A)
	Tiger Drylac	5	281/40061	Polyester	Spray	77102/7032	Epoxy	Spray	Powder	Austria	8855ZD2022 (B)
	Tiger Drylac	5W	281/40061	Polyester	Spray	77102/7032	Epoxy	Spray	Powder	Austria	8855ZD2022 (B)
	Tiger Drylac	6	281/40061	Super Durable Low Cure	Spray	P6000HE	EC Epoxy	DTM	DTM	Austria	7847ZD2021 (B)
	Tiger Drylac	6	281/40061	Super Durable Low Cure	Spray	---	---	DTM	DTM	Austria	7846ZD2021 (B)
	----	----	----	----	----	----	----	----	----	----	----
Dynamic Blue 91833609	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	PPG	4W	LT150035SSA	Urethane	Spray	P681-524	E-coat, Epoxy	Dip	Liquid	Brazil	11346NH2024 (B)
	Sherwin-Williams	4W	60753PL	2K SB Urethane	Spray	36790	SB Epoxy	Spray	Liquid	Europe	12109ZD2025(B)
	Bake (Cure Temperatures above 90°C or 194°F)										
	AkzoNobel	5	YJ024I	Polyester, Primid	Spray	DTM	DTM	DTM	Powder	Italy	12380ZD2025 (B)
	PPG	4	BHS01596	Urethane	Spray	P6000HE	Epoxy Ecoat CED	Dip	Liquid	France	12174ZD2025(A)
	PPG	5W	PCT59123	Polyester	Spray	DTM	DTM	DTM	DTM	USA	10773NH2024 (B)
	PPG Asia Paints	3	15823A59	1K Acrylic	Spray	66650000+51050607	CED	Dip	Liquid	India	11802ZD2025 (B)
	----	----	----	----	----	----	----	----	----	----	----

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

21 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q**Table 6: Preferred CNH Approved Paint Materials - Tan**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Case Power Tan 86609760	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Axalta	3	1827-50555	Urethane	Spray	2525-400	Epoxy	Spray	Liquid	USA	2731NH2017 (A)
	Becker	3	JE3085FP			GS1235AC			Liquid		(A)
	Chemilac Paints	3	2512S016024	Urethane	Spray	1512P033049	Epoxy	Spray	Liquid	India	439NH2016B (A)
	Freilacke	3	UR1991GO1138	Urethane	Spray	ER1980MRU735	Epoxy	Spray	Liquid	Germany	G0422 (A)
	Goodlass Nerolac Paints	3	1013443			F-1 1015794			Liquid		(A)
	Hentzen	3	18918YXX-5	Urethane	Spray	17844APU-2	Urethane	Spray	Liquid	USA	(A)
	Mankiewicz	3	341-1A 10GQ	Urethane, Waterbase	Spray	SEEVENAX 313-31	Epoxy, Waterbased	Spray	Liquid	Germany	N1075 (C)
	Mankiewicz	3	401-04 10GQ	Urethane	Spray	DTM	DTM	DTM	Liquid	Germany/US	K0390 (A)
	Mankiewicz	3	401-04 10GQ	Urethane	Spray	PPG Powercron 6000	E-coat, Epoxy	Dip	Liquid	Germany	K0395 (A)
	Mankiewicz	3	401-04 10GQ	Urethane	Spray	PPG Powercron 6000 CR691A/CP523F	E-coat, Epoxy	Dip	Liquid	Germany	(A)
	Mankiewicz	3	401-TM 10GQ	Urethane	Spray	DTM	DTM	DTM	Liquid		Q0163 (A,B)
	Mankiewicz	4W	461-6H 10GQ	Urethane	Spray	SEEVENAX 113-31	Epoxy	Spray	Liquid	Germany	709NH2016 (A)
	Mankiewicz	4W	ALEXIT-Monolyer 401-04 10GQ	Urethane	Spray	DTM	DTM	DTM	Liquid	Germany	8554ZD2022 (B)
	Mankiewicz	4W	Alexit 461-BT 10GQ	Urethane	Spray	Seevenax 113-BT 7802 3a	Epoxy	Spray	Liquid	India	12014ZD2025(B)
	PPG	1	SPU64213	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	(A)
	PPG	3	5816Y557	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	China	878NH2016 (A)
	PPG	3	Lt15503SSA	Urethane		LT0045SSA	Urethane				2019NH2017
	PPG	3	Q3990A30C	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	(A)
	PPG	3	SPU60140	Urethane	Spray	SPU60165			Liquid		(A)
	PPG	3	SPU60140	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	J0435 (A)
	PPG	3	SPU74851	Urethane	Spray	DTM	DTM	DTM	Liquid		M0686 (A)
	PPG	3	WPU32184	Urethane, Waterbased	Spray	WPR30005	Urethane, Waterbased	Spray	Liquid	Poland	1590ZD2016 (A)
	PPG	3	22060D14	Urethane	Spray	16230305	Epoxy	Spray	Liquid	India	6192ZD2020 (A)
	PPG	4W	LT15003SSA	Urethane	Spray	LT0045SSA	Urethane	Spray	Liquid	Brazil	267NH2016 (B)
	Sherwin-Williams	3	F63HC106	Urethane	Spray	E61HC53	Urethane	Spray	Liquid	USA	K0549 (A)
	Sherwin-Williams	3	F63HC97	Urethane	Spray	E61AC125	Urethane	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	F63HC97	Urethane	Spray	E61YC708	Urethane	Spray	Liquid	USA	(A)
	Sherwin-Williams	3	77534	WB Polyurethane	Spray	41873	WB Epoxy	Spray	Liquid	Italy	7050ZD2020 (A)
	Sherwin-Williams	3	94510	SB 2K PU	Spray	76490	SB 2K Acrylic	Spray	Liquid	Europe	7475ZD2021 (B)
	Sherwin-Williams	4W	IKPY0289	Urethane	Spray	IEEA0151	Epoxy	Spray	Liquid	India	2321NH2017 (A)
	Sherwin-Williams	4W	IKPY0289	Urethane	Spray	IEEA0205	2K Epoxy	Spray	Liquid	India	11519ZD2024(B)
	Sherwin-Williams	6	37501	Polyester, Primid	Spray	DTM	DTM	Spray	Powder	Italy	7845ZD2021(B)

Table 6 continued on next page

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

22 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q**Table 6 cont.: Preferred CNH Approved Paint Materials - Tan**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Case Power Tan 86609760 (continued)	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Valspar	1	AAD0379	Alkyd	Spray	DTM	DTM	DTM	Liquid	USA	K0570 (A)
	Valspar	3	64220697	Urethane	Spray	64140681	Epoxy	Spray	Liquid	Brazil	O0069Q (A)
	Valspar	3	KAD0033	Urethane	Spray	AXY0376	Urethane	Spray	Liquid	USA	(A)
	Valspar	3	KPD0021	Urethane	Spray	AXY0376	Urethane	Spray	Liquid	USA	(A)
	Bake (Cure Temperatures above 90°C or 194°F)										
	AkzoNobel	3	YE006N	Pure-Polyester	Spray	DTM	DTM	DTM	DTM	India	11445ZD2024(B)
	AkzoNobel	5	YD000QF	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	AkzoNobel	4W	YE006N	Pure Polyester	Spray	DTM	DTM	DTM	Powder	India	11445ZD2024 (B)
	AkzoNobel	5W	YM017i	Polyester TGIC Free	Spray	DTM	DTM	DTM	DTM	Italy	8710ZD2022 (B)
	AkzoNobel	6	YM017i	Polyester TGIC Free	Spray	DTM	DTM	DTM	DTM	Italy	8710ZD2022 (B)
	Axalta	3	PFT630S9	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Axalta	5	PFT671S9	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	K0609 (A)
	CWS Powder Coatings	5	31/70406	Non-TGIC Polyester	Spray	PPG Powercron 6000HE	E-coat, Epoxy, HE	Dip	Powder	Germany	3024ZD2018 (A)
	Diamond Vogel	5	PLX5305-09	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	K0085 (A)
	IVC Ind. Coatings	5	B14494TY90K	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	P0133 (A,B)
	Kansai Nerloc Paint	3	1401/0323		Spray	DTM	DTM	DTM	Powder	India	O0510 (A)
	PPG	3	SAC63357	Acrylic	Spray	W29886	Epoxy	Spray	Liquid	USA	(A)
	PPG	3	W43347B	Acrylic	Spray	W29886	Epoxy	Spray	Liquid	USA	(A)
	PPG	3	W43347B	Acrylic	Spray	W43435	Epoxy	Spray	Liquid	USA	(A)
	PPG	3	W43347B	Acrylic	Spray	P648-526	E-coat, Epoxy	Dip	Liquid	USA	(A)
	PPG	4	P151Y0001R	Polyester	Spray	DTM	DTM	DTM	Powder	France	8603ZD2022(B)
	PPG	4W	LT15016SSO	Acrylic	Spray	LT0044SSO	Epoxy	Spray	Liquid	Brazil	257NH2016 (A)
	PPG	4W	PCT1G-7016	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	409NH2016 (A)
	PPG	5	PCT39102	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	5	PCT39128	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	5	PCT1G-7016B	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	3213NH2018 (A)
	PPG	5	W43347B	Acrylic	Spray	6100LC			Liquid		(A)
	PPG	5	W43347B	Acrylic	Spray	6100CM			Liquid		(A)
	PPG	5	W43347B	Acrylic	Spray	691B-606	Epoxy	Spray	Liquid	USA	L0322B (A)
	PPG	5	P151Y0001R	Polyester	Spray	P512G002R-YD	Polyester	Spray	Powder	France	8609ZD2022
	PPG	6	PCT1G-7016B	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	Brazil	3525NH2018 (A,B)

Table 6 continued on next page

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

23 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q

Table 6 cont.: Preferred CNH Approved Paint Materials - Tan											
Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Case Power Tan 86609760	Bake (Cure Temperatures above 90°C or 194°F)										
	Sherwin-Williams	3	PYS8-20122	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Sherwin-Williams	5	FHS8-20003	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
	Sherwin-Williams	5	IPD422004GF	Polyester TGIC Free	Spray	DTM	DTM	DTM	DTM	India	9652ZD2023 (B)
	TCI	5	9920-12085	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	K0704 (A)
	Tiger Drylac	4W	281-20015	Polyester/Primid	Spray	77102/7032	Epoxy	Spray	Powder	Austria	8857ZD2022 (B)
	Tiger Drylac	4W	281-20015	Polyester	Spray	DTM	DTM	DTM	Powder	Austria	8860ZD2022
	Tiger Drylac	5	418/20856	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	3767NH2018 (A)
	Tiger Drylac	5	281-20015	Polyester/Primid	Spray	77102/7032	Epoxy	Spray	Powder	Austria	8857ZD2022 (B)
	Tiger Drylac	5	281-20015	Polyester	Spray	DTM	DTM	DTM	Powder	Austria	8860ZD2022
	Tiger Drylac	5W	281-20015	Polyester/Primid	Spray	77102/7032	Epoxy	Spray	Powder	Austria	8857ZD2022 (B)
	Tiger Drylac	5W	281-20015	Polyester	Spray	DTM	DTM	DTM	Powder	Austria	8860ZD2022 (B)
	Tiger Drylac	5W	281/70010	Polyester	Spray	DTM	DTM	Spray	Powder	Austria	8859ZD2022 (B)
	Valspar	3	AME0089	Enamel	Spray	43F104	Enamel	Spray	Liquid	USA	(A)
	Valspar	5	PTD90019	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	G0501 (A)

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

24 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q**Table 7: Preferred CNH Approved Paint Materials - White**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
NH White (Bianco) 86511879	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Chemilac Paints	1	1204S011010	Alkyd	Spray	1204P032001	Alkyd	Spray	Liquid	India	9950ZD2023 (B)
	Mankiewicz	3	401-04 989B	Urethane	Spray	DTM	DTM	DTM	Liquid		K0386 (A)
	Mankiewicz	3	401-04 989B	Urethane	Spray	PPG Powercron 6000	E-coat, Epoxy	Dip	Liquid	Germany	K0401 (A)
	Mankiewicz	3	ALEXIT-Topcoat 461-6H 989B	Urethane	Spray	ALEXIT-Primer 463-96	Urethane	Spray	Liquid	Germany	729NH2016 (A)
	Mankiewicz	4W	461-6H 989B	Urethane	Spray	SEEVENAX 113-31	Epoxy	Spray	Liquid	Germany	730NH2016 (A)
	Mankiewicz	4W	ALEXIT-Monolyer 401-04 989B	Urethane	Spray	ALEXIT-Primer 463-96	Urethane	Spray	Liquid	Germany	728NH2016 (A)
	Mankiewicz	4W	ALEXIT-Monolyer 401-04 989B	Urethane	Spray	DTM	DTM	DTM	Liquid	Germany	8559ZD2022 (B)
	Mankiewicz	4W	Alexit 401-BT 989B	Urethane	Spray	Seevenax 113-BT 7802 3a	Epoxy	Spray	Liquid	India	12019ZD2025(B)
	Mankiewicz	4W	Alexit 461-BT 989B	Urethane	Spray	Seevenax 113-BT 7802 3a	Epoxy	Spray	Liquid	India	12020ZD2025(B)
	PPG	3	W43756	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	(A)
	PPG	4W	LT15034SSA	Urethane	Spray	PPG Powercron 6000 CR691D	E-coat, Epoxy	Dip	Liquid	Brazil	2456NH2017 (A)
	PPG Asian Paints Pvt Ltd	4W	2206W164	PU	Spray	16230305	2K Epoxy	Spray	Liquid	India	10250ZD2023 (B)
		5W	2206W164	PU	Spray	66610000	CED	Dip	Liquid	India	10251ZD2023 (B)
	Sherwin-Williams	1	F63GXW13098-4357	Urethane	Spray	E61AC144	Urethane	Spray	Liquid	USA	L0562 (A)
	Sherwin-Williams	6	IKPW005	Urethane	Spray	IEEA0151	Epoxy	Spray	Liquid	India	2318NH2017 (A)
	Sherwin-Williams	6	IKPW0005/I53-X145A	Urethane	Spray	IEEA0205/ICEC056	2K Epoxy	Spray	Liquid	India	9804ZD2023 (B)
	Sherwin-Williams	4W	64220999	Urethane	Spray	64140681	Epoxy	Spray	Liquid	Brazil	8496NH2022 (B)
	Tiger Drylac	3	281/10001	Primid Powder	Spray	DTM	DTM	---	---	Austria	6018ZD2020 (B)
	Tiger Drylac	4W	281/10001	Primid Powder	Spray	DTM	DTM	---	---	Austria	6932ZD2020 (B)
	Bake (Cure Temperatures above 90°C or 194°F)										
	AkzoNobel	3	JA056QF	Urethane	Spray	U32KD525	E-Coat, Epoxy	Dip	Liquid	USA	9174NH2022B (B)
	AkzoNobel	5	30-1193A or JA056QF	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	N0279 (A)
	Becker	4	619/H925			PPG Powercron 6000HE	E-coat, Epoxy, HE	Dip	Liquid		2043ZD2017 (A)
	Chemilac Paints	3	5004S011010	Acrylic	Spray	PPG Powercron 6000CX	E-coat, Epoxy	Dip	Liquid	India	N1273 (A)
	Chemilac Paints	4	5012S011010	Acrylic	Spray	PPG Powercron 6000CX	E-coat, Epoxy	Dip	Liquid	India	691NH2016 (A)
	Chemilac Paints	4	5012S011015	Acrylic	Spray	PPG Powercron 6000	E-coat, Epoxy	Dip	Liquid	India	689NH2016B (A)
	Chemilac Paints	4W	1512S011010	Acrylic	Spray	PPG Powercron 6000	E-coat, Epoxy	Dip	Liquid	India	1572NH2017B
	CWS Powder Coatings	5	31/70407	Non-TGIC Polyester	Spray	PPG Powercron 6000HE	E-coat, Epoxy, HE	Dip	Powder	Germany	3016ZD2018 (A)
	Diamond Vogel	5	PLX6226-08	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	L0452 (A)
	Diamond Vogel	6	PLX6226-08	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	M0348 (A)

Table 7 continued on next page

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

25 of 39

CNH NUMBER

48158409

UNCONTROLLED COPY When Printed



Material Specifications

MAT0103Q**Table 7 cont.: Preferred CNH Approved Paint Materials - White**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
NH White (Bianco) 86511879	Bake (Cure Temperatures above 90°C or 194°F)										
	PPG	3	1582W164	Acrylic	Spray	DTM	DTM	DTM	Liquid		P0600 (A)
	PPG	4W	P150W2001R-YD	Polyester	Spray	CR693-CP458B	E coat	Dip	Liquid	Italy	10946ZD2024(A)
	PPG	4W	P150W2001R-YD	Polyester	Spray	DTM	DTM	DTM	DTM	Italy	10945ZD2024(A)
	PPG	5	PCTZ80102	TGIC Polyester	Spray	DTM	DTM	DTM	Powder		(A)
	PPG	5	PCTZ80102C	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	China	P0549 (A,B)
	Sherwin-Williams	5	35604	Primid Polyester	Spray	P6000HE	E-coat, Epoxy	Dip	Powder	Italy	5465ZD2019 (A)
	Sherwin-Williams	5	DWS8-20036	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
Steyr White 86629827	Valspar	3	KPW0652	Urethane	Spray	CEEA142	Epoxy	Spray	Liquid	China	O0546Q (A)
	Bake (Cure Temperatures above 90°C or 194°F)										
	Becker	4	619/9018			PPG Powercron 6000HE	E-coat, Epoxy, HE	Dip	Liquid		2046ZD2017 (A)
	Chemilac Paints	4	5012S011015	Acrylic	Spray	PPG Powercron 6000	E-coat, Epoxy	Dip	Liquid	India	689NH2016B (A)
	CWS Powder Coatings	5	31/70408	Non-TGIC Polyester	Spray	PPG Powercron 6000HE	E-coat, Epoxy, HE	Dip	Powder	Germany	3018ZD2018 (A)
	Sherwin-Williams	5	50563	Primid Powder	Spray	P6000HE	Epoxy	Dip	Liquid	Europe	6776ZD2020 (B)
	Sherwin-Williams	6	50563	Primid Powder	Spray	P6000HE	Epoxy	Dip	Liquid	Europe	7753ZD2021 (B)
	PPG	4W	P150W2002R-YD	Polyester	Spray	CR693A-CP458B	E-coat	Dip	Liquid	Italy	10948ZD2024(A)
Traffic White 91835205			P150W2002R-YD	Polyester	Spray	DTM	DTM	DTM	DTM	Italy	10947ZD2024(A)
	PPG Marly	4	PCTC89452	Non-TGIC Polyester	Spray	Powercron 6000HE	Epoxy	Dip	Liquid	China	11408ZD2024(B)
	Bake (Cure Temperatures above 90°C or 194°F)										
	Cenaris GmbH	5	DuraVent White	Non-TGIC Polyester	Spray	BAT1-10516	Epoxy E coat CED	Spray	Liquid	Portugal	11681ZD2024 (B)
	Kansai Helios	5	Cewepol 31SD 80910	Polyester, Primid	Spray	DTM	DTM	DTM	Powder	Germany	12943ZD2026 (B)
	Sherwin-Williams	3	RWS9E0005	Polyester, Primid	Spray	DTM	DTM	DTM	Powder	Europe	12669ZD2025 (B)

Table 8: Preferred CNH Approved Paint Materials - Clear

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Semi-Gloss Clear Topcoat 84489001	Bake (Cure Temperatures above 90°C or 194°F)										
	PPG	2	PCTC19105	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	China	Brazil (A)

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

26 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q**Table 9: Preferred CNH Approved Paint Materials – Orange and Terracotta**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Orange 86570828	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Axalta	3	S1300.1397	Urethane	Spray	S1150.3295	Urethane	Spray	Liquid	Brazil	Brazil (A)
	Bake (Cure Temperatures above 90°C or 194°F)										
	Sherwin-Williams	3	XES9E0007	Polyester, Primid	DTM	47678 Ivory 1015	Epoxy polyester	Spray	Powder	Europe	11554ZD2024(B)
NH Terracotta 86629847	PPG	4W	15821R26	1K Acrylic	Spray	DTM	DTM	DTM	Liquid	India	7075ZD2020 (B)

Table 10: Preferred CNH Approved - Metallic Paint Materials

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Zinc Gold Metallic 87049221	Bake (Cure Temperatures above 90°C or 194°F)										
	Tiger Drylac	1	359/2801f1	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	(A)
Case Silver 86609759	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	PPG	3	SPU72225	Urethane	Spray	W43181A	Urethane	Spray	Liquid	USA	L0157 (A)
	PPG	3	SPU75786T-SV	Urethane	Spray	SPU70411CN	Urethane	Spray	Liquid	China	O0987 (A)
	PPG	4W	LT15803SSA	Urethane	Spray	CR691D/CP524B	E-coat, Epoxy	Dip	Liquid	Brazil	2459NH2017 (B)
	Sherwin-Williams	1	F63GXS13099-4357	Urethane	Spray	E61AC149	Epoxy	Spray	Liquid	USA	L0560 (A,B)
		3	F63GXS13099-4357	Urethane	Spray	E61AC144	Urethane	Spray	Liquid	USA	L0561 (A)
		3	KPM0368	Urethane	Spray	C64140681	Epoxy	Spray	Liquid	China	4356ZD2019 (A)
		4W	64221245	Urethane	Spray	64140681	Epoxy	Spray	Liquid	Brazil	8497NH2022 (B)
		5	64221254	Urethane	Spray	64140681	Epoxy	Spray	Liquid	Brazil	8497NH2022 (B)
	Bake (Cure Temperatures above 90°C or 194°F)										
	AkzoNobel	5	33-91072 or JW140QF	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	N0280 (A)
	Becker	4	619/S008			PPG Powercron 6000HE	E-coat, Epoxy, HE	Dip	Liquid		2040ZD2017 (A)
	Chemilac Paints	3	5004M011213	Acrylic	Spray	PPG Powercron 6000	E-coat, Epoxy	Dip	Liquid	India	P0303B (A)
	Chemilac Paints	4	5012M011213	Acrylic	Spray	PPG Powercron 6000CX	E-coat, Epoxy	Dip	Liquid	India	692NH2016 (A)
	Chemilac Paints	4W	5012M011213	Acrylic	Spray	PPG Powercron 6000	E-coat, Epoxy	Dip	Liquid	India	1325NH2017B (A)
	CWS Powder Coatings	5	31/70545	Non-TGIC Polyester	Spray	PPG Powercron 6000HE	E-coat, Epoxy, HE	Dip	Powder	Germany	3020ZD2017 (A)

Table 10 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	27 of 39	48158409

UNCONTROLLED COPY When Printed



Material Specifications

MAT0103Q**Table 10: Preferred CNH Approved - Metallic Paint Materials**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Bake (Cure Temperatures above 90°C or 194°F)											
Case Silver 86609759	PPG	5	P151G2101B-YD	Polyester	Spray	E-Coat, CR693/CP458B	Epoxy, E-coat	Dip	Powder	Italy	11518ZD2024 (B)
	PPG	5W	PCT75164	TGIC Polyester	Spray	DTM	DTM	DTM	DTM	USA	9850NH2023 (B)
	PPG Asian Paints	5	421J938	1K Acrylic	Spray	KNP LB 65 LF Gray	EC	Dip	Liquid	india	7835ZD2021
	Protech	5	ZM141S397 PC115704	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	11600NH2024 (B)
	Sherwin-Williams	4	DSZ5V0001	TGIC SD Polyester	Spray	BASF CG525	E-coat, Epoxy	Dip	Liquid	USA	7178NH2021C (B)
	Sherwin-Williams	5	43062	Primid Polyester	Spray	P6000HE	E-coat, Epoxy	Dip	Powder	Italy	5138ZD2019
	Tiger Drylac	5	538/90001	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	L0774 (A)

Table 11: Preferred CNH Approved - Metallic Paint Materials – with Clear Coat

Color and Part Number	Supplier	CNH Class (max)	Clearcoat Product Code	Clearcoat Chemistry	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Mfg.	Test Report (Pretreat Ref)
Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)													
CNH Metallic Terracotta 51598234	PPG	4W	XPC60012	Urethane	XPB01144	1K Acrylic	Spray	P6000HE	E-Coat,Epoxy	Dip	Liquid	Spainl	7258ZD2021 (A)
		5	XPC60012	Urethane	XPB01144	1K Acrylic	Spray	P6000HE	E-Coat,Epoxy	Dip	Liquid	Spainl	5348ZD2019 (A)

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

28 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q**Table 12: Preferred CNH Approved - ANSI Safety Colors**

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
ANSI Safety Red 86505500	Bake (Cure Temperatures above 90°C or 194°F)										
	Diamond Vogel	5	PLX5887-08 Sample 7	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	1239NH2016 (A)
	PPG	3	SAC66585	Acrylic	Spray	PHE551FI		Spray	Liquid		K0093 (A)
	Sherwin-Williams	5	RRS5-80000	Non-TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	N0224 (A)
ANSI Safety Yellow 86505501	Bake (Cure Temperatures above 90°C or 194°F)										
	Diamond Vogel	5	ET36-46617	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	2092NH2017 (A)
	Hentzen	4W	16829KXX	Urethane	Spray	17067AEP-1	Urethane	Spray	Liquid	USA	2791NH2017 (A)
	Bake (Cure Temperatures above 90°C or 194°F)										
	Hentzen	6	P90324KPC	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	3868NH2018 (A)

Table 13: Preferred CNH Approved Paint Materials – St. Nazianz

Color and Part Number	Supplier	CNH Class (max)	Topcoat Product Code	Topcoat Chemistry	Topcoat Application	Primer Product Code	Primer Chemistry	Primer Application	Topcoat State	Country of Manufacture	Test Report (Pretreat Ref)
Miller Ag Bag Blue 48134827	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Hentzen	4W	17486BXX	Urethane	Spray	17067AEP-1	Urethane	Spray	Liquid	USA	2792NH2017 (A)
	Bake (Cure Temperatures above 90°C or 194°F)										
	Hentzen	5	P91138BSC	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	2269NH2017 (A)
6		P91138BSC	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	4188NH2018 (A)	
NH (New) Blue 86593620	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Hentzen	3	18914BXX-5	Urethane	Spray	17844APU-2	Urethane	B	Liquid	USA	K0591 (A)
	Bake (Cure Temperatures above 90°C or 194°F)										
	Hentzen	5	P90395BSC	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	N0538 (A)
		5	P90325BPC	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	2271NH2017 (A)
6		P90325BPC	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	4187NH2018 (A)	
Miller Nitro Red 48134839	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Hentzen	3	15651RXX-2	Urethane	Spray	17067AEP-1	Urethane	Spray	Liquid	USA	P0185 (A)
Miller Gloss Black 48134840	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)										
	Hentzen	4W	16829KXX	Urethane	Spray	17067AEP-1	Urethane	Spray	Liquid	USA	2791NH2017 (A)
	Bake (Cure Temperatures above 90°C or 194°F)										
	Hentzen	6	P90324KPC	TGIC Polyester	Spray	DTM	DTM	DTM	Powder	USA	3868NH2018 (A)

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

29 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q

Table 14 : Preferred CNH Approved Primer Materials								
Color and Part Number	Supplier	CNH Class (max)	Primer	Primer Chemistry	Application	State	Country of Manufacture	Test Report (Pretreat Ref)
Case Red Oxide Primer 86629828	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)							
	PPG	1P	SAL61086			Liquid		(A)
	Valspar	2P	WAR0078	Urethane, Waterbased	Spray	Liquid	USA	(A)
Case Tan Primer 86629830	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)							
	Diamond Vogel	1P	QB-3545	Acrylic, Waterbased	Dip or Spray	Liquid	USA	K0683 (A)
	Mankiewicz	2P	SEEVENAX 113-31	Epoxy	Spray	Liquid	Germany	L0435 (A)
			SEEVENAX 313-31	Epoxy, Waterbased	Spray	Liquid	Germany	L0434 (A)
	PPG	2P	SEP76001	Epoxy	Spray	Liquid		O0926 (A,B)
			W43191			Liquid		(A)
	Sherwin-Williams	2P	E61HC53	Urethane	Spray	Liquid	USA	K0033 (A)
	Valspar	2P	AXY0376	Urethane	Spray	Liquid	USA	(A)
	Bake (Cure Temperatures above 90°C or 194°F)							
	PPG	3P	Powercron 6000CX	E-coat, Epoxy	Dip	Liquid		O1000 (A)
Gray Primer (RAL1015) 86837074	Sherwin-Williams	2P	PYS5-20001	TGIC Polyester	Spray	Powder	USA	J0294 (A)
	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)							
	Diamond Vogel	3P	QB05-43921	Acrylic, Waterbased	Dip or Spray	Liquid	USA	181NH2016 (A)
	Paumar/Weg Tintas	2P	16925054	Epoxy	Spray		Brazil	10314NH2023
	PPG	2P	SEP72666	Epoxy	Spray	Liquid		L0293 (A)
	PPG	2P	SEP74860P-GY	Epoxy	Spray	Liquid		P0873 (A)
	PPG	2P	SPPG300002	Epoxy	Spray	Liquid	China	607NH2016 (A)
	PPG	2P	LT0002SSA	Urethane	Spray	Liquid		(A)
	PPG	2P	LT15200SSA	Epoxy	Spray	Liquid	Brazil	2460NH2017 (A,B)
	PPG	3P	VRPPE1002	Epoxy	Spray	Liquid	Brazil	6583NH2020 (B)
	PPG	3P	691B-606	Epoxy	Spray	Liquid	USA	L0321 (A)

Table 14 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	30 of 39	48158409



Material Specifications

MAT0103Q

Table 14 cont.: Preferred CNH Approved Primer Materials								
Color and Part Number	Supplier	CNH Class (max)	Primer	Primer Chemistry	Application	State	Country of Manufacture	Test Report (Pretreat Ref)
Gray Primer (RAL1015) 86837074	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)							
	Sherwin-Williams	2P	EEA1030	Epoxy	Spray	Liquid	USA	5721NH2019
	Sherwin-Williams	2P	EEA1053	Epoxy	Spray	Liquid	USA	5720NH2019
	Sherwin-Williams	2P	41873	Epoxy, Waterbased	Spray	Liquid	Italy	6246ZD2020 (A)
	Sherwin-Williams	2P	45791	WB Epoxy	Spray	Liquid	Europe	8473ZD2022 (B)
	Sherwin-Williams	2P	54365	WB Epoxy	Spray	Liquid	Europe	12496ZD2025 (B)
	Sherwin-Williams	3P	IEEA0205	2K Epoxy	Spray	Liquid	India	9801ZD2023 (B)
	Valspar	1P	B91253N	Aftermarket	Spray	Liquid	USA	(A)
	Valspar	3P	64140681	Epoxy	Spray	Liquid	Brazil	M0762Q (A)
	Bake (Cure Temperatures above 90°C or 194°F)							
	Axalta Coating	3P	3525-100 IN	Epoxy	Spray	Liquid	India	10135ZD2023(B)
	Mankiewicz	3P	113IN,7802	Epoxy	Spray	Liquid	India	9990ZD2023(B)
	Paumar/Weg Tintas	3P	16371521	N/A	Spray	Powder	Brazil	8903NH2022 (B)
	PPG	2P	51050607	E-coat, Epoxy	Dip	Liquid	China	8759NH2022 (B)
	TCI	3P	9720-73804	TGIC Polyester	Spray	Powder	USA	3754NH2018 (A)
	Valspar	3P	62140709	Epoxy	Spray	Liquid	Brazil	1092NH2016 (A,B)
	Sherwin-Williams	2P	92520	WB Epoxy	Spray	Liquid	Europe	12108ZD2025 (B)
	Sherwin-Williams	3P	46382	Epoxy Polyester	Spray	Powder	Italy	6804ZD2020 (B)

Table 14 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	31 of 39	48158409



Material Specifications

MAT0103Q

Table 14 contd.: Preferred CNH Approved Primer Materials								
Color and Part Number	Supplier	CNH Class (max)	Primer	Primer Chemistry	Application	State	Country of Manufacture	Test Report (Pretreat Ref)
Case Yellow Primer 86629829	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)							
	Axalta	1P	S16123233	Alkyd	Spray	Liquid	Brazil	(A)
		2P	S1150.3295	Urethane	Spray	Liquid	Brazil	(A)
	Becker	2P	GS1235AC			Liquid		(A)
	Grand Polycoats	2P	RTU QR Beige SG	Epoxy	Spray		India	11606ZD2024(B)
	Mankiewicz	2P	SEEVENAX 113-05	Urethane	Spray	Liquid	Germany	P0667 (A)
	PPG	2P	LT0044SSO	Epoxy	Spray	Liquid	Brazil	N1184 (A)
			LT0045SSA	Urethane	Spray	Liquid	Brazil	N1183 (A)
			SPU65288	Urethane	Spray	Liquid	USA	(A)
			SPU66665	Urethane	Spray	Liquid	USA	K0084
			SPU70411	Urethane	Spray	Liquid	USA	J0340
	Sherwin-Williams	2P	E61YC708	Urethane	Spray	Liquid	USA	(A)
			E61YC712	Epoxy	Spray	Liquid	USA	(A)
			76490	Acrylic	Spray	Liquid	Europe	8405ZD2022C (B)
			45711	WB 2K PU	Spray	Liquid	Italy	5308ZD2019 (B)
		3P	EEY1010	Epoxy	Spray	Liquid	USA	3180NH2018 (A,B)
	Sico Ind Ctg	2P	577-232			Liquid		
	Valspar	2P	36790	Epoxy	Spray	Liquid	Europe	2016K037
	Bake (Cure Temperatures above 90°C or 194°F)							
	PPG	2P	W29886	Epoxy	Spray	Liquid	USA	(A)
		3P	Powercron 6100LC	E-coat, Epoxy	Dip	Liquid	USA	(A)
			Powercron 6100CM	E-coat, Epoxy	Dip	Liquid	USA	(A)
	Sherwin-Williams	3P	47678	Epoxy polyester	Spray	Powder	Italy	8515ZD2022 (B)
	Valspar	3P	31910	Non-TGIC Polyester	Spray	Powder	Europe	2016K034
	AkzoNobel	3P	ED221i	Epoxy / Polyester	Spray	Powder	Italy	8703ZD2022 (B)
			QAP501		Spray	Liquid		L0098 (A)

Table 14 continued on next page

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

32 of 39

CNH NUMBER

48158409



Material Specifications

MAT0103Q

Table 14 contd.: Preferred CNH Approved Primer Materials								
Color and Part Number	Supplier	CNH Class (max)	Primer	Primer Chemistry	Application	State	Country of Manufacture	Test Report (Pretreat Ref)
Case Gray Primer 86629832	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)							
	AkzoNobel	2P	4003AOJM			Liquid		(A)
	Axalta	2P	934S	Epoxy	Spray	Liquid	USA	(A)
			2525-400	Epoxy	Spray	Liquid	USA	744NH2016 (A)
			362-400	Urethane	Spray	Liquid	USA	4287NH2019 (A)
	Chemilac Paint	2P	1512P033049	Epoxy	Spray	Liquid	India	10353ZD2023, (CR steel Oxsilan)
			1512P033049	Epoxy	Spray	Liquid	India	10353ZD2023, (Oxsilan)
	Freilacke	2P	ER1980M735-005	Epoxy	Spray	Liquid	Germany	(A)
	Kansai	2P	BB125Z001	Epoxy	Spray	Liquid	Turkey	5412ZD2019 (B)
	Mankiewicz	3P	113-31 7802	Epoxy	Spray	Liquid	Germany	5274ZD2019 (B)
			113-3A 7802	Epoxy	Spray	Liquid	Germany	5277ZD2019 (B)
	PPG	1P	W43071			Liquid		c
			X447-9303			Liquid		(A)
		2P (continued – next page)	6634682			Liquid		(A)
			EEP-435		Spray	Liquid		L0099 (A)

Table 14 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	33 of 39	48158409



Material Specifications

MAT0103Q

Table 14 contd.: Preferred CNH Approved Primer Materials								
Color and Part Number	Supplier	CNH Class (max)	Primer	Primer Chemistry	Application	State	Country of Manufacture	Test Report (Pretreat Ref)
Case Gray Primer 86629832 (continued)	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)							
	PPG	2P	SEP63229			Liquid		(A)
	PPG	2P	SEP65577			Liquid		(A)
	PPG	2P	SEP71138		Spray	Liquid		K0095 (A)
	PPG	2P	SEP71789		Spray	Liquid		L0488B (A)
	PPG	2P	SEPB300002	Epoxy	Spray	Liquid	China	608NH2016 (A)
	PPG	2P	W43181A	Urethane	Spray	Liquid	USA	(A)
	PPG	2P	W43181MTJ	Urethane	Spray	Liquid	China	1783NH2017 (A)
	PPG	2P	W43181ATJ		Spray	Liquid		1782NH2017 (A)
	PPG	3P	HPP2003	Urethane	Spray	Liquid	USA	2197NH2017 (A,B)
	Sherwin-Williams	1P	E61AC134	Urethane	Spray	Liquid	USA	(A)
	Sherwin-Williams	2P	E61A280	Epoxy	Spray	Liquid	USA	J0544
	Sherwin-Williams	2P	E61AC125	Urethane	Spray	Liquid	USA	(A)
	Sherwin-Williams	2P	E61AC144	Urethane	Spray	Liquid	USA	J0543B (A)
	Sherwin-Williams	2P	E61AC149	Epoxy	Spray	Liquid	USA	K0365 (A)
	Sherwin-Williams	2P	E61AC149	Epoxy	Spray	Liquid		K0307
	Sherwin-Williams	2P	E61AC149	Epoxy	Spray	Liquid		L0365 (A)
	Sherwin-Williams	2P	E61AC725	Epoxy	Spray	Liquid	USA	(A)
	Sherwin-Williams	2P	IEEA0205	Epoxy	Spray	Liquid	India	5280ZD2019 (B)
	TCI	3P	9720-73804	Polyester		Powder		3754NH2018
	Valspar	2P	C64140681	Epoxy	Spray	Liquid		946NH2016 (A)
	Valspar	2P	IEEA0151	Urethane	Spray	Liquid		898NH2016 (A)
	Bake (Cure Temperatures above 90°C or 194°F)							
	Kansai Nerloc	3P	LB 40 LF Gray	E-coat, Epoxy	Dip	Liquid		8122ZD2021 (B)
	PPG	2P	SEP63137			Liquid		(A)
	PPG	2P	W43435	Epoxy	Spray	Liquid	USA	(A)
	PPG	3P	CR691B/ CP442	E-coat, Epoxy	Dip	Liquid	USA	(A)
	PPG	3P	32090607/ E6358D		Spray	Liquid		O0936 (A)
	Sherwin-Williams	2P	PAS6-20069	TGIC Polyester	Spray	Powder	USA	J0296 (A)
	Sherwin-Williams	2P	45791	WB Epoxy	Spray	Liquid	Europe	8473ZD2022 (B)
	Sherwin-Williams	3P	37037	Epoxy Polyester	Spray	Powder	Italy	6805ZD2020 (B)
	Sherwin-Williams	3P	30170	Epoxy Polyester	Spray	Powder	Italy	8516ZD2022 (B)
	Valspar	2P	43-F104A	Enamel	Spray	Liquid	USA	(A)
	Valspar	3P	WECC019-WEAC107	E-coat, Epoxy	Dip	Liquid	USA, Europe	N0595 (A)
	Valspar	3P	WECC019-WEAC118	E-coat, Epoxy	Dip	Liquid	USA, Europe	N0597 (A)

Table 14 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	34 of 39	48158409



Material Specifications

MAT0103Q

Table 14 contd.: Preferred CNH Approved Primer Materials								
Color and Part Number	Supplier	CNH Class (max)	Primer	Primer Chemistry	Application	State	Country of Manufacture	Test Report (Pretreat Ref)
Black Primer 86629831	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)							
	AkzoNobel	3P	Cortek ED C 6000	E-coat				
	Alcea	3P	GV61-9190	Alkyd, Waterbased	Dip	Liquid	Italy	M0718A (A)
	Aqua Armor Tech	3P	Metal Jacket		Dip	Liquid		H0269 (A)
	Arsonsisi	1P	W323N33	Epoxy	Dip or Spray	Liquid	Italy	5128ZD2019 (B)
	Arsonsisi	2P	W323N34	Epoxy	Dip or Spray	Liquid	Italy	5129ZD2019 (B)
	BASF	3P	570M	Epoxy Ecoat	Dip	Liquid	Italy	11273ZD2024(B)
	Chemetall (BASF)	3P	Viant	Conversion + Primer	Dip	Liquid	Germany	9187NH2022 (E)
	Chemilac Paints	1P	1204P032001	Alkyd	Spray	Liquid	India	9949ZD2023 (B)
	Chemilac Paints	2P	1512P03002	Epoxy	Spray	Liquid	India	12186ZD2025 (B)
	Diamond Vogel	1P	QL-9595	Acrylic, Waterbased	Dip or Spray	Liquid	USA	L0160 (A)
	DYO	2P	450-9162	Alkyd	Spray	Liquid	Turkey	8991NH2022 (B)
	DYO	3P	507-9092	Epoxy Ester Based	Dip or Spray	Liquid	Turkey	9025NH2022 (B)
	GF Casting Solutions Leipzig	2P	5906555-W	Water-Thinnable 2K-Epoxy	---	Liquid	Germany	11849ZD2025, Shot blasting pretreat
	Gross & Perthune	2P	2705887-W-I	Alkyd	Spray	Liquid	Germany	J0510 (A)
	PPG	1P	SAL63279			Liquid		
	PPG	1P	W42447TJ		Spray	Liquid		P0378 (A)
	PPG	2P	SEP61993			Liquid		
	PPG	2P	SPU66666			Liquid		
	PPG	2P	16235N25	Epoxy	Spray	Liquid	India	12946NH2026 (B)
	PPG	3P	543468 / 543478	E-coat				G0652
	PPG	3P	LT6913SSA	Epoxy	Spray	Liquid	Brazil	2894NH2018 (A)
	PPG	3P	WAC61572		Spray	Liquid		F0591 (A)
	Prospa	2P	F17704	1K Alkyd	Spray	Liquid	France	6011ZD2020 (B)
	Prospa	2P	CPB8936	---	Dip	Liquid	France	10875ZD2024-B
	Prospa	2P	CPB8936	---	Spray	Liquid	France	10874ZD2024-B
	Sherwin-Williams	1P	97530	1K Epoxy	Dip or Spray	Liquid	Europe	6806ZD2020 (B)
	Sherwin-Williams	1P	(2) layers PXA4030, F63B104	Epoxy, Urethane	Spray	Liquid	USA	9084NH2022 (B)
	Sherwin-Williams	2P	E61BC28	Urethane	Spray	Liquid	USA	K0032 (A)
	Sherwin-Williams	2P	E61B752	Alkyd	Dip	Liquid	USA	3554NH2018 (A)
	Sherwin-Williams	2P	39204	Alkyd	Spray	Liquid	Italy	5305ZD2019 (B)
	Sherwin-Williams	2P	74430	Alkyd	Spray	Liquid	Italy	5306ZD2019 (B)
	Sherwin-Williams	2P	48238	Urethane, Waterbased	Spray	Liquid	Italy	5307ZD2019 (B)
	Sherwin-Williams	2P	34316	Epoxy, Waterbased	Spray	Liquid	Italy	6247ZD2020 (A)
	Sherwin-Williams	2P	33070	Epoxy	Spray	Liquid	Italy	6421ZD2020 (B)
	Sherwin-Williams	2P	E61BC0707	Alkyd	Dip	Liquid	USA	6210NH2020 (B)
	Sherwin-Williams	2P	51987	WB Epoxy	Spray	Liquid	Italy	8474ZD2022 (B)
	Sherwin-Williams	3P	EEA0137	Epoxy	Spray	Liquid	USA	4899NH2019 (B)

Table 14 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	35 of 39	48158409

UNCONTROLLED COPY When Printed

Table 14 contd.: Preferred CNH Approved Primer Materials								
Color and Part Number	Supplier	CNH Class (max)	Primer	Primer Chemistry	Application	State	Country of Manufacture	Test Report (Pretreat Ref)
Black Primer 86629831 (continued)	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)							
	Sherwin-Williams	2P	E61B00707.CN	Alkyd	Dip or Spray	Liquid	China	11852ZD2025 (B)
	Valspar	1P	WAA0385	Urethane, Waterbased	Spray		USA	1234NH2016 (A)
	Valspar	3P	EEA0221	Epoxy	Spray	Liquid	---	O0801 (A)
Black Primer 86629831 (continued)	Valspar	3P	EEA0221	Epoxy	Spray	Liquid	USA	1417NH2017 (A)
	Bake (Cure Temperatures above 90°C or 194°F)							
	AkzoNobel	3P	C 6000			Liquid		(A)
	AkzoNobel	3P	20-7450-B Corvel	Urethane	Spray	Powder	USA	(A)
	AkzoNobel	3P	JN185QF	TGIC Polyester	Spray	Powder	USA	Q0045 (A)
	Axalta	2P	8A36-43119/RESL-90384	E-coat, Epoxy	Dip	Liquid	Europe	P0570 (A)
	Axalta	3P	4023-2143	E-coat, Epoxy	Dip	Liquid	USA	J0414 (A)
	Axalta	3P	EK-2160 / 629-2161 or 4023-2161	E-coat, Epoxy	Dip	Liquid		P0336 (A)
	Axalta	3P	PFB712S4	TGIC Polyester	Dip	Powder	USA	1399NH2017 (A)
	Axalta	3P	A95190110 / 95190402	E-coat	Dip	Liquid	Brazil	7575NH2021 (B)
	BASF	2P	QT31-9570/QT30-0570	E-coat, Epoxy	Dip	Liquid	Germany, Spain, China, India, USA, Brazil	O0695 (A)
	BASF	3P	QT80-0636/QT81-9436	E-coat, Epoxy	Dip	Liquid		N0118 (A)
	BASF	3P	U32KD526	E-coat, Epoxy	Dip	Liquid	USA, Brazil	(A)
	BASF	3P	QT82-9436	E-coat, Epoxy	Dip	Liquid		O0359 (A)
	BASF	3P	GV34-9575/GY33-0500	E-coat, Epoxy	Dip	Liquid		O0355 (A)
	DYO Boya Fabrikalri	2P	507-9249	Epoxy	Dip or Spray	Liquid	Turkey	8808NH2022 (B)
	Gross & Perthun Lackfabrik	2P	4907033-W-I	Alkyd	Dip	Liquid		Q0057 (A)
	Henkel	2P	Aquence 937 (BONDERITE® M-PP 937™)	Autophoretic	Dip	Liquid		M0734B (A)
	Henkel	3P	ACC 866 (BONDERITE® M-PP 866™)	Autophoretic	Dip	Liquid		(A)
	Henkel	3P	ACC 915 (BONDERITE® M-PP 915™)	Autophoretic	Dip	Liquid		(A)
	Henkel	3P	Aquence 930/E2 (BONDERITE® M-PP 930™)	Autophoretic	Dip	Liquid		(A)
	Kansai	2P	NA160S2005	1K PVB-Epoxy	Dip	Liquid	Turkey	8181ZD2021 (B)
	Kansai	2P	BA16S132	Epoxy polyamide	Spray	Liquid	Turkey	8178ZD2021 (B)
	Kansai	2P	Elecron LB-400 Black	E-coat, Epoxy	Dip	Liquid	EU	11703ZD2024 (B)
	Kansai	2P	Elecron LB 280	E-coat, Epoxy	Dip	Liquid	EU	11704ZD2024 (B)
	Kansai Altan Boya	3P	NT-260 Black F1 WFA260S2157VR	Epoxy E-coat	Dip	Liquid	Turkey	10850ZD2024 (B)
	Kansai Altan Boya San.Tic. A.S.	2P	NT-260 Black F1 WFA260S2157VR	Cathodic Electro Deposition	Dip	Liquid	Turkey	10850ZD2024 (Chemetall Gardobond)

Table 14 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	36 of 39	48158409



Material Specifications

MAT0103Q

Table 14 contd.: Preferred CNH Approved Primer Materials								
Color and Part Number	Supplier	CNH Class (max)	Primer	Primer Chemistry	Application	State	Country of Manufacture	Test Report (Pretreat Ref)
Black Primer 86629831 (continued)	Bake (Cure Temperatures above 90°C or 194°F) continued							
	Kansai Helios	3P	Electron LB-400 Black	Epoxy Ecoat CED	Dip	Liquid	Europe	11703ZD2024 (B)
	Mankiewicz	2P	Seevenax Decklack 312-11	Polyurethane	Spray	Liquid	Germany	11769ZD2024 (B)
	Mankiewicz	3P	112-33 RAL9005	2K Epoxy	Spray	Liquid	Germany	7848ZD2021 (B)
	PPG	2P	Q8135-BLK		Spray	Liquid		L0565B (A)
	PPG	3P	Powercron 6200HE CR693/CP458A	E-coat, Epoxy, HE	Dip	Liquid	France	3128ZD2018 (A)
	PPG	3P	543468 / 543478		Spray	Liquid		(A)
	PPG	3P	Powercron 937	E-coat, Epoxy	Dip	Liquid		(A)
	PPG	3P	Powercron 939	E-coat, Epoxy	Dip	Liquid		(A)
	PPG	3P	Powercron 6000CX	E-coat, Epoxy	Dip	Liquid	USA	(A)
	PPG	3P	Powercron 6000HE	E-coat, Epoxy	Dip	Liquid	USA	(A)
	PPG	3P	P8000	E-coat, Epoxy	Dip	Liquid	USA	(A)
	PPG	3P	CF590-534	E-coat, Epoxy	Dip	Liquid		1563NH2017 (A,B)
	PPG	3P	CF699-484	E-coat, Epoxy	Dip	Liquid		988NH2016 (A)
	PPG	3P	CR691D/CP524B	E-coat, Epoxy	Dip	Liquid	USA	(A)
	PPG	3P	CR691A/CP458A	E-coat, Epoxy	Dip	Liquid	France	K0723 (A)
	PPG	3P	CR691A/CP523F	E-coat, Epoxy	Dip	Liquid	France	L0600B (A)
	PPG	3P	Powercron 6000HE CR691F/CP458A	E-coat, Epoxy, HE	Dip	Liquid	France	1494NH2017
	PPG	3P	PCTC90111M	TGIC Polyester	Spray	Powder	China	P0553 (A,B)
	PPG	3P	PCT90111M	TGIC Polyester	Spray	Powder	USA	G0069 (A)
	PPG	3P	P681-524	Epoxy		Liquid		L0745 (A)
	PPG	3P	P841		Spray	Liquid		N0535 (A)
	PPG	3P	P681-524	E-coat, Epoxy	Dip	Liquid	Brazil	6935NH2020 (B)
	PPG	3P	Powercron 10X (P100-491)	Cationic Epoxy Electrocoat	Dip	Liquid	France	10958ZD2024 (B)
	PPG	3P	Powercron 10X CR110-CP495	Epoxy Ecoat CED	Dip	Liquid	France	10958ZD2024 (B)
	Sherwin-Williams	1P	52394	1K Epoxy	Dip or Spray	Liquid	Europe	6407ZD2020 (B)
	Sherwin-Williams	2P	FBS4-20001	Non-TGIC Polyester	Spray	Powder	USA	J0295 (A)
	Sherwin-Williams	2P	51987	WB Epoxy	Spray	Liquid	Europe	8474ZD2022 (B)
	Sherwin-Williams	2P	68440	Acrylic	Spray	Liquid	Europe	7353ZD2021 (B)
	Sherwin-Williams	2P	IEEA 101/ICEC057	2K Epoxy	Spray	Liquid	India	9125ZD2022(B)
	Sherwin-Williams	3P	RBS4-20001	Non-TGIC Polyester	Spray	Powder	USA	K00002 (A)
	Sherwin-Williams	3P	PHA60138	Hybrid	Spray	Powder	USA	6510NH2020 (B)
	Sherwin-Williams	3P	WEAC208/WECC033	E-coat, Epoxy	Dip	Liquid	Europe	8415NH2022 (B)
	Sherwin-Williams	3P	WEAC300/WECC034	E-coat, Epoxy	Dip	Liquid	USA	8416NH2022 (B)

Table 14 continued on next page

NAME	REV.	PAGE	CNH NUMBER
APPROVED PAINT MATERIALS FOR METAL PARTS	W	37 of 39	48158409



Material Specifications

MAT0103Q

Table 14 contd.: Preferred CNH Approved Primer Materials								
Color and Part Number	Supplier	CNH Class (max)	Primer	Primer Chemistry	Application	State	Country of Manufacture	Test Report (Pretreat Ref)
Black Primer 86629831 (continued)	Bake (Cure Temperatures above 90°C or 194°F) continued							
	TCI	3P	9420-91835	TGIC Polyester	Spray	Powder	USA	3753NH2018 (A)
	TCI	3P	9510-91410	TGIC Polyester	Spray	Powder	USA	L0698 (A)
	TCI	3P	9720-91950	TGIC Polyester	Spray	Powder	USA	L0699 (A)
	Valspar	3P	WECC018		Spray	Liquid		K0757 (A)
	Valspar	3P	EEA0221	Epoxy		Liquid		1417NH2017: pretreat M-FE 1000 M-PT 60
	Valspar	3P	WECC019-WEAC112	E-coat, Epoxy	Dip	Liquid	USA, Europe	N0625 (A)
	Valspar	3P	WECC019-WEAC119	E-coat, Epoxy	Dip	Liquid	USA, Europe	N0626 (A)
Case White Primer 86630221	Bake (Cure Temperatures above 90°C or 194°F) continued							
	Tiger Drylac	3P	Drylac 271/70003	Epoxy	Dip	Powder	Germany	8861ZD2022 Iron Phosphated Cleaning
	PPG	2P	P512G002R-YD	Polyester	Spray	Powder	France	8605ZD2022
NH Taupe Primer 86505487	Air Dry/Forced Dry, Chemical Cure (Cure Temperatures to 90°C or 194°F)							
	PPG	2P	SPU65287	Urethane	Spray	Liquid	USA	(A)
	PPG	2P	16230305	Epoxy	Spray	Liquid	India	2796NH2017 (A)

Table 15: Non-Preferred Paint Materials (Approved to Former Company Specifications)

Non-Preferred Paint Materials that were approved to former company specifications are listed in MAT0101Q.

NAME

APPROVED PAINT MATERIALS FOR METAL PARTS

REV.

W

PAGE

38 of 39

CNH NUMBER

48158409

Annex A: Code Designations

Table A1 lists code designations for pretreatment used for material approval testing.

Table A1: Pretreatments Used for New Material Approval Testing			
Code	Supplier	Product	Description
A	Henkel	BONDERITE® M-FE 1000 M-PT 60	Iron Phosphate, Chrome Seal (also known as B1000 P60)
B	Henkel	BONDERITE® M-FE 1000 M-PT 99X	Iron Phosphate, Non-Chrome Seal (also known as B1000 P99X)
C	N/A	Shot blast	Shot blast, air blow off
D	Henkel	BONDERITE® M-NT NT-1	Phosphate-free, Conversion coating
E	Chemetal	Zinc Phosphate	Zinc Phosphate