PLACING

BUGGIES: TRACK BUGGIES



Largest track buggy payload available at 2,500 lbs

> 16 Cubic foot heavy-duty poly dump bucket for long life

KOHLER EZT740 (747 cc) GASOLINE WITH ELECTRIC STARTER

> 25 hp (18.6 kW) HORSEPOWER WITH TOP SPEED OF WORK: 4 mph (6 kph)

8

TRAVEL: 6 mph (10 kph)





Scan this QR code to learn more details about this product.





|←→

102.5 x 35.6 X 65.25 in

(260 x 90.4 x 166 cm)

DIMENSIONS

(L X W X H)

Rubber tracks for extra load capacity and traction

Two LED work lights for greater work site visibility

AT16

The AT16 is the largest track buggy offered by Allen Engineering. This buggy comes fully equipped with lights, single-hand drive, twoinch tubular frame, and robust 2,500 lb payload capacity. The AT16 rubber track concrete buggy delivers excellent performance and precise maneuverability. Equipped with a 90-degree dump angle, AT16 buggy can place your material exactly where you need it.

SPECIFICATIONS

SPECIFICATIONS	AT16
ENGINE	KOHLER EZT740 (747 cc)
HORSEPOWER CLASS	25 hp (18.6 kW)
STARTER	Electric
FUEL TYPE	Gasoline
FUEL CAPACITY	6 gal (22.7 L)
TOP SPEED	WORK: 4 mph (6 kph) TRAVEL: 6 mph (10 kph)
PAYLOAD	2,500 lb (1,134 kg)
BUCKET CAPACITY	16 cu. ft. (0.45 m³)
DUMP ANGLE	90°
DUMP/RETURN SPEED EMPTY	15 Seconds
PIVOT ANGLE	0°
WEIGHT	1475 lb (669 kg)
DIMENSIONS (L X W X H)	102.5 x 35.6 X 65.25 in (260 x 90.4 x 166 cm)

PART NO.	MODEL NO.	DESCRIPTION
074920	AT16PBES	16 cu. ft., Poly Bucket, Fixed Dump, Gas, Electric Start

