

Steele
RUBBER PRODUCTS®

Universal Parts Catalog

Quality Crafted Rubber Seals and Parts



■ **Dense & Sponge Extrusions**

■ **Rubber Edging**

■ **Trim Seals**

■ **Locking Gaskets**

■ **Grommets**

■ **Bumpers & Plugs**

■ **Rubber Bushings**

■ **Rubber Mounting Pads**

■ **Peel-N-Stick Extrusions**

■ **Adhesives & Cleaners**

VEHICLE SPECIFIC CATALOGS ALSO AVAILABLE!



We print thousands of catalogs every year that are tailored to our customers and their vehicles.

These catalogs are Year, Make, Model and Style specific so finding the right parts for your vehicle has never been easier. All of the research has been done for you so you can get all of the right parts the first time.



Since we print them on demand, they are completely up-to-date with new parts and accurate descriptions. If you have more than one project, you can order one for each!

- Expertly selected parts for your vehicle
- Quick printing and delivery
- Order as many as you need
- FREE



800-230-5871
steelerubber.com/parts

UNIVERSAL SEALS

DENSE RUBBER SEALS	2
SPONGE RUBBER SEALS	10
EDGING SEALS	14
PEEL-N-STICK SEALS	15
PUSH-ON SEALS	18
GLASS RUN CHANNELS	19
BELTLINE	20

GROMMETS, BUMPERS & PLUGS

GROMMETS	21
BUMPERS	22
PLUGS	23

RV & MARINE

RV WEATHERSTRIPPING	24
MARINE WEATHERSTRIPPING	25

GENERAL USE PARTS

RUBBER SHEETING	26
FENDER WELTING	26
RUBBER BUSHINGS	27
RUBBER PADS	27

ACCESSORIES

ADHESIVES, CLEANERS & SEALERS	28
TOOLS	30

INFORMATION

CUSTOMER SERVICE & PRODUCT ASSISTANCE ..	32
--	----



Since 1958



Steele Rubber Products 6180 E NC 150 HWY Denver NC 28037

www.steelerubber.com

DENSE RUBBER SEALS

SPONGE RUBBER SEALS ON PAGE 10

How To Order

All of our universal seals, on pages 2-13, are sold "by the foot". Simply let us know how many feet you require, and we will cut to your custom length.




Possible Uses:


Many of the seals on these pages are perfect for holding glass in a metal track, providing safety and great finishing looks.

<p>70-1192-52</p>	<p>30-0086-99</p>	<p>70-1189-52</p>	<p>30-0512-99</p>	<p>18-0004-77</p>
<p>30-0044-77</p>	<p>70-1297-99</p>	<p>40-0053-99</p>	<p>70-1796-99</p>	<p>60-0687-99</p>
<p>70-0084-99</p>	<p>70-1195-52</p>	<p>70-1190-52</p>	<p>70-3245-99</p>	<p>50-0392-99</p>
<p>30-0478-99</p>	<p>70-1188-52</p>	<p>40-0359-99</p>	<p>70-3286-99</p>	<p>50-0333-99</p>
<p>30-0020-99</p>	<p>70-1191-52</p>	<p>50-0215-99</p>	<p>30-0003-99</p>	<p>60-0083-99</p>
<p>70-1194-52</p>	<p>40-0015-52</p>	<p>70-2092-99</p>	<p>40-0415-99</p>	<p>60-0133-99</p>


Call or visit our website for current pricing




60-0658-99




18-0003-83




70-1260-99




70-0998-99




50-0482-99




60-0549-99




40-0096-99




40-0437-99




70-1799-99




60-0121-99




12-0009-99




60-0661-99



70-1798-99




70-3169-99




60-0130-99




60-0273-99




60-0576-99




40-0436-99




60-0038-99




70-2241-99




60-0551-99




70-3176-99




70-1029-99




50-0393-99




60-0657-99




60-0728-99




70-1028-99




70-3170-99




60-0552-99




60-0718-99




70-2253-99




40-0477-99




60-0717-99




40-0054-99




60-0523-99



40-0360-99




70-1428-99




19-0005-99

USES 30-0439-99 LOCKSTRIP
SEE PAGE 5




30-0498-99

USES 60-0607-99 LOCKSTRIP
SEE PAGE 5




40-0507-99


SELF LOCKING



40-0516-99




30-0014-99




19-0006-99

SELF LOCKING




70-4068-457

USES 30-0439-99 LOCKSTRIP
SEE PAGE 5




70-1644-99

SELF LOCKING



40-0484-99

USES 60-0607-99 LOCKSTRIP
SEE PAGE 5




70-1261-99

EXTRUSIONS THAT USE
LOCKING STRIPS*



UNIVERSAL SEAL
THAT ACCEPTS
LOCKING STRIP
(Many on page 4 & 5
use a lock strip)



LOCKING STRIP

GLASS



LOCKING STRIPS

LOCKING STRIPS can be
used with many of the dense
rubber seals on this page.
Please see Page 5
for a list of locking strips.

*Typically used on windshield and back window
glass on many older cars, trucks and vans.

All of our universal rubber seals on pages 2-13
are sold by the foot. Simply let us know how many
feet you require, and we will cut to your custom length.

Call or visit our website for current pricing


<p>USES 60-0607-99 LOCKSTRIP SEE PAGE 5</p> <p>60-0082-99</p>	<p>USES 30-0439-99 LOCKSTRIP SEE PAGE 5</p> <p>40-0519-99</p>	<p>USES 30-0439-99 LOCKSTRIP SEE PAGE 5</p> <p>40-0432-99</p>	<p>USES 30-0439-99 LOCKSTRIP SEE PAGE 5</p> <p>30-0436-99</p>	<p>USES 60-0607-99 LOCKSTRIP SEE PAGE 5</p> <p>40-0548-99</p>
<p>USES 30-0439-99 LOCKSTRIP SEE PAGE 5</p> <p>40-0496-99</p>	<p>USES 30-0439-99 LOCKSTRIP SEE PAGE 5</p> <p>40-0433-99</p>	<p>USES 60-0607-99 LOCKSTRIP SEE PAGE 5</p> <p>70-0587-99</p>	<p>USES 30-0439-99 LOCKSTRIP SEE PAGE 5</p> <p>40-0511-99</p>	<p>USES 30-0439-99 LOCKSTRIP SEE PAGE 5</p> <p>40-0520-99</p>

LOCKING STRIPS




LOCKING STRIPS can be used with many of the dense rubber seals on pages 4 & 5. They lock the gasket in place for a tight weatherproof seal.


UNIVERSAL SEAL
THAT ACCEPTS
LOCKING STRIP
(Pages 4 & 5)



Call or visit our website for current pricing




60-0607-99
Sold per/foot




30-0439-99
Sold per/foot


70-2195-52
16ft. Strip




70-1918-52
15ft. Strip



70-2196-52
16ft. Strip



70-1919-52
15ft. Strip




70-3425-52
11ft. Strip

T-RUBBER SEALS

Steele Rubber Product's dense "T-rubber" seals can be used in just about any application where rubber is held in place with a track or channel. Many RV & Marine screen and shower doors utilize T-rubber seals.

Metal Track →



→ T-Rubber


<p>19-0023-73</p>	<p>70-0142-52</p>	<p>70-3788-99</p>	<p>70-1163-52</p>	<p>19-0024-52</p>
<p>70-3898-99</p>	<p>40-0036-99</p>	<p>40-0018-99</p>	<p>40-0033-99</p>	<p>70-0015-99</p>

SETTING CHANNEL

The "Setting Channel" extrusions listed below are designed to fold in a "U" shape to hold glass away from a metal frame.


GLASS

SETTING CHANNEL




METAL FRAME

ALL SOLD PER FOOT



70-1115-57



70-1114-57

































70-2169-57




























70-2170-57

Call or visit our website for current pricing

 <p>70-0241-57</p>	 <p>70-0018-99</p>	 <p>70-2093-99</p>	 <p>11-0010-57</p>	 <p>70-0997-99</p>
 <p>70-2324-57</p>	 <p>70-2844-57</p>	 <p>30-0035-65</p>	 <p>40-0095-99</p>	 <p>70-1167-99</p>
 <p>70-2642-57</p>	 <p>70-3827-99</p>	 <p>19-0004-52</p>	 <p>70-0060-65</p>	 <p>60-0566-99</p>
 <p>30-0507-57</p>	 <p>70-0489-58</p>	 <p>50-0528-62</p>	 <p>70-0081-67</p>	 <p>70-0065-73</p>
 <p>30-0154-57</p>	 <p>60-0059-83</p>	<p>Designed to be used on glass that is flush-mounted with butyl, rivets, etc. May require trimming the stem of the "T" shape to match depth needed.</p>		<p>Excellent choice for universal glass setting applications.</p>
 <p>70-1193-99</p>	 <p>70-0075-57</p>	 <p>70-4155-99 • per/ft.</p>	 <p>70-2841-99 • per/ft. 70-2851-52 • 12ft. 70-2850-52 • 20ft.</p>	 <p>70-2860-99 • per/ft. 70-2860-52 • 15ft.</p>


70-0288-99

30-0084-99

30-0139-73


70-0116-99

70-0079-58

70-0251-65

70-0155-65

60-0047-99

60-0054-99

70-0064-57

30-0031-99

30-0051-99

70-0236-73

70-0231-85

70-0585-58

70-0570-99

30-0085-99

70-3960-99

50-0541-37

20-0102-45

70-1171-99

70-0066-73

70-3996-99

70-2166-99

60-0578-42

70-1170-99

70-3795-99

70-3999-99

70-4067-99

70-2221-42


Universal Seals

Steele
RUBBER PRODUCTS


Call or visit our website for current pricing




70-1446-99




70-0019-52



40-0487-73




70-1448-73




70-2424-99




60-0078-99



60-0055-52



70-1237-48




60-0660-45




70-2423-99




70-0140-99




70-1236-48




60-0667-45




27-0106-30




70-2422-99




40-0475-42



70-0308-17




30-0482-41




70-1292-73




70-2396-99



60-0153-99




70-1693-57




60-0287-99




70-1656-99



70-1583-99



12-0010-99



70-4064-99



60-0653-99



70-3976-99



SPONGE RUBBER SEALS

DENSE RUBBER SEALS ON PAGE 2

How To Order

All of our universal seals, on pages 2-13, are sold "by the foot". Simply let us know how many feet you require, and we will cut to your custom length.

































Possible Uses:































Many of the seals on these pages are perfect for sealing doors and windows.


<p>70-1789-99</p>	<p>70-0492-73</p>	<p>70-1244-73</p>	<p>70-0653-99</p>	<p>70-1269-99</p>
<p>50-0085-73</p>	<p>70-0219-73</p>	<p>70-1111-73</p>	<p>70-0491-73</p>	<p>70-2705-99</p>
<p>70-0145-73</p>	<p>70-0331-73</p>	<p>70-1112-73</p>	<p>60-0456-99</p>	<p>60-0411-85</p>
<p>40-0480-73</p>	<p>30-0470-99</p>	<p>70-1045-99</p>	<p>70-3371-99</p>	<p>20-1389-99</p>
<p>70-0390-73</p>	<p>70-1267-99</p>	<p>70-1245-73</p>	<p>20-2618-99</p>	<p>60-0562-99</p>
<p>60-0416-99</p>	<p>70-0311-73</p>	<p>70-1731-99</p>	<p>20-0042-99</p>	<p>40-0168-73</p>

Call or visit our website for current pricing


 <p>50-0219-99</p>	 <p>70-2989-99</p>	 <p>70-1750-99</p>	 <p>20-0302-99</p>	 <p>70-3155-99</p>
 <p>70-0411-73</p>	 <p>70-2124-99</p>	 <p>70-3228-99</p>	 <p>70-2727-99</p>	 <p>70-3154-99</p>
 <p>60-0114-99</p>	 <p>60-0732-99</p>	 <p>70-1776-99</p>	 <p>70-2992-99</p>	 <p>70-3647-99</p>
 <p>70-1258-99</p>	 <p>70-1662-99</p>	 <p>40-0490-99</p>	 <p>70-2329-99</p>	 <p>82-0216-99</p>
 <p>60-0731-99</p>	 <p>40-0513-85</p>	 <p>70-1085-99</p>	 <p>70-1663-99</p>	 <p>70-0598-99</p>
 <p>70-3680-99</p>	 <p>70-0654-99</p>	 <p>50-0340-99</p>	 <p>70-0906-99</p>	 <p>70-3658-99</p>

Call or visit our website for current pricing


 <p>60-0695-99</p>	 <p>70-0839-99</p>	 <p>70-0586-99</p>	 <p>70-2393-99</p>	 <p>70-2394-99</p>
 <p>70-0509-99</p>	 <p>50-0161-85</p>	 <p>70-0412-85</p>	 <p>30-0356-85</p>	 <p>20-1688-99</p>
 <p>70-0346-85</p>	 <p>70-0650-85</p>	 <p>82-0030-99</p>	 <p>70-0510-85</p>	 <p>40-0479-85</p>
 <p>70-1437-99</p>	 <p>60-0651-99</p>	 <p>70-2401-99</p>	 <p>70-0490-85</p>	 <p>70-3113-99</p>
 <p>70-1036-99</p>	 <p>70-1037-99</p>	 <p>70-1035-99</p>	 <p>70-0463-85</p>	 <p>40-0280-57</p>
 <p>70-0518-85</p>	 <p>70-0777-99</p>	 <p>70-0701-99</p>	 <p>70-0884-99</p>	 <p>70-0957-99</p>




70-3703-99




20-0390-99




30-0144-87




30-0243-73



70-1105-99



70-0129-99



70-1106-99

WE ALSO OFFER CLASSIC CAR & TRUCK WEATHERSTRIPPING

CUSTOM CATALOGS NOW AVAILABLE!

Get your completely customized Steele Rubber Products Catalog! You tell us what you're working on and we'll send you a catalog full of parts specifically for that car or truck. Order as many catalogs as you have projects!



steelerubber.com/parts




SINCE 1958


EDGING SEALS

These "U-Shaped" Seals can be used for covering rough or dangerous edges. These work great on Metal, Plastic or Fiberglass.


DENSE RUBBER EDGING




70-3167-33 • 10ft.
 70-3168-33 • 15ft.
 70-3166-99 • per/ft.




70-3888-99




70-0077-99




70-3247-44 • 10ft.
 70-3248-44 • 15ft.
 70-3246-99 • per/ft.




50-0100-99




27-0090-14



60-0685-99




70-0836-99





70-2856-99

SPONGE RUBBER EDGING

70-2119-99 • per/ft.
 83-0120-73 • 10ft.
 83-0121-73 • 15ft.



70-2118-99 • per/ft.
 83-0115-73 • 10ft.
 83-0116-73 • 15ft.




40-0162-99

EDGING WITH FLEXIBLE METAL CORE




The flexible metal cores can bend to grip edges tightly, providing a simple and safe way to seal.

FOR 1/8" TO 3/16" EDGES




70-3600-99 • per/ft.

FOR 1/32" TO 1/8" EDGES




70-3602-99 • per/ft.

FOR 1/8" TO 3/16" EDGES



70-3599-99 • per/ft.

FOR 1/8" EDGES



70-3601-99 • per/ft.

FOR 3/16" TO 1/4" EDGES




70-3598-99 • per/ft.

FOR 1/32" EDGES



70-3597-99 • per/ft.

FOR 1/32" EDGES




70-3596-99 • per/ft.

Call or visit our website for current pricing






















PEEL-N-STICK SEALS

ALL EXTRUSIONS
ON THIS PAGE
ARE SPONGE RUBBER




No messy glue, Just peel and stick!


Our Peel-N-Stick weatherstripping can be used any place a rubber seal is needed. With easy to use Peel-N-Stick adhesive backing, simply cut to size and fit to the areas you need to seal. Available in multiple lengths and a variety of extrusions, our Peel-N-Stick parts are made of the same quality sponge & dense rubber found in our standard rubber parts and weatherstripping.

 <p>83-0102-73 • 5ft. 83-0103-73 • 10ft. 83-0124-73 • 15ft. 83-1016-73 • 30ft.</p>	 <p>83-0104-73 • 5ft. 83-0105-73 • 10ft. 83-0106-73 • 15ft. 83-1017-73 • 30ft.</p>	 <p>83-0127-73 • 5ft. 83-0113-73 • 10ft. 83-0114-73 • 15ft. 83-1018-73 • 30ft.</p>	
 <p>70-3848-99 per/ft.</p>	 <p>70-3859-99 per/ft.</p>	 <p>83-0107-73 • 5ft. 83-0108-73 • 10ft. 83-0130-73 • 15ft. 83-1019-73 • 30ft.</p>	
 <p>83-1023-85 • 5ft. 83-1024-85 • 10ft. 83-1025-85 • 15ft. 83-1026-85 • 30ft.</p>	 <p>70-3677-99 • per/ft. 83-1049-73 • 5ft. 83-1050-73 • 10ft. 83-1051-73 • 30ft.</p>	 <p>WHITE RUBBER 70-3970-99 per/ft.</p>	
 <p>70-3850-99 • per/ft.</p>	 <p>70-3847-99 • per/ft.</p>	 <p>70-3802-99 • per/ft.</p>	 <p>70-3984-99 • per/ft.</p>
 <p>83-0128-73 • 5ft. 83-0129-73 • 10ft. 83-0119-73 • 15ft. 83-1022-73 • 30ft.</p>	 <p>83-0125-73 • 5ft. 83-0126-73 • 10ft. 83-0122-73 • 15ft. 83-1021-73 • 30ft.</p>	 <p>70-3852-99 • per/ft.</p>	
 <p>70-3974-99 • per/ft.</p>	 <p>70-3972-99 • per/ft.</p>	 <p>70-3975-99 • per/ft.</p>	 <p>SPONGE RUBBER 70-2684-42 • 9ft. 70-2685-42 • 14ft.</p>  <p>DENSE RUBBER 70-2674-42 • 9ft. 70-2675-42 • 14ft.</p>


PEEL-N-STICK SEALS




No messy glue, Just peel and stick!




70-3673-99 • per/ft.
83-1040-73 • 5ft.
83-1041-73 • 10ft.
83-1042-73 • 30ft.




70-3672-99 • per/ft.
83-1037-73 • 5ft.
83-1038-73 • 10ft.
83-1039-73 • 30ft.




70-3846-99 • per/ft.




83-0109-73 • 5ft.
83-0110-73 • 10ft.
83-0111-73 • 15ft.
83-1020-73 • 30ft.




70-3676-99 • per/ft.
83-1046-73 • 5ft.
83-1047-73 • 10ft.
83-1048-73 • 30ft.




70-3849-99 • per/ft.




70-0331-73-WT • per/ft.




70-4204-99 • per/ft.




70-4205-99 • per/ft.




30-0243-73-WT • per/ft.
83-1029-73 • 10ft.
83-1030-73 • 30ft.




70-1105-99-WT • per/ft.
83-1033-73 • 10ft.
83-1034-73 • 30ft.




70-0145-WT • per/ft.




70-0390-73-WT • per/ft.




70-0129-99-WT • per/ft.
83-1031-73 • 10ft.
83-1032-73 • 30ft.




70-3872-99 • per/ft.




40-0480-73-WT • per/ft.



70-1106-99-WT • per/ft.
83-1035-73 • 10ft.
83-1036-73 • 30ft.



30-0144-87-WT • per/ft.
83-1027-73 • 10ft.
83-1028-73 • 30ft.























30-0356-85-WT • per/ft.

MORE PEEL-N-STICK SEALS

Our Peel-N-Stick weatherstripping can be used any place a rubber seal is needed. With easy to use Peel-N-Stick adhesive backing, simply cut to size and fit to the areas you need to seal. Available in multiple lengths and a variety of extrusions, our Peel-N-Stick parts are made of the same quality sponge & dense rubber found in our standard rubber parts and weatherstripping.


Call or visit our website for current pricing

 <p>83-0135-73 10ft.</p>	 <p>83-0131-73 • 5ft. 83-0132-73 • 10ft. 83-0100-73 • 15ft. 83-0118-73 • 30ft.</p>	 <p>83-0134-73 10ft.</p>	 <p>83-0136-73 10ft.</p>	 <p>83-0140-73 10ft.</p>
 <p>83-0137-73 10ft. 70-1437-99-WT per/ft.</p>	 <p>83-0139-73 10ft. 70-2401-99-WT per/ft.</p>	 <p>83-0123-73 10ft.</p>	 <p>83-0133-73 10ft.</p>	 <p>83-0138-73 10ft.</p>
 <p>70-3858-99 • per/ft.</p>	 <p>70-3897-99 • per/ft.</p>	 <p>70-4057-99 • per/ft.</p>	<p>DENSE RUBBER SEALS WITH WIPER BLADE</p>  <p>70-3709-99 • per/ft.</p>  <p>70-3856-99 • per/ft.</p>  <p>70-3899-99 • per/ft.</p>  <p>70-3973-99 • per/ft.</p>	
 <p>70-3708-99 • per/ft.</p>	 <p>70-4186-99 • per/ft.</p>	<p>WHITE RUBBER</p>  <p>70-3711-99 • per/ft.</p>		

PUSH-ON SEALS

SIDE CHANNEL BULB


The tube shaped bulbs are made of high quality rubber. The flexible metal cores can bend to grip edges tightly, providing a simple and safe way to seal.




70-3582-99 • per/ft.



70-3594-99 • 25ft. Strip




70-3583-99 • per/ft.




70-3592-99 • per/ft.




70-3584-99 • per/ft.



70-3595-99 • 25ft. Strip




70-3586-99
25ft. Strip




70-2734-99 • per/ft.



70-3885-99 • per/ft.




70-3855-99 • per/ft.



70-4144-99 • per/ft.


BOTTOM CHANNEL BULB




70-2831-99 • per/ft.




70-3587-99
25ft. Strip



70-3588-99
25ft. Strip



70-3854-99 • per/ft.




70-3590-99 • per/ft.




Since 1958

PUSH-ON SEALS


WITH WIPER




70-3591-99 • per/ft.




70-2746-99 • per/ft.




70-3581-99 • per/ft.




70-3593-99 - 25ft. Strip



70-3801-99 • per/ft.



70-3889-99 • per/ft.




70-3890-99 • per/ft.

RUN CHANNELS


WITH METAL SPINE




These Run Channels have a fuzzy lining which creates a smooth surface for glass to slide. They also have a metal spine which makes them tough and durable. The run channels listed here are a perfect choice when restoring antique cars.




FLEXIBLE METAL SPINE
70-1238-58 - 5' strip
70-1239-58 - 6' strip




FLEXIBLE METAL SPINE
20-1146-58 - 5' strip




FLEXIBLE METAL SPINE
60-0375-58 - 5' strip
60-0129-58 - 90" strip



FLEXIBLE METAL SPINE
70-1107-57 - 5' strip
70-1108-57 - 6' strip




FLEXIBLE METAL SPINE
20-1619-58 - 5' strip
40-0309-57 - two 3' strips
40-0309-98 - 8' strip




RIGID METAL SPINE
70-0752-58 - 6' strip
70-3819-58 - two 2' strips


RUBBER GLASS CHANNEL WITH FUZZY FLOCKED LINING



FLOCKED
70-1168-58 • per/ft



FLOCKED
70-0306-58 • per/ft



FLOCKED
70-1169-58 • per/ft

FLOCKED LINING ALSO SOLD SEPARATELY

FUZZY FINISH ON ONE SIDE
FOLD TO A "U" SHAPE FOR GLASS SETTING CHANNEL













PART#
70-2863-58 • per/ft



RUN CHANNELS

**ALL FLEXIBLE
NO METAL SPINE**



Flexible Run Channels with a flocked lining create a smooth surface for gliding window panels. Works great with glass, acrylic, fiberglass or plastic. These fibers provide low friction, flexibility and long life.













BELTLINE WEATHERSTRIP

Call or visit our website for current pricing


Beltline weatherstrips provide a smooth surface for glass to slide against as it rolls down into the door. They prevent glass from rattling and keep dust and moisture out of the door panel.



**PEEL-N-STICK
SPONGE RUBBER
WITH FUZZY
FLOCKED COATING**



ROUND GROMMETS



GROOVE DIAMETER = PROJECT HOLE SIZE


Part Number	GROOVE DIAMETER	Bore Diameter	Outside Diameter	Groove Width
32-1059-20	1/4"	5/32"	3/8"	1/16"
32-1060-20	1/4"	5/32"	7/16"	3/32"
32-1062-20	9/32"	5/32"	13/32"	3/32"
32-1063-20	5/16"	5/32"	7/16"	1/4"
32-1061-20	5/16"	3/16"	1/2"	1/16"
32-0352-20	3/8"	1/4"	9/16"	1/16"
32-0414-32	3/8"	5/32"	9/16"	5/32"
32-1064-20	3/8"	1/4"	1/2"	1/16"
32-1058-20	3/8"	1/8"	1/2"	3/32"
32-0514-20	3/8"	1/4"	5/8"	1/16"
32-0317-52	7/16"	1/4"	3/4"	1/16"
32-0366-53	7/16"	1/8"	5/8"	1/16"
32-1065-20	7/16"	1/4"	5/8"	1/16"
32-0537-24	7/16"	1/4"	3/4"	1/16"
32-1067-20	7/16"	5/16"	9/16"	1/16"
32-0365-20	1/2"	3/16"	3/4"	1/16"
32-0161-21	1/2"	3/8"	11/16"	1/16"
32-0132-67	1/2"	3/8"	13/16"	3/32"
32-1073-20	9/16"	7/16"	3/4"	1/16"
32-1070-20	9/16"	5/16"	13/16"	1/4"
32-0051-24	9/16"	3/8"	5/8"	5/32"
32-0491-21	9/16"	3/8"	15/16"	5/32"
32-1069-20	9/16"	5/16"	3/4"	1/8"
32-0158-17	9/16"	5/16"	13/16"	1/16"
32-1071-20	5/8"	3/8"	7/8"	1/16"
32-1072-20	5/8"	3/8"	7/8"	1/4"
32-0970-17	5/8"	7/32"	13/16"	3/32"
32-0112-20	11/16"	1/4"	1-3/16"	1/16"
32-0047-14	11/16"	3/8"	1"	1/16"
32-0165-15	11/16"	1/8"	15/16"	1/16"
32-0050-24	11/16"	15/32"	3/4"	1/4"
32-0003-21	11/16"	5/16"	1"	1/16"
32-0328-54	11/16"	3/8"	1-3/16"	1/16"
32-1068-20	3/4"	5/16"	1"	1/16"
32-0342-24	3/4"	3/8"	1"	3/16"
32-1075-20	3/4"	1/2"	1"	1/8"
32-0438-20	3/4"	1/2"	1"	3/32"
32-1074-20	3/4"	1/2"	31/32"	3/32"

Part Number	GROOVE DIAMETER	Bore Diameter	Outside Diameter	Groove Width
32-0263-17	3/4"	5/16"	1"	1/16"
32-0066-20	3/4"	1/4"	15/16"	1/16"
32-0162-21	3/4"	1/4"	15/16"	1/16"
32-0064-21	13/16"	1/4"	1"	1/16"
32-1076-20	13/16"	1/2"	1-1/16"	1/4"
32-0002-21	7/8"	13/32"	1-1/16"	1/16"
32-0224-21	7/8"	5/8"	1-1/8"	1/16"
32-1077-20	7/8"	5/8"	1-1/8"	1/8"
32-0057-24	7/8"	5/16"	1-1/4"	1/8"
32-0155-37	7/8"	1/2"	1-5/16"	1/16"
32-0364-37	29/32"	5/8"	1-1/4"	3/32"
32-1078-20	15/16"	3/4"	1-1/8"	1/16"
32-0039-14	15/16"	1/4"	1-1/4"	1/16"
32-0133-21	31/32"	3/4"	1-3/16"	3/16"
32-1066-20	31/32"	1/4"	1-7/32"	1/16"
32-0464-15	1"	3/8"	1-3/8"	1/16"
32-0714-41	1"	3/8"	1-5/16"	1/16"
32-0492-14	1"	11/16"	1-1/4"	1/16"
32-0320-21	1"	7/16"	1-7/16"	1/16"
32-0439-20	1"	7/16"	1-5/16"	1/16"
32-0390-21	1"	3/4"	1-1/4"	1/16"
32-0098-21	1"	1/4"	1-5/16"	1/16"
32-0401-45	1"	3/8"	1-1/4"	1/16"
32-0437-20	1-1/16"	7/16"	1-3/8"	1/16"
32-0253-37	1-1/16"	5/8"	2-1/16"	3/32"
32-0369-20	1-1/16"	3/4"	1-3/8"	1/16"
32-0134-20	1-1/16"	13/16"	1-5/16"	5/32"
32-1201-20	1-3/32"	9/16"	1-9/16"	3/32"
32-0167-52	1-3/32"	7/8"	1-7/16"	1/16"
32-0005-14	1-1/8"	5/8"	1-3/8"	1/16"
32-0001-37	1-1/8"	3/4"	1-9/16"	1/16"
32-0365-37	1-5/32"	5/8"	1-9/16"	3/32"
32-0062-14	1-5/32"	3/4"	1-7/16"	1/16"
32-0355-37	1-1/4"	5/8"	2"	1/16"
32-1079-20	1-1/4"	3/4"	1-5/8"	1/4"
32-0421-37	1-1/4"	3/4"	1-9/16"	1/4"
32-0422-20	1-1/4"	1/2"	1-7/16"	1/4"
32-0220-21	1-1/4"	1/4"	1-1/2"	1/16"
32-0118-37	1-1/4"	3/4"	1-5/8"	1/16"
32-0063-14	1-5/16"	1/2"	1-5/8"	1/16"
32-0455-14	1-5/16"	7/8"	1-5/8"	1/16"
32-0023-14	1-5/16"	1-1/16"	1-7/8"	1/16"
32-0196-21	1-5/16"	5/16"	1-11/16"	1/16"
32-0160-20	1-3/8"	1/2"	1-11/16"	1/8"
32-0062-20	1-3/8"	5/16"	1-7/8"	1/8"
32-0333-20	1-3/8"	7/16"	1-3/4"	3/32"
32-0225-20	1-1/2"	11/16"	2-1/4"	3/32"

STEM BUMPERS



This is a sample design
Actual stem bumpers may be different.



GROOVE DIAMETER = PROJECT HOLE SIZE

Our stem bumpers can be used to protect a variety of applications. Bumpers are listed below by the size of the Groove Diameter (which is the project hole size). Please call if you need assistance.

Call or visit our website for current pricing

Part Number	GROOVE DIAMETER	Head Diameter	Head Height	Groove Width	Part Number	GROOVE DIAMETER	Head Diameter	Head Height	Groove Width
33-0730-42	1/8"	3/8"	3/32"	1/8"	33-0350-87	1/4"	15/16"	3/8"	1/16"
33-0127-41	1/8"	5/16"	1/8"	1/16"	33-0427-42	1/4"	5/8"	3/16"	1/16"
33-0128-88	1/8"	5/16"	1/4"	1/16"	33-0482-42	1/4"	5/8"	7/16"	1/16"
33-0556-15	1/8"	1/2"	1/16"	7/32"	33-0046-42	1/4"	3/4"	5/16"	1/16"
33-0348-54	3/16"	1/2"	5/8"	1/16"	33-1574-71	1/4"	5/8"	1/4"	1/16"
33-0368-30	3/16"	1/2"	7/16"	1/8"	33-0003-42	1/4"	11/16"	1/8"	3/32"
33-0507-62	3/16"	7/16"	1/8"	5/32"	33-0019-20	1/4"	15/32"	3/16"	1/16"
33-0990-87	3/16"	15/16"	1/2"	1/16"	33-0449-42	1/4"	1/2"	1/4"	1/16"
33-0117-42	3/16"	5/8"	5/16"	1/16"	60-0734-71	1/4"	9/16"	1/4"	1/16"
33-0349-87	3/16"	1/2"	3/32"	1/16"	33-1576-71	5/16"	9/16"	1/2"	1/16"
33-0042-42	3/16"	7/16"	1/2"	1/16"	33-1575-71	5/16"	5/8"	3/4"	1/16"
33-0123-42	1/4"	3/4"	1/2"	1/16"	33-0531-42	5/16"	13/16"	1/4"	1/8"
33-0512-44	1/4"	3/8"	5/32"	1/16"	33-0031-42	5/16"	1/2"	1/8"	1/16"
33-0136-42	1/4"	1/2"	5/16"	1/16"	33-0109-71	5/16"	3/4"	1/4"	3/32"
33-0211-31	1/4"	5/8"	1/4"	1/16"	33-0116-42	5/16"	3/4"	7/16"	3/32"
33-0293-87	1/4"	7/8"	5/16"	1/16"	33-0542-42	5/16"	3/4"	5/16"	1/16"
33-0459-42	1/4"	3/4"	3/16"	1/16"	33-0113-42	5/16"	3/4"	3/16"	1/16"
33-0496-71	1/4"	1/2"	3/8"	1/16"	33-0293-71	5/16"	3/4"	11/16"	1/16"
33-1285-42	1/4"	9/16"	3/16"	1/16"	33-0016-45	3/8"	1"	11/32"	1/16"
33-0395-42	1/4"	9/16"	3/32"	1/16"	33-0169-42	3/8"	11/16"	3/8"	1/16"

Stem bumpers come in a variety of shapes. These are examples of different stem bumpers.



Part# 33-0127-41




Part# 33-0348-54



Part# 33-0211-31

ROUND BODY PLUGS




Our body plugs can be used for a variety of applications. Body Plugs are listed by the size of the groove diameter. (which is the project hole size). Please call if you need assistance.

GROOVE DIAMETER = PROJECT HOLE SIZE

Part Number	GROOVE DIAMETER	Head Diameter	Material	Groove Width
35-0458-45	3/8"	5/8"	Rubber	1/8"
35-0369-20	1/2"	3/4"	Rubber	3/32"
35-0070-87	1/2"	3/4"	Rubber	1/16"
35-1052-20	1/2"	7/8"	Plastic	1/16"
35-0171-20	9/16"	13/16"	Rubber	None*
35-0197-31	3/4"	1-1/8"	Rubber	3/32"
35-0262-20	3/4"	1"	Rubber	1/16"
35-0515-20	3/4"	1"	Rubber	1/16"
35-1053-20	3/4"	1-1/8"	Plastic	1/16"
35-1054-20	3/4"	1-1/4"	Plastic	1/16"
35-0402-87	7/8"	1-3/32"	Rubber	1/16"
35-0099-20	15/16"	1-3/16"	Rubber	1/16"
35-1214-20	1"	1-5/16"	Rubber	1/16"
35-0457-45	1"	1-3/8"	Rubber	1/16"
35-1055-20	1"	1-3/8"	Plastic	1/16"
35-0327-45	1-1/8"	1-1/2"	Rubber	1/16"
35-1056-20	1-1/4"	1-5/8"	Plastic	1/16"
35-0517-45	1-3/8"	1-5/8"	Rubber	1/16"
35-3508-45	2"	2-7/16"	Rubber	3/32"

*Part# 35-0171-20 has NO groove

Call or visit our website for current pricing



This is a sample design.

Body plugs come in a variety of sizes. These are examples of our body plugs.



Part# 32-0456-20



Part# 35-0369-20



Part# 35-1214-20

Complete selection of weatherstripping for RV's and Enclosed Trailers!





Visit steelerubber.com for many more extrusions!






SLIDE OUT SEALS



Many more RV weatherstripping seals available!!!




DOOR & COMPARTMENT



ROOF TOP AC/HEAT PUMP - ONE PIECE GASKET

70-4207-207 • set



Unique 1 pc. design!



DIVIDER & LEVELING
BLOCKS INCLUDED

Many more RV weatherstripping seals available . . .

Visit steelerubber.com today!



Marine Weatherstripping




NEW from Steele Rubber . . . Marine Weatherstripping!


These are just a few of our marine products.
Visit steelerubber.com today.

RUB RAIL INSERT KITS

More Profiles Available




70-3976-347 - per/ft.
70-3992-347 - 50ft.
70-3993-347 - 70ft.




90-3331-347 - 50ft.
90-3332-347 - 70ft.
90-3333-347 - 200ft.

STEELE RUBBER PRODUCTS
RUB RAIL INSERT




↑ COMMON RUB RAIL




90-3338-347 - 50ft.


HATCH SEALS



70-3984-377 • per/ft.




70-4205-372 • per/ft.




Many More Hatch Seal Profiles Available

WINDSHIELD GLASS TRIM


EXAMPLE OF WINDSHIELD
GLASS TRIM



70-3794-357 • per/ft.




70-3813-340 • per/ft.



FITS IN BOAT WINDSHIELD
FRAMES TO HIDE
MOUNTING HARDWARE



70-3825-355 • per/ft.



70-3824-355 • per/ft.


Many more Marine weatherstripping seals available . . .
Visit steelerubber.com today!



UNIVERSAL PARTS

This page contains parts that can be used for a variety of uses.

Dimmer Switch Grommet




Dimmer switch grommet for automobiles. Has a wide flange for 1" hole for carpet application. 2-3/4" inches overall.

40-0083-88

Rubber Sheeting



Please order rubber sheeting by the square foot as shown here.



Rubber masticated sheet. 3/32" thick rubber sheet containing random milled cotton cord reinforcement. Perfect for front end automobile splash aprons. Many other uses as well. This product is four (4) foot high, and will only be sold in four (4) foot multiples (4' x 1', 4' x 2', 4' x 3', etc...).

Please order by the square foot. **70-0645-45**

Fender Welting for Automobiles


Fender welting. Superior quality, proper construction of reinforced black vinyl over vinyl core. 1-3/8" inch wide. One fourth (1/4" or 3/16" bead, 25' or 50' roll. Typically used to attach fenders to automobile body.



BLACK



CHROME



- 70-1097-44** - 1/4" bead, 25' roll.
- 70-1098-44** - 1/4" bead, 50' roll.
- 70-1099-44** - 3/16" bead, 25' roll.
- 70-1100-44** - 3/16" bead, 50' roll.
- 70-1101-44** - CHROME, 3/16" bead, 25' roll.
- 70-1102-44** - CHROME, 3/16" bead, 50' roll.

Push Button Lock Knobs



Knob or push button for inside door lock, fits over 1/8" steel rod to door lock. Hard brown rubber, may be lacquered other colors as required. OEM for many GM cars but can be used for other vehicles.


70-0660-70



Knob or push button for inside door lock, fits over 1/8" steel rod to door lock. Neutral brown rubber. OEM for many GM cars but can be used for other vehicles.

70-0354-70


Battery Terminal Cover



Cover, battery clamp. Control unsightly sulfate buildup. Can be used on most any vehicle battery.

70-0095-21

Round Rubber Bushings



Listed by hole size

	DIAMETER	WIDTH HEIGHT	HOLE SIZE
60-0232-11	2"	13/16"	3/8"
60-0235-33	1"	11/16"	3/8"
50-0133-48	1-5/16"	3/8"	7/16"
50-0132-48	1-3/4"	5/16"	7/16"
60-0231-11	1-7/16"	7/8"	7/16"
60-0216-33	1-1/4"	3/4"	7/16"
70-1125-33	1-1/8"	1/4"	1/2"
70-1968-36	1-1/4"	5/8"	1/2"
11-0016-33	1-5/16"	11/16"	1/2"
70-0265-48	1-1/2"	1-1/4"	1/2"
70-0264-48	1-7/16"	1/4"	9/16"
70-1967-33	1-7/16"	7/8"	5/8"
11-0019-35	1-7/16"	1-1/8"	5/8"
70-2233-48	1-7/8"	9/16"	5/8"
10-0134-32	7/8"	1/4"	5/8"
50-0229-11	2-3/16"	1/2"	5/8"
60-0463-11	2-1/2"	1-1/4"	3/4"
11-0020-35	1-9/16"	1-1/8"	3/4"
50-0329-48	1-15/16"	3/4"	3/4"
50-0097-48	1-15/16"	1/2"	3/4"
50-0507-48	1-15/16"	13/16"	7/8"
60-0189-48	1-13/16"	9/16"	7/8"
70-2232-48	1-7/8"	9/16"	15/16"


Call or visit our website for current pricing

Possible Uses:



Our rubber bushings and rubber pads can be used anywhere a cushion barrier is needed. Our Square/Rectangle pads are perfect for use as body mounting pads when restoring automobiles.

Square/Rectangle Rubber Pads



Listed by hole size

	LENGTH	WIDTH	HEIGHT	HOLE SIZE
50-0233-48	2-7/16"	1-11/16"	3/8"	1/2"
50-0231-48	3"	1-11/16"	3/8"	1/2"
50-0232-48	1-15/16"	1-15/16"	3/8"	1/2"
50-0328-48	2-1/16"	2-1/16"	7/16"	5/8"
70-2234-48	2-3/16"	2-3/16"	1/2"	3/4"
70-0634-48	3-3/16"	2-1/8"	7/16"	13/16"

WE ALSO OFFER
Quality Crafted Rubber Parts & Weatherstripping

**BUICK - OLDSMOBILE - PONTIAC - CHEVROLET - CADILLAC
GMC TRUCK - FORD - LINCOLN - MERCURY - CHRYSLER
PLYMOUTH - DODGE - DESOTO - AMERICAN INDEPENDENTS**

**"ASK ABOUT A CUSTOM CATALOG
SPECIFIC FOR YOUR CAR OR TRUCK"**

Steele
RUBBER PRODUCTS
SINCE 1958

Masking Tape 1-1/2 Inch



3M™ Automotive Performance Masking Tape is a quality masking tape developed for the special requirements of the automotive restoration industry. It provides excellent adhesion to moldings, metal, plastic and rubber.

96-3433-96

Masking Tape 3/4 Inch



Steele Rubber Products has the best quality specialized tools for your classic automobile restoration effort. 3M™ Automotive Performance Masking Tape is a quality masking tape developed for the special requirements of the automotive restoration industry. It provides excellent adhesion to moldings, metal, plastic and rubber.

96-3431-96

3M Super Weatherstrip Adhesive Black (2 oz.)*



Designed specifically to bond rubber gaskets and weatherstripping to metal surfaces. This flexible, high-strength adhesive helps ensure a tight waterproof seal on car doors, trunks, roof rails and more. Black in color. 2 oz. tube.

96-8581-96

3M Super Weatherstrip Adhesive Yellow (2 oz.)*



Designed specifically to bond rubber gaskets and weatherstripping to metal surfaces. This flexible, high-strength adhesive helps ensure a tight waterproof seal on car doors, trunks, roof rails and more. Yellow in color. 2 oz. tube.

96-8002-96

Call or visit our website for current pricing

***State of California Only**  **WARNING:**

Products with an asterisk (*) can expose you to chemicals including toluene which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

3M Super Weatherstrip Adhesive Black or Yellow (5 oz.)*



This Super Weatherstrip Adhesive is designed to bond seals and gaskets to metal to ensure a waterproof and airtight seal inside your vehicle. This adhesive is ideal for weatherstripping around doors, trunk, t-tops, sunroofs, and windows. This adhesive creates a permanent bond when used on rubber, fabrics, seals, and metal. Although the adhesive remains pliable it is still resistant to the elements, detergents, grease, and more. Choice of black or yellow adhesive. 5 oz. tube.

96-8008-96 (BLACK)

96-8001-96 (YELLOW)

3M Weatherstrip Adhesive Black (5 oz.)*



This Black Weatherstrip Adhesive is designed to bond weatherstrip and seals to other rubber parts and specifically to EPDM rubber. This adhesive is ideal for door, trunk, t-top, and sunroof weatherstripping. This adhesive creates a permanent bond when used on rubber, fabrics, vinyl, and metal. Although the adhesive remains pliable it is still resistant to the elements, oil, grease, and solvents. 5 oz. tube.

96-8011-96

Loctite Super Bonder 495



General purpose instant adhesive designed to bond rubber, metal and plastic parts. Excellent for modified gaskets or rubber footage made of dense or sponge rubber. 3 gm. tube.

96-0495-96

3M General Purpose Adhesive Cleaner Spray*



Makes the job of removing adhesive residue an easier task. Works by softening sticky substances that are often stubborn to remove. Quickly cleans off wax, grease, oil, old adhesive, road tar, silicone and other sticky residues. Will not dissolve or harm automotive paint that has been properly aged. Also suitable for use on vinyl or glass surfaces. 15 oz. aerosol. NOTE: CANNOT BE SHIPPED VIA AIR.

96-8987-96

3M Auto Bedding and Glazing Compound



Flexible sealer designed specifically for creating a watertight seal between windshield rubber gaskets and auto bodies. This synthetic rubber-based sealer remains permanently soft, making it suitable as a bedding and a supplementary adhesive sealer for auto glass. It also resists sagging for use in vertical and overhead auto seals. 10 oz. cartridge.

96-8509-96

Adhesive Cleaner*



A specially blended solvent that provides easy clean up of most types of adhesives and quickly removes waxes, road tars, grease, oil and similar materials. Will not harm thoroughly dried automotive paint, vinyl or fabrics when properly used. 1 Quart Can. NOTE: CANNOT BE SHIPPED VIA AIR.

96-8984-96

Call or visit our website for current pricing

*State of California Only WARNING:

Products with an asterisk (*) can expose you to chemicals including toluene which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

3M Urethane Adhesive*



3M™ Auto Glass Urethane Windshield Adhesive is a medium viscosity, one-part, moisture-curing urethane adhesive. It is formulated to be fast-curing and non-sagging for rapid results and a clean and simple application process. The features of this adhesive produce a high-strength bond and is ideal for mounting vehicle windshields, backlights, sidelights, and even beltline windowfelts.

96-8693-96

3M Plastic and Emblem Adhesive



An excellent clear adhesive for plastic repair and emblem application. Use this strong, quick-drying adhesive for plastic or metal emblems, interior rigid plastic, tail light lenses, vinyl side moldings or upholstery. 5 oz. tube.

96-8061-96

3M Rubberized Undercoating*



3M™ Professional Grade Rubberized Undercoating produces a textured finish which resists chipping, abrasion, exterior rusting and weathering. This coating provides one-coat build-up with no dripping, running or sagging. The undercoating is excellent for automotive undercarriages and for other uses including protection for wheel wells, fenders, quarter panels and more.

96-3584-96

Ferrule installing tool



Installing tool, door and trunk handle ferrule. For 1926-1937 GM cars and trucks using door and trunk handle ferrules such as our #70-0111-69. Without it ferrules are very difficult to install and impossible to reinstall after painting. This tool, copied precisely from a Fisher Body original, does a quick, neat and efficient job of installing ferrules staking them internally to keep them in place. It is precision-machined with a hardened blade, adjusts for depth of reach, knurled for firm grip, and plated for durability. Well worth it for even one car. 6 inches long.

70-0662-69

All purpose tool, short tip



A varied-purpose tool. Assists in the installation of roof, windows, windshield rubber and back glass. Used to remove body clips, moldings, springs, cotter pins and radiator hoses. Measures 9.5 inches long by 5.5 inch blade.

94-0101-94

All purpose tool, longer tip



An all purpose tool with an extra long hook. Use to remove moldings, body clips, windshield seals, cotter pins and radiator hoses. Made of tough spring steel, heat treated, tempered and plated. 8 inches long, 4.875 inch blade with 2 inch hook.

94-0102-94

Wooden handled tucking tool



For tucking, headlining, and upholstery around windows, above doors and other hard to reach places. A sturdy, rough tool with a slightly curved blade that has finished edges around corners. Comfortable wood handle. 7.5 inches long by 2.625 inch blade.

94-0104-94

Heavy Duty glass retainer clip tool



Reduces the risk of chips and scratches to glass windows caused by makeshift tools. This tool is specifically designed to fit trim clips over the studs and virtually eliminates glass breakage. It also dispenses with the need to remove rubber-like sealant surrounding the studs. A practical tool for placing trim retainer clips over headed studs welded around the body window shields and rear window openings.

94-0106-94

Panel Clip Retainer Removal Tool



For removing clips and retainers quickly and easily. Simply seat the tool on the shaft of the fastener and squeeze the molded handles together.

94-0100-94

Trim pad and glued in windshield molding removal tool



For auto trim work. Double ended tool combines both left and right hand. Removes reveal molding on rubberless windshield jobs. 9.5 inches long.

94-0108-94

Rope Insertion Tool



This Rope Insertion Tool is specifically designed for use when working with rubber gasket set glass. The grip handle is uniquely injects the rope through its stem as it is pulled around the gasket to install. The tool has enough durable rope to accommodate even the of largest windows. Eighteen (18) foot rope length provides complete coverage.

94-0118-94

GM type trim pad removing tool



Specifically designed to pull out plastic trim pad fasteners used on GM cars. It reaches under the trim panel, supports and grips the plastic fasteners, and lifts it without damage to the fastener or to the trim pad backboard. This tool is made of heat treated, high carbon steel and will work equally on metal fasteners. 8.5 inches long.

94-0107-94

Locking Strip Tool



This tool helps install the 3/8" locking strip used on the windshield and rear window of GM and Chrysler cars.

94-0111-94

Locking Strip Tool



This tool helps install the 3/8" locking strip used on the windshield and rear window of some cars.

94-0115-94

Call or visit our website for current pricing

Steele Branded Safety Glasses



Reinforced plastic, clear lenses and wraparound frame.

94-0109-94

Scraper/Tuck Tool



This handy tool is great for scraping off old glue and prepping surfaces without damaging metal. Also can be used to help tuck rubber which makes replacing windshield gaskets easier. A good multi purpose tool.

Measures: 7-3/4" by 5/8"


94-0110-94

Tuck Tool



This plastic tool has two round edges to make tucking rubber easier. It reduces the risk of scraping the metal or damaging the rubber. 7-3/4" long and 5/8" wide.

94-0116-94



Weatherstripping & Rubber Parts



Call today for your **FREE Custom Catalog**
Specific to your year/make/model



Customer Service & Product Assistance

Steele provides quality service both before and after your purchase. To place orders, check order status, request a catalog or for any other inquiries, contact us Mon-Friday 8am-6pm Eastern Standard Time at 800-230-5871 (toll free) or 704-483-9343 (local). You can also contact us 24/7 at contact@steelerubber.com.

Return Policy

In the event that you need to return any products, contact us directly Monday-Friday 8am-6pm at 800-461-7089 (toll free) or 704-483-9343 (local) and our Customer Service Representatives will provide you with a return merchandise authorization number (RMA) and instructions for returning any part(s) to us.

Note:

Parts are accepted for return only in the units purchased and with the original invoice. We cannot accept refund packages sent COD or any method for which there is a charge to us. If a part is altered or damaged in any way, we will not be able to accept it for return. We cannot accept returns of products not purchased directly from Steele Rubber Products. Shipping and handling charges are not refundable. To view our full return policy visit: steelerubber.com/returns

Parts Availability

New parts are constantly added to our inventory. Visit us online for current availability of all products.

Delivery of Parts

We cannot guarantee a continuous roll of any extrusion in this catalog when ordered in bulk. We will do our best to ensure that each strip is as long as possible to minimize scrappage for you. Therefore, we reserve the right to deliver your parts in multiple lengths to meet your total purchase requirements.

Use of Parts

These parts are not recommended for specific usage. We are not responsible for damages caused by incorrect installation, abuse, mishandling, accidents or normal wear. Nor will Steele be responsible for labor charges, inconveniences, or any other expenses associated with parts bought through resellers or Steele Rubber Products.

Satisfaction Guarantee:

We offer a 100% satisfaction guarantee on all parts manufactured by and purchased from Steele Rubber Products.

Copyright Section

Contents 2020© Steele Rubber Products, Inc. Printed in the USA. This catalog may not be reproduced without written permission. All drawings, photographs, and graphic images contained in this catalog are the property of Steele Rubber Products and cannot be reproduced without written permission. The contents of this catalog should not be altered in any way for commercial or other use.

Payment Information



** For full disclosure of Steele Rubber Products policies please visit us online at <https://www.steelerubber.com>. If you do not have access to the internet and would like a printed version of our policies, please call 800-230-5871 (toll free) or 704-483-9343 (local).

VEHICLE SPECIFIC CATALOGS ALSO AVAILABLE!



Get your completely customized Steele Rubber Products Catalog!
You tell us what you're working on and we'll send you a catalog
full of parts specifically for that car or truck.
Order as many catalogs as you have projects!



800-230-5871
steelerubber.com/parts



Steele Rubber Products
6180 E. NC 150 HWY
Denver, NC USA 28037

Toll Free 800-230-5871