

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



LISTING SERVICE

LISTING No. 7300-1004:0113 Page 1 of 1

CATEGORY: 7300 -- FIRE ALARM CONTROL UNIT ACCESSORIES/MISC. DEVICES

LISTEE: Apollo America Inc. 25 Corporate Dr., Auburn Hills, MI 48326
Contact: Richard Steele (248) 332-3900 Fax (248) 332-8807
Email: rsteele@ap-c.com

DESIGN: SC-310 series timing relay modules. This series consists of SC-311 and SC-314.
SC-410 series sequencing relay modules. This series consists of SC-411 and SC-414.
All modules may employ suffix T (track mounted), C (steel grey enclosure), or C/R (steel red enclosure).
Refer to listee's data sheet for detailed product description and operational considerations.

RATING: SC-310 series Contacts - Resistive: 5A @ 30VDC, 120VAC, 240VAC 1/8HP @ 250VAC
Inductive: 1.5A @ 24VAC, 120VAC, 240VAC
Power: 150W, 1200VA
Input Control Voltage - 12VAC/VDC @ 60mA, 24VAC/VDC @ 60mA
SC-410 series Contacts - Resistive: 5A @ 30VDC, 120VAC, 240VAC 1/8HP @ 250VAC
Inductive: 1.5A @ 24VAC, 120VAC, 240VAC
Power: 150W, 1200VA
Input Control Voltage - 12VAC/VDC @ 60mA, 24VAC/VDC @ 60mA

INSTALLATION: In accordance with listee's printed installation instruction, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, model number, electrical rating, and UL label.

APPROVAL: Listed as control unit accessories for use with separately listed compatible fire alarm control units. Refer to listee's Installation Instruction Manual for details.

NOTE: 1. Formerly Air Products and Controls, Inc.

09-08-2005 jw



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **July 01, 2013**

Listing Expires **June 30, 2014**

Authorized By: **JAMES PARSEGIAN, Program Coordinator**
Fire Engineering Division